R3850-1. 8-U

CPHA COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES

OP LENGTH OF STAY BY OPERATION



UNITED STATES



Southern REGION

1984



Length of Stay by Operation, Southern Region, 1984

A Companion Volume To
Length of Stay
by Diagnosis,
Southern Region, 1984

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1985

LENGTH OF STAY

Copyright 1985 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1984
. . . by Diagnosis, United States, North Central Region, 1984
. . . by Diagnosis, United States, Northeastern Region, 1984
. . . by Diagnosis, United States, Southern Region, 1984
. . . by Diagnosis, United States, Western Region, 1984
. . . by Diagnosis, Canada, 1984

. . . by Operation, United States, 1984
. . . by Operation, United States, North Central Region, 1984
. . . by Operation, United States, Northeastern Region, 1984
. . . by Operation, United States, Southern Region, 1984
. . . by Operation, United States, Western Region, 1984
. . . by Operation, Canada, 1984

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1984
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1984

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1984 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1984 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1984 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Wilma J. Allen, Senior Contract Manager
Carol A. Prevost, Research Associate
Jean C. Haar, Research Clerk

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data. 1
  Data Quality. 2
  Coverage 3
  Organization of Length of Stay Tables. 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 6
  Explanation of Statistics. 6
  Defining the Extended Stay Case 7
Length of Stay Tables 15
  Summary of All Patients. 16
  Operation Groups 501-764. 17
Appendix: ***ICD-9-CM*** **Codes for Selected Operation Groups** 83
Index to Length of Stay Tables 87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.



** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1984

	Short-Term Nonfederal Hospitals			Short-Term Nonfederal Hospital Beds		
Hospital Class (1)	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	334	65	19.5	6,186	1,283	20.7
25-49	1,156	271	23.4	42,594	10,371	24.3
50-99	1,294	414	32.0	93,091	29,756	32.0
100-199	1,233	388	31.5	175,270	55,535	31.7
200-299	693	221	31.9	168,434	54,709	32.5
300-399	417	141	33.8	141,646	47,929	33.8
400-499	270	91	33.7	119,835	40,323	33.6
500+	314	79	25.2	218,303	51,582	23.6
Total	5,711	1,670	29.2	965,359	291,488	30.2
Region and Census Division						
Northeast	819	332	40.5	206,566	68,649	33.2
New England	242	112	46.3	48,660	19,162	39.4
Middle Atlantic	577	220	38.1	157,906	49,487	31.3
North Central	1,689	594	35.2	277,174	105,715	38.1
East North Central	892	358	40.1	187,719	77,606	41.3
West North Central	797	236	29.6	89,455	28,109	31.4
South	2,141	402	18.8	338,768	67,644	20.0
South Atlantic	811	210	25.9	159,089	38,464	24.2
East South Central	496	100	20.2	72,022	14,961	20.8
West South Central	834	92	11.0	107,657	14,219	13.2
West	1,062	342	32.2	142,851	49,480	34.6
Mountain	367	148	40.3	39,415	20,416	51.8
Pacific	695	194	27.9	103,436	29,064	28.1
Total	5,711	1,670	29.2	965,359	291,488	30.2

The Pediatric book was compiled from the data of 1,662 hospitals. The Geriatric book was compiled from the data of 1,650 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1983 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one UHDDS Class 1 procedure. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] ***ICD-9-CM List B: Hospital Procedure Groups*** is based on the ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in ***UHDDS Classes of Procedures, ICD-9-CM,*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are patients with an *ICD-9-CM* procedure code that fell into a UHDDS category containing at least one Class 1 procedure. Class 1 procedures are defined as those procedures that carry an operative or anesthetic risk, require highly trained personnel, or require special facilities or equipment. The following *ICD-9-CM List B* codes contain a mixture of Class 1 and 2-4 procedures: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in the *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the correct day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM.*[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening.* Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. Diastolic BP > 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	**2**		**235**
for: Cystoscopy			636
TUR			**648**
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Sepsis or fever > 102°, chills			
2. Abscess formation			

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.



OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	**Transurethral approach**
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.



Procedure **INDEX TO PROCEDURES**

Procedure — *continued*
  diagnostic NEC — *continued*
    pleura 34.28
    posterior chamber, eye 14.19
    prostate 60.18
    pulmonary 33.29
    rectum 48.29
    renal 55.29
    respiratory 33.29
    retina 14.19
    retroperitoneum 59.29
    salivary gland or duct 26.19
    sclera 12.29
    scrotum 61.19
    seminal vesicle 60.19
    sigmoid 45.28
    sinus, nasal 22.19
    skin 86.19
    skull 01.19
    soft tissue 83.29
    spermatic cord 63.09
    sphincter of Oddi 51.19
    spine, spinal (canal) (cord) (meninges) (structure) 03.39
    spleen 41.39
    stomach 44.19
    subcutaneous tissue 86.19
    sympathetic nerve 05.19
    tarsus 09.19
    tendon NEC 83.29
      extraocular 15.09
    testicle 62.19
    thalamus 01.18
    thoracic duct 40.19
    thorax 34.28
    thymus 07.19
    thyroid gland 06.19
    tongue 25.09
    tonsils 28.19
    tooth 24.19
    trachea 31.49
    tunica vaginalis 61.19
    ureter 56.39
    urethra 58.29
    uterus and supporting structures 68.19
    uvula 27.29
    vagina 70.29
    vas deferens 63.09
    vesical 57.39
    vessel (blood) (any site) 38.29
    vitreous 14.19
    vulva 71.19
  fistulizing, sclera NEC 12.69
  miscellaneous (nonoperative) NEC 99.99
  respiratory (nonoperative) NEC 93.99
  surgical — *see* Operation
Proctectasis 96.22
Proctectomy (partial) *(see also* Resection, rectum) 48.69
  abdominoperineal 48.5
Proctectomy (partial) — *continued*
  complete (Miles) (Rankin) 48.5
  pull-through 48.49
Proctoclysis 96.37
Proctolysis 48.99
Proctopexy (Delorme) 48.76
  abdominal (Ripstein) 48.75
Proctoplasty 48.79
Proctorrhaphy 48.71
Proctoscopy 48.23
  through stoma (artificial) 48.22
  transabdominal approach 48.21
Proctosigmoidectomy *(see also* Resection, rectum) 48.69
Proctosigmoidopexy 48.76
Proctosigmoidoscopy 48.23
  through stoma (artificial) 48.22
  transabdominal approach 48.21
Proctostomy 48.1
Proctotomy (decompression) (linear) 48.0
Production — *see also* Formation
  atrial septal defect 35.42
  subcutaneous tunnel for esophageal anastomosis 42.86
    with anastomosis — *see* Anastomosis, esophagus, antesternal
Prognathic recession 76.64
Prophylaxis, dental (scaling) (polishing) 96.54
Prostatectomy (complete) (partial) NEC 60.69
  loop 60.2
  perineal 60.62
  radical (any approach) 60.5
  retropubic (punch) (transcapsular) 60.4
  suprapubic (punch) (transvesical) 60.3
  transcapsular NEC 60.69
    retropubic 60.4
  transurethral 60.2
  transvesical punch (suprapubic) 60.3
Prostatocystotomy 60.0
Prostatolithotomy 60.0
Prostatotomy (perineal) 60.0
Prostatovesiculectomy 60.5
Protection (of)
  individual from his surroundings 99.84
  surroundings from individual 99.84
Psychoanalysis 94.31
Psychodrama 94.43
Psychotherapy NEC 94.39
  biofeedback 94.39
  exploratory verbal 94.37
  group 94.44
    for psychosexual dysfunctions 94.41
  play 94.36
  psychosexual dysfunctions 94.34
  supportive verbal 94.38
Ptyalectasis 26.91
Ptyalithotomy 26.0
Ptyalolithotomy 26.0

Step 2. Find the table for group 648 in the length of stay book.



648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).



648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay
Tables

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	97195	3.1	12	<1	1	2	3	6	8	17
20-34	175627	3.4	9	1	1	3	4	6	8	14
35-49	78578	4.6	17	1	1	3	6	9	12	20
50-64	61673	5.2	22	1	1	4	7	11	14	22
65+	56137	5.8	30	1	2	4	8	13	16	26
2. MULTIPLE DX										
0-19 YRS	84562	5.5	70	1	1	3	6	11	18	52
20-34	172202	5.3	32	1	2	4	6	9	13	30
35-49	143199	6.6	41	1	2	5	8	12	17	34
50-64	178406	7.9	57	2	2	6	10	15	21	40
65+	303943	9.4	72	2	2	7	12	18	25	44
TOT. SINGLE DX	469210	4.1	16	1	1	3	5	8	11	19
" MULTIPLE DX	882312	7.5	59	1	2	5	9	15	21	41
TOTAL 0-19 YRS	181757	4.2	41	1	1	3	4	8	12	35
20-34	347829	4.3	21	1	1	3	5	8	10	23
35-49	221777	5.9	33	1	2	5	7	11	15	29
50-64	240079	7.2	50	1	2	5	9	14	19	36
65+	360080	8.8	67	2	2	7	11	18	23	42
GRAND TOTAL	**1351522**	**6.3**	**46**	**1**	**2**	**4**	**8**	**13**	**18**	**35**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	136	8.7	47	1	2	8	11	17	22	35
20-34	82	13.8	162	3	5	10	15	30	38	76
35-49	104	11.5	40	3	5	10	14	18	22	34
50-64	141	14.5	61	6	7	13	18	23	25	40
65+	115	13.5	92	5	5	11	16	23	30	57
2. MULTIPLE DX										
0-19 YRS	244	17.2	273	2	3	12	23	41	60	99+
20-34	117	20.5	259	4	6	16	27	45	55	88
35-49	178	17.5	166	6	8	14	22	35	58	99+
50-64	303	19.8	224	6	7	15	24	39	58	99+
65+	481	21.1	200	7	8	18	26	38	54	83
TOT. SINGLE DX	578	12.3	79	2	4	10	15	22	28	50
" MULTIPLE DX	1323	19.5	222	5	7	15	24	39	57	99+
TOTAL 0-19 YRS	380	14.2	209	2	2	10	19	31	46	95
20-34	199	17.7	229	3	5	12	24	38	51	85
35-49	282	15.3	128	5	6	13	18	30	43	99+
50-64	444	18.1	179	6	7	14	22	35	49	98
65+	596	19.6	188	6	7	16	25	36	52	77
GRAND TOTAL	**1901**	**17.3**	**190**	**4**	**6**	**14**	**22**	**34**	**49**	**86**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	112	7.1	15	3	4	6	9	12	14	24
20-34	35	11.8	51	2	4	10	14	23	25	34
35-49	34	12.5	49	2	3	11	15	24	28	29
50-64	41	14.0	83	5	6	11	15	28	38	41
65+	38	14.0	124	2	3	11	17	25	42	53
2. MULTIPLE DX										
0-19 YRS	103	15.0	162	3	5	11	21	32	47	99+
20-34	52	22.2	394	5	7	16	32	76	99+	99+
35-49	56	20.2	294	6	8	15	23	42	69	99+
50-64	84	22.0	257	7	8	17	30	46	78	99+
65+	127	20.7	204	5	7	17	27	38	58	99+
TOT. SINGLE DX	260	10.5	60	3	4	9	13	20	25	41
" MULTIPLE DX	422	19.7	245	5	6	15	26	40	73	99+
TOTAL 0-19 YRS	215	10.9	101	3	4	7	13	24	32	85
20-34	87	18.0	281	4	6	13	22	52	85	99+
35-49	90	17.3	215	3	7	13	21	34	47	99
50-64	125	19.4	214	6	8	15	25	39	62	99+
65+	165	19.2	194	4	7	15	25	38	53	96
GRAND TOTAL	**682**	**16.2**	**194**	**4**	**5**	**12**	**21**	**35**	**52**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	200	5.8	11	2	3	5	7	9	11	17
20-34	41	7.3	107	2	2	5	7	10	23	64
35-49	15	8.3	27	2	3	6	11	15	19	21
50-64	9	7.9	67	2	2	4	8	22	28	28
65+	3	11.0	7	8	8	12	13	13	13	13
2. MULTIPLE DX										
0-19 YRS	119	10.1	112	3	3	7	10	21	32	59
20-34	74	13.9	268	3	3	8	14	39	59	72
35-49	40	15.6	238	3	4	10	17	40	52	72
50-64	24	12.0	105	3	4	8	17	25	33	48
65+	11	16.8	585	6	6	8	13	46	85	89
TOT. SINGLE DX	268	6.3	29	2	3	5	7	10	13	31
" MULTIPLE DX	268	12.4	195	3	3	8	13	26	46	71
TOTAL 0-19 YRS	319	7.4	53	2	3	6	8	11	19	43
20-34	115	11.6	220	2	3	7	11	29	50	71
35-49	55	13.6	190	3	3	9	15	29	47	71
50-64	33	10.8	96	2	3	7	14	25	28	48
65+	14	15.6	458	6	6	10	13	24	75	89
GRAND TOTAL	**536**	**9.4**	**121**	**2**	**3**	**6**	**9**	**17**	**29**	**69**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	215	6.3	18	3	3	6	8	10	14	27
20-34	13	9.5	37	3	4	8	10	22	22	22
35-49	14	8.2	16	3	5	7	9	14	18	19
50-64	14	12.1	124	3	3	11	12	22	41	47
65+	21	14.8	90	5	6	12	16	30	35	39
2. MULTIPLE DX										
0-19 YRS	257	13.9	228	3	4	9	16	32	63	99+
20-34	30	13.4	165	4	6	11	17	25	72	99+
35-49	20	16.2	120	3	5	12	23	32	40	42
50-64	33	18.7	221	5	6	14	29	45	94	99+
65+	98	24.2	237	8	9	21	30	39	63	79
TOT. SINGLE DX	277	7.5	36	3	3	6	9	13	18	34
" MULTIPLE DX	438	16.6	238	3	4	11	22	37	64	99+
TOTAL 0-19 YRS	472	10.4	147	3	3	7	11	23	35	99
20-34	43	12.2	128	4	5	9	15	23	40	99+
35-49	34	12.9	92	3	5	9	19	25	36	42
50-64	47	16.7	198	4	5	12	20	43	76	99+
65+	119	22.6	224	7	9	20	29	38	55	77
GRAND TOTAL	**715**	**13.1**	**179**	**3**	**3**	**8**	**16**	**30**	**41**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	381	5.4	17	2	2	4	7	10	13	26
20-34	32	9.3	109	1	2	7	10	22	35	50
35-49	24	13.3	292	2	2	8	15	27	50	83
50-64	11	10.8	103	1	3	8	13	29	33	33
65+	17	8.5	36	2	3	8	9	14	23	28
2. MULTIPLE DX										
0-19 YRS	504	12.2	202	2	3	7	14	27	39	84
20-34	69	26.6	610	2	4	18	39	77	89	99+
35-49	39	16.0	122	4	5	13	21	42	99+	99+
50-64	50	22.0	306	3	6	17	34	59	73	99+
65+	62	20.1	228	3	5	17	27	42	57	97
TOT. SINGLE DX	465	6.3	44	2	2	4	7	12	16	33
" MULTIPLE DX	724	15.1	269	2	3	9	20	37	54	99+
TOTAL 0-19 YRS	885	9.3	134	2	2	5	10	21	30	61
20-34	101	21.1	514	2	2	11	34	64	82	99+
35-49	63	15.0	185	2	3	12	19	41	86	99+
50-64	61	20.0	287	2	5	14	32	52	71	99+
65+	79	17.6	209	3	4	13	24	38	51	92
GRAND TOTAL	**1189**	**11.7**	**199**	**2**	**3**	**7**	**13**	**29**	**41**	**90**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	35	8.3	25	3	4	6	10	13	18	29
20-34	194	9.3	33	3	4	8	11	15	18	37
35-49	435	9.0	27	4	5	8	11	14	18	26
50-64	385	9.7	32	4	5	9	11	16	20	26
65+	174	10.5	27	4	5	9	13	16	21	28
2. MULTIPLE DX										
0-19 YRS	57	15.3	185	5	6	10	19	27	45	73
20-34	171	13.0	104	4	5	10	15	21	33	58
35-49	448	12.6	90	4	5	10	15	22	31	53
50-64	593	13.4	94	5	6	10	16	24	32	49
65+	563	16.0	119	6	8	13	19	27	38	78
TOT. SINGLE DX	1223	9.5	30	4	5	8	11	15	19	27
" MULTIPLE DX	1832	14.0	107	5	6	11	17	24	34	59
TOTAL 0-19 YRS	92	12.6	136	4	5	8	13	25	36	68
20-34	365	11.0	70	4	5	9	13	18	24	47
35-49	883	10.9	63	4	5	9	13	19	23	46
50-64	978	12.0	73	4	5	10	14	21	27	47
65+	737	14.7	104	6	7	12	17	25	34	60
GRAND TOTAL	**3055**	**12.2**	**81**	**4**	**5**	**10**	**14**	**21**	**28**	**49**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72	8.7	36	2	3	7	11	15	19	35
20-34	127	6.5	30	1	2	4	9	14	18	26
35-49	142	7.9	60	1	2	6	11	16	23	65
50-64	85	7.2	31	2	2	5	10	15	17	27
65+	38	8.8	61	2	2	7	11	18	22	43
2. MULTIPLE DX										
0-19 YRS	116	14.2	131	4	6	11	17	32	48	99+
20-34	110	13.2	212	2	3	9	15	24	48	79
35-49	134	12.1	121	2	3	9	15	27	37	69
50-64	142	13.0	84	3	4	11	18	27	32	59
65+	117	17.1	151	3	5	13	21	39	48	67
TOT. SINGLE DX	464	7.6	44	2	2	6	10	15	18	36
" MULTIPLE DX	619	13.8	139	3	4	11	17	29	43	78
TOTAL 0-19 YRS	188	12.1	102	3	4	9	15	22	38	88
20-34	237	9.6	126	2	2	6	12	19	26	61
35-49	276	9.9	94	2	2	8	12	20	32	63
50-64	227	10.8	72	2	2	9	15	21	29	47
65+	155	15.1	141	2	3	12	20	36	46	52
GRAND TOTAL	**1083**	**11.2**	**107**	**2**	**2**	**9**	**14**	**22**	**33**	**61**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	42	3.3	7	<1	1	2	4	8	9	14
20-34	131	2.6	5	<1	<1	2	3	5	7	12
35-49	223	2.8	4	<1	1	2	3	5	8	12
50-64	251	3.0	5	<1	1	2	4	5	7	12
65+	103	3.1	5	<1	1	3	3	6	8	13
2. MULTIPLE DX										
0-19 YRS	24	5.2	16	1	2	4	7	12	14	14
20-34	99	4.6	39	1	1	3	4	9	13	38
35-49	146	4.5	27	1	2	3	4	9	13	31
50-64	200	5.3	59	1	2	3	5	10	20	59
65+	149	6.2	52	2	2	3	7	14	17	46
TOT. SINGLE DX	750	2.9	6	<1	1	2	3	5	8	13
" MULTIPLE DX	618	5.2	46	1	2	3	5	11	16	44
TOTAL 0-19 YRS	66	4.0	12	<1	1	3	5	10	12	14
20-34	230	3.5	21	<1	1	2	3	7	9	34
35-49	369	3.5	14	<1	1	2	4	6	10	18
50-64	451	4.0	31	<1	1	3	4	7	11	35
65+	252	4.9	35	1	2	3	5	12	16	36
GRAND TOTAL	**1368**	**4.0**	**25**	**<1**	**1**	**3**	**4**	**8**	**11**	**25**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	109	2.7	7	<1	1	2	3	5	6	19
20-34	610	2.3	2	<1	<1	2	3	4	5	9
35-49	906	2.5	3	<1	<1	2	3	4	6	11
50-64	774	2.5	3	<1	<1	2	3	4	6	11
65+	407	2.4	5	<1	<1	2	3	4	5	13
2. MULTIPLE DX										
0-19 YRS	120	2.6	4	<1	1	2	3	5	7	11
20-34	364	3.2	9	1	1	2	4	6	8	18
35-49	528	3.9	23	1	1	3	4	7	11	27
50-64	630	4.2	19	<1	1	3	5	9	11	21
65+	511	4.3	23	1	1	3	5	9	13	25
TOT. SINGLE DX	2806	2.4	4	<1	<1	2	3	4	6	11
" MULTIPLE DX	2153	3.9	19	1	1	3	4	8	11	22
TOTAL 0-19 YRS	229	2.6	6	<1	1	2	3	5	7	14
20-34	974	2.6	5	<1	1	2	3	5	6	13
35-49	1434	3.0	12	<1	1	2	3	5	8	17
50-64	1404	3.2	12	<1	1	2	3	6	9	15
65+	918	3.5	16	<1	1	2	3	7	11	22
GRAND TOTAL	**4959**	**3.1**	**11**	**<1**	**1**	**2**	**3**	**6**	**9**	**16**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	29	7.6	22	2	3	7	11	13	16	23
35-49	28	6.7	43	2	2	5	8	14	19	33
50-64	16	6.4	13	1	3	5	9	12	14	15
65+	12	8.8	12	4	5	8	12	14	15	15
2. MULTIPLE DX										
0-19 YRS										
20-34	23	9.2	47	2	4	6	11	21	24	24
35-49	42	8.7	33	2	3	8	11	17	20	25
50-64	52	11.5	50	3	4	10	15	20	25	39
65+	109	13.3	73	4	6	12	16	22	27	55
TOT. SINGLE DX	87	7.2	26	2	2	6	9	13	15	29
" MULTIPLE DX	226	11.6	61	3	4	10	15	20	24	43
TOTAL 0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	52	8.3	33	2	3	6	11	18	23	24
35-49	70	7.9	38	2	2	6	10	16	20	31
50-64	68	10.3	46	3	4	9	14	18	23	37
65+	121	12.8	69	4	6	11	15	21	26	54
GRAND TOTAL	**313**	**10.4**	**55**	**2**	**3**	**8**	**14**	**19**	**23**	**39**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	5.3	10	1	1	6	8	9	9	9
20-34	29	5.1	14	<1	1	4	6	12	13	15
35-49	28	5.8	13	1	1	6	8	10	12	17
50-64	24	3.5	7	<1	<1	3	4	6	11	12
65+	10	6.1	51	1	1	3	7	17	25	25
2. MULTIPLE DX										
0-19 YRS	3	15.3	534	1	1	3	32	42	42	42
20-34	20	6.1	33	1	1	3	11	14	18	21
35-49	36	6.7	32	<1	<1	5	9	12	16	30
50-64	45	10.6	108	2	2	8	13	23	28	59
65+	41	9.8	57	2	3	8	14	20	24	34
TOT. SINGLE DX	97	5.0	16	<1	1	4	7	11	12	21
" MULTIPLE DX	145	8.9	73	1	2	6	11	19	24	43
TOTAL 0-19 YRS	9	8.7	165	1	1	5	8	29	42	42
20-34	49	5.5	22	1	1	4	6	13	14	21
35-49	64	6.3	24	<1	1	6	9	11	14	28
50-64	69	8.2	84	<1	1	5	11	20	23	53
65+	51	9.1	57	1	2	6	13	20	25	34
GRAND TOTAL	**242**	**7.3**	**54**	**1**	**1**	**5**	**9**	**16**	**22**	**35**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	95	4.1	10	2	2	4	4	5	8	22
20-34	559	3.9	2	2	2	4	4	6	7	10
35-49	682	3.9	2	2	2	4	4	5	7	10
50-64	508	4.1	3	2	3	4	5	6	7	11
65+	204	4.5	3	2	3	4	5	6	8	11
2. MULTIPLE DX										
0-19 YRS	34	4.7	10	2	2	4	5	7	13	18
20-34	251	4.9	9	2	3	4	5	7	9	18
35-49	424	4.9	11	2	3	4	5	8	10	19
50-64	451	5.8	20	3	3	5	6	10	13	27
65+	339	7.6	60	3	3	5	9	14	18	36
TOT. SINGLE DX	2048	4.0	3	2	2	4	5	6	7	10
" MULTIPLE DX	1499	5.8	26	2	3	4	6	10	13	26
TOTAL 0-19 YRS	129	4.3	10	2	2	4	4	6	8	20
20-34	810	4.2	5	2	2	4	5	6	7	13
35-49	1106	4.3	6	2	3	4	5	6	8	14
50-64	959	4.9	12	2	3	4	5	8	10	17
65+	543	6.4	41	3	3	5	7	12	15	27
GRAND TOTAL	**3547**	**4.8**	**13**	**2**	**3**	**4**	**5**	**7**	**10**	**18**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	195	2.0	1	1	1	2	2	3	4	7
20-34	103	3.5	22	1	1	3	3	5	8	28
35-49	68	3.2	3	1	1	3	4	6	7	8
50-64	65	4.4	8	1	1	4	5	10	11	12
65+	51	4.8	16	1	1	4	5	8	14	22
2. MULTIPLE DX										
0-19 YRS	36	3.9	8	1	1	3	5	9	10	13
20-34	53	6.6	26	2	2	5	8	15	16	27
35-49	88	7.0	28	2	3	6	8	11	17	30
50-64	171	8.0	59	2	3	5	9	15	22	49
65+	175	10.5	69	3	4	8	14	22	27	46
TOT. SINGLE DX	482	3.1	10	1	1	2	4	6	7	12
" MULTIPLE DX	523	8.3	54	2	3	6	10	17	23	34
TOTAL 0-19 YRS	231	2.3	3	1	1	2	3	4	5	9
20-34	156	4.5	26	1	2	3	5	9	14	26
35-49	156	5.4	21	1	2	4	7	10	12	30
50-64	236	7.0	48	2	2	5	8	13	19	36
65+	226	9.3	63	2	3	7	12	21	25	39
GRAND TOTAL	**1005**	**5.8**	**39**	**1**	**1**	**4**	**7**	**12**	**17**	**30**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	11.5	188	2	3	8	12	22	46	63
20-34	38	9.8	11	6	6	9	11	15	16	21
35-49	30	10.3	18	5	6	9	12	17	21	21
50-64	29	9.3	8	4	5	9	11	13	14	14
65+	5	7.8	2	6	6	8	9	10	10	10
2. MULTIPLE DX										
0-19 YRS	18	13.7	115	5	6	9	15	30	40	46
20-34	47	10.3	26	5	5	9	13	18	23	25
35-49	43	14.8	177	5	6	11	15	26	45	75
50-64	59	16.7	167	4	6	13	21	32	48	64
65+	70	17.7	264	2	4	13	21	42	72	99+
TOT. SINGLE DX	121	10.0	39	4	5	9	11	15	17	37
" MULTIPLE DX	237	15.2	171	4	6	11	18	27	46	85
TOTAL 0-19 YRS	37	12.6	150	3	5	8	14	26	41	63
20-34	85	10.1	20	5	6	9	12	15	20	24
35-49	73	13.0	116	5	6	10	13	21	40	68
50-64	88	14.3	127	4	6	10	16	27	38	62
65+	75	17.1	253	2	4	13	20	38	70	99+
GRAND TOTAL	**358**	**13.4**	**132**	**4**	**6**	**10**	**15**	**23**	**38**	**75**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	134	1.3		<1	<1	1	1	2	2	5
20-34	18	2.1	1	<1	<1	2	3	4	5	5
35-49	33	1.8		<1	<1	2	2	3	4	4
50-64	61	2.0	1	<1	<1	2	2	4	4	5
65+	75	1.9	1	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
0-19 YRS	18	1.4	1	<1	<1	1	2	2	4	5
20-34	12	9.2	246	<1	<1	4	8	28	53	57
35-49	40	4.5	44	<1	1	3	5	8	9	43
50-64	75	4.4	12	1	1	3	6	10	12	16
65+	154	3.8	10	1	1	2	5	8	10	13
TOT. SINGLE DX	321	1.7	1	<1	<1	1	2	3	4	6
" MULTIPLE DX	299	4.1	25	<1	1	2	6	9	11	17
TOTAL 0-19 YRS	152	1.3	1	<1	<1	1	1	2	2	5
20-34	30	4.9	106	<1	<1	2	4	8	16	57
35-49	73	3.3	26	<1	<1	2	4	6	8	35
50-64	136	3.4	9	<1	1	2	4	7	11	14
65+	229	3.2	8	<1	1	2	4	8	9	13
GRAND TOTAL	**620**	**2.9**	**14**	**<1**	**<1**	**2**	**3**	**6**	**9**	**13**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	257	1.8	1	<1	1	2	2	3	3	7
20-34	59	1.9		<1	<1	2	2	3	3	4
35-49	120	1.6		<1	<1	1	2	3	4	4
50-64	141	1.8	2	<1	<1	2	2	3	3	6
65+	203	1.9	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
0-19 YRS	210	3.2	37	1	1	2	3	5	7	60
20-34	196	3.5	16	<1	1	2	4	7	12	21
35-49	169	3.1	6	<1	1	2	4	7	8	12
50-64	220	3.6	21	<1	1	2	4	6	11	26
65+	403	4.0	25	1	1	2	4	8	13	31
TOT. SINGLE DX	780	1.8	2	<1	<1	2	2	3	3	5
" MULTIPLE DX	1198	3.6	23	<1	1	2	4	7	11	26
TOTAL 0-19 YRS	467	2.4	18	<1	1	2	2	4	5	14
20-34	255	3.1	14	<1	1	2	3	6	10	19
35-49	289	2.5	5	<1	<1	2	3	5	7	11
50-64	361	2.9	15	<1	1	2	3	5	9	20
65+	606	3.3	19	<1	1	2	3	7	11	25
GRAND TOTAL	**1978**	**2.9**	**15**	**<1**	**<1**	**2**	**3**	**5**	**8**	**20**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	47	2.0		1	1	2	2	3	4	5
20-34	39	2.1	1	1	1	2	2	3	5	6
35-49	42	1.9		1	1	2	2	3	4	5
50-64	48	2.2		1	1	2	3	3	4	5
65+	66	2.1		1	1	2	3	3	4	5
2. MULTIPLE DX										
0-19 YRS	15	3.1	17	1	1	2	3	4	14	18
20-34	25	2.6	4	1	1	2	2	6	7	10
35-49	28	3.1	4	1	1	3	4	5	7	11
50-64	48	2.8	3	1	1	2	3	5	6	12
65+	112	3.5	28	1	2	2	3	5	9	35
TOT. SINGLE DX	242	2.1	1	1	1	2	2	3	4	5
" MULTIPLE DX	228	3.2	17	1	1	2	3	5	9	20
TOTAL 0-19 YRS	62	2.2	5	1	1	2	2	3	4	16
20-34	64	2.3	2	1	1	2	2	4	6	9
35-49	70	2.4	2	1	1	2	3	4	5	10
50-64	96	2.5	2	1	1	2	3	4	5	9
65+	178	3.0	19	1	1	2	3	4	6	22
GRAND TOTAL	**470**	**2.6**	**9**	**1**	**1**	**2**	**3**	**4**	**5**	**12**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	1.8	2	<1	<1	1	2	4	5	6
20-34	6	3.3	11	1	1	2	6	9	9	9
35-49	11	1.9	3	<1	<1	1	2	4	7	7
50-64	5	3.0	1	2	2	3	4	4	4	4
65+	9	1.7		<1	<1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	9	5.2	19	<1	<1	5	6	12	15	15
20-34	8	2.1	2	1	1	2	3	5	5	5
35-49	9	4.0	15	<1	<1	2	5	11	12	12
50-64	12	4.1	7	<1	1	4	6	8	9	9
65+	18	3.9	10	<1	1	3	4	9	11	12
TOT. SINGLE DX	56	2.1	3	<1	<1	1	2	4	6	9
" MULTIPLE DX	56	3.9	11	<1	1	2	5	9	11	15
TOTAL 0-19 YRS	34	2.7	8	<1	<1	1	4	6	8	15
20-34	14	2.6	6	1	1	2	4	6	8	9
35-49	20	2.9	9	<1	<1	2	3	8	10	12
50-64	17	3.8	6	<1	1	3	5	8	9	9
65+	27	3.2	8	<1	<1	2	4	8	10	12
GRAND TOTAL	**112**	**3.0**	**8**	**<1**	**<1**	**2**	**4**	**7**	**9**	**13**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	4.9	22	1	2	4	5	11	18	21
20-34	31	3.7	2	1	2	3	5	6	7	9
35-49	15	3.4	1	1	2	3	4	5	6	6
50-64	25	4.5	28	1	2	3	4	7	13	29
65+	107	3.1	9	1	1	3	4	4	5	20
2. MULTIPLE DX										
0-19 YRS	27	5.3	7	3	3	5	6	9	11	15
20-34	20	5.4	18	2	3	4	5	9	16	22
35-49	20	3.5	8	1	1	3	4	6	10	14
50-64	49	5.5	39	2	2	4	5	12	21	34
65+	232	3.9	10	1	1	3	4	6	8	19
TOT. SINGLE DX	196	3.6	12	1	1	3	4	5	7	25
" MULTIPLE DX	348	4.3	15	1	2	4	5	7	10	21
TOTAL 0-19 YRS	45	5.2	13	2	2	4	5	9	13	21
20-34	51	4.4	9	2	2	4	5	7	9	22
35-49	35	3.4	5	1	1	3	4	5	7	14
50-64	74	5.2	35	1	2	4	5	9	21	33
65+	339	3.6	10	1	1	3	4	5	7	19
GRAND TOTAL	**544**	**4.0**	**14**	**1**	**2**	**3**	**4**	**6**	**9**	**21**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	87	3.0	4	<1	<1	2	4	6	7	10
20-34	82	2.4	2	<1	1	2	3	5	5	9
35-49	55	1.9	1	<1	1	2	2	2	3	7
50-64	39	3.0	6	<1	1	2	3	6	9	14
65+	38	1.9	1	<1	<1	2	2	4	4	5
2. MULTIPLE DX										
0-19 YRS	67	3.8	6	1	1	3	5	7	7	16
20-34	66	5.1	15	1	2	4	6	9	14	20
35-49	47	4.4	20	1	1	3	5	8	13	27
50-64	38	4.1	11	1	1	3	5	8	11	16
65+	76	4.3	26	<1	1	2	5	14	16	23
TOT. SINGLE DX	301	2.5	4	<1	<1	2	3	5	6	10
" MULTIPLE DX	294	4.4	16	1	1	3	5	9	14	20
TOTAL 0-19 YRS	154	3.4	6	<1	1	3	5	7	7	11
20-34	148	3.6	10	1	1	3	5	8	9	17
35-49	102	3.0	11	1	1	2	3	6	8	21
50-64	77	3.6	9	<1	1	2	4	7	10	15
65+	114	3.5	19	<1	1	2	3	10	15	21
GRAND TOTAL	**595**	**3.4**	**11**	**<1**	**1**	**2**	**4**	**7**	**10**	**17**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	55	2.3	1	<1	1	2	3	4	5	7
20-34	24	3.5	6	1	2	3	4	6	9	13
35-49	35	3.3	4	1	1	3	4	6	8	10
50-64	80	3.0	5	1	1	2	4	6	9	11
65+	167	2.5	2	1	1	2	3	4	5	10
2. MULTIPLE DX										
0-19 YRS	48	3.9	29	1	1	2	4	7	15	33
20-34	27	4.6	13	1	2	4	6	8	14	18
35-49	28	3.4	2	1	2	3	5	6	6	7
50-64	102	5.0	18	1	2	3	7	11	13	22
65+	226	4.3	28	1	2	3	4	8	12	32
TOT. SINGLE DX	361	2.7	3	1	1	2	3	4	6	11
" MULTIPLE DX	431	4.4	24	1	1	3	5	9	12	25
TOTAL 0-19 YRS	103	3.0	15	1	1	2	3	5	7	25
20-34	51	4.1	11	1	2	3	5	7	13	18
35-49	63	3.3	4	1	1	3	4	6	7	10
50-64	182	4.2	14	1	1	3	5	9	11	20
65+	393	3.5	18	1	1	2	4	6	10	22
GRAND TOTAL	**792**	**3.6**	**15**	**1**	**1**	**2**	**4**	**7**	**10**	**21**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	3.7	5	1	1	3	5	7	8	10
20-34	25	3.2	3	1	1	3	5	6	7	8
35-49	24	3.8	18	1	1	3	5	6	12	22
50-64	41	3.0	9	1	1	2	4	6	8	17
65+	84	2.4	5	<1	1	2	3	4	5	15
2. MULTIPLE DX										
0-19 YRS	37	3.9	7	<1	1	3	6	7	10	11
20-34	43	4.2	8	1	1	3	6	8	11	13
35-49	23	4.5	16	<1	1	3	6	10	14	17
50-64	47	3.4	7	1	1	2	5	7	9	12
65+	158	5.3	28	1	1	3	7	11	14	22
TOT. SINGLE DX	215	3.0	8	1	1	2	4	6	8	17
" MULTIPLE DX	308	4.6	19	1	1	3	6	10	12	20
TOTAL 0-19 YRS	78	3.8	6	1	1	3	6	7	8	11
20-34	68	3.9	7	1	1	3	6	7	9	13
35-49	47	4.1	17	1	1	3	5	8	14	22
50-64	88	3.2	8	1	1	2	4	6	9	15
65+	242	4.3	22	1	1	3	5	10	12	20
GRAND TOTAL	**523**	**4.0**	**15**	**1**	**1**	**3**	**5**	**8**	**11**	**18**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	2.3	3	<1	1	2	2	3	6	11
20-34	6	2.7	1	1	1	3	4	4	4	4
35-49	95	2.0		1	1	2	2	3	3	4
50-64	549	2.1		1	1	2	2	3	3	5
65+	2219	2.2	1	<1	1	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	20	3.5	6	<1	1	3	4	7	10	10
20-34	9	3.6	9	1	1	3	4	9	11	11
35-49	65	3.9	21	2	2	2	4	7	9	32
50-64	469	2.8	11	1	2	2	3	4	6	12
65+	2194	2.7	4	1	2	2	3	4	5	12
TOT. SINGLE DX	2905	2.1	1	<1	1	2	2	3	3	5
" MULTIPLE DX	2757	2.7	7	1	2	2	3	4	6	12
TOTAL 0-19 YRS	56	2.7	5	<1	1	2	3	5	9	11
20-34	15	3.2	6	1	1	3	4	5	9	11
35-49	160	2.8	10	1	2	2	3	4	7	12
50-64	1018	2.4	6	1	1	2	3	3	4	9
65+	4413	2.4	3	1	2	2	2	3	4	9
GRAND TOTAL	**5662**	**2.4**	**4**	**1**	**1**	**2**	**3**	**3**	**4**	**10**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72	2.0		1	1	2	2	3	4	5
20-34	24	2.3	2	<1	1	2	3	4	6	7
35-49	281	1.9		<1	1	2	2	3	3	5
50-64	1530	1.9		1	1	2	2	2	3	4
65+	6736	1.9		1	1	2	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	87	4.4	63	1	1	2	4	8	13	53
20-34	26	3.2	4	1	2	3	3	6	9	10
35-49	190	2.5	6	1	1	2	2	4	5	11
50-64	1370	2.3	1	1	1	2	2	3	4	8
65+	6599	2.5	6	1	2	2	2	3	5	12
TOT. SINGLE DX	8643	1.9	1	1	1	2	2	3	3	4
" MULTIPLE DX	8272	2.5	6	1	2	2	2	3	5	11
TOTAL 0-19 YRS	159	3.3	37	1	1	2	3	5	8	24
20-34	50	2.8	4	1	1	2	3	5	7	10
35-49	471	2.2	3	1	1	2	2	3	4	7
50-64	2900	2.1	1	1	1	2	2	3	3	6
65+	13335	2.2	4	1	1	2	2	3	4	9
GRAND TOTAL	**16915**	**2.2**	**3**	**1**	**1**	**2**	**2**	**3**	**4**	**8**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	2.6	6	1	1	2	3	7	7	7
20-34	8	2.1		2	2	2	2	3	3	3
35-49	37	1.9		1	1	2	2	3	3	4
50-64	174	2.0	1	1	1	2	2	2	3	8
65+	535	1.9		1	1	2	2	2	3	4
2. MULTIPLE DX										
0-19 YRS	5	2.6	2	1	1	2	3	5	[illegible]	5
20-34	5	3.0	1	2	2	3	4	5	[illegible]	5
35-49	32	2.2	1	<1	1	2	2	3	5	6
50-64	178	2.5	4	1	1	2	2	3	5	15
65+	758	2.2	1	1	1	2	2	3	3	9
TOT. SINGLE DX	759	1.9	1	1	1	2	2	2	3	4
" MULTIPLE DX	978	2.3	2	1	1	2	2	3	4	10
TOTAL 0-19 YRS	10	2.6	4	1	1	2	3	6	7	7
20-34	13	2.5	1	2	2	2	3	4	5	5
35-49	69	2.0	1	1	1	2	2	3	4	6
50-64	352	2.2	3	1	1	2	2	3	4	11
65+	1293	2.1	1	1	1	2	2	3	3	8
GRAND TOTAL	**1737**	**2.1**	**2**	**1**	**1**	**2**	**2**	**3**	**3**	**8**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	4.6	4	1	2	4	6	7	8	11
20-34	57	4.9	6	2	3	4	6	8	10	16
35-49	75	4.4	5	1	2	4	6	7	9	12
50-64	202	4.2	4	2	2	4	5	7	8	11
65+	233	4.0	4	1	2	4	5	6	8	12
2. MULTIPLE DX										
0-19 YRS	39	5.5	5	2	3	5	7	9	10	11
20-34	98	5.4	12	2	2	5	7	9	10	21
35-49	123	5.3	6	2	3	5	6	8	11	13
50-64	317	5.2	11	2	2	4	6	9	11	16
65+	403	5.1	6	2	3	4	6	8	9	14
TOT. SINGLE DX	601	4.2	5	1	2	4	5	7	8	12
" MULTIPLE DX	980	5.2	8	2	3	5	6	8	10	15
TOTAL 0-19 YRS	73	5.1	5	2	3	5	6	8	10	11
20-34	155	5.2	11	2	2	5	7	8	10	19
35-49	198	5.0	6	2	2	5	6	8	10	13
50-64	519	4.8	9	2	2	4	6	8	10	14
65+	636	4.7	6	2	2	4	6	8	9	13
GRAND TOTAL	**1581**	**4.8**	**7**	**2**	**2**	**4**	**6**	**8**	**9**	**14**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	3.4	5	1	1	3	4	7	9	10
20-34	18	3.8	5	1	2	3	4	7	9	10
35-49	13	3.3	2	1	1	3	5	5	6	6
50-64	33	3.9	7	1	2	3	5	7	9	13
65+	76	3.2	3	1	1	3	4	6	7	10
2. MULTIPLE DX										
0-19 YRS	33	3.8	12	1	1	3	4	6	9	21
20-34	55	5.2	11	2	2	4	7	10	11	19
35-49	64	4.6	10	1	2	4	6	8	11	88
50-64	110	4.5	15	1	2	3	5	9	11	24
65+	267	4.5	16	1	2	3	5	9	11	28
TOT. SINGLE DX	158	3.5	5	1	1	3	4	6	8	10
" MULTIPLE DX	529	4.5	15	1	2	3	5	8	11	27
TOTAL 0-19 YRS	51	3.7	10	1	1	3	4	6	9	21
20-34	73	4.8	11	2	2	4	6	10	11	18
35-49	77	4.4	10	1	2	4	5	7	9	78
50-64	143	4.4	14	1	2	3	5	8	10	22
65+	343	4.2	14	1	2	3	5	8	10	27
GRAND TOTAL	**687**	**4.3**	**13**	**1**	**2**	**3**	**5**	**8**	**10**	**24**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1230	1.4		<1	<1	1	2	2	2	2
20-34	114	1.8		1	1	2	2	2	2	4
35-49	63	1.9		<1	1	2	2	3	3	3
50-64	34	2.1	2	1	1	2	2	3	4	10
65+	17	1.8		1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	386	1.7	1	<1	<1	2	2	2	3	4
20-34	63	2.0		1	1	2	2	3	3	6
35-49	33	2.1		1	1	2	2	3	3	6
50-64	40	2.4	1	1	1	2	2	4	5	6
65+	28	2.2		1	1	2	2	3	5	5
TOT. SINGLE DX	1458	1.5		<1	<1	1	2	2	2	3
" MULTIPLE DX	550	1.8	1	<1	<1	2	2	2	3	6
TOTAL 0-19 YRS	1616	1.5	1	<1	<1	1	2	2	2	3
20-34	177	1.9		1	1	2	2	2	3	4
35-49	96	2.0		1	1	2	2	3	3	5
50-64	74	2.3	2	1	1	2	2	4	5	9
65+	45	2.1	1	1	1	2	2	3	4	5
GRAND TOTAL	**2008**	**1.6**	**1**	**<1**	**<1**	**1**	**2**	**2**	**2**	**4**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	4	2.0	2	1	1	2	3	4	4	4
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	6	2.2	1	<1	<1	2	3	4	4	4
35-49										
50-64	1	11.0		11	11	11	11	11	11	11
65+	2	1.5	1	1	1	1	2	2	2	2
TOT. SINGLE DX	9	1.8	1	<1	<1	2	2	3	4	4
" MULTIPLE DX	11	2.8	8	<1	<1	2	3	7	11	11
TOTAL 0-19 YRS	4	1.8		1	1	2	2	2	2	2
20-34	10	2.1	1	<1	<1	2	3	4	4	4
35-49										
50-64	2	6.5	41	2	2	6	11	11	11	11
65+	4	1.5		<1	<1	1	2	2	2	2
GRAND TOTAL	**20**	**2.4**	**5**	**<1**	**<1**	**2**	**2**	**4**	**8**	**11**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	125	2.7	3	<1	1	2	3	5	7	10
20-34	79	4.2	21	1	1	3	4	9	13	29
35-49	43	3.7	7	1	1	3	4	8	11	12
50-64	51	3.1	4	<1	1	2	4	6	7	11
65+	68	2.8	7	1	1	2	3	4	6	20
2. MULTIPLE DX										
0-19 YRS	88	6.0	78	1	2	3	7	12	14	56
20-34	105	5.3	30	1	1	3	5	15	19	25
35-49	76	5.0	16	2	2	4	6	10	14	21
50-64	78	5.3	30	1	2	3	5	12	17	28
65+	181	5.2	29	1	2	3	6	11	13	31
TOT. SINGLE DX	366	3.2	9	1	1	2	4	6	9	13
" MULTIPLE DX	528	5.3	36	1	2	3	6	12	15	29
TOTAL 0-19 YRS	213	4.1	37	<1	1	2	5	8	11	15
20-34	184	4.8	27	1	1	3	5	10	16	27
35-49	119	4.5	14	1	2	3	5	10	12	20
50-64	129	4.4	21	1	1	3	4	11	13	24
65+	249	4.6	25	1	1	3	5	9	13	30
GRAND TOTAL	**894**	**4.5**	**26**	**1**	**1**	**3**	**5**	**10**	**13**	**24**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	275	2.0	2	<1	<1	2	2	4	5	8
20-34	66	2.8	9	<1	<1	2	3	6	10	18
35-49	50	2.1	3	<1	<1	2	2	3	6	12
50-64	54	2.6	9	<1	<1	2	3	5	6	21
65+	89	2.6	2	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
0-19 YRS	204	3.8	30	<1	1	2	4	7	11	42
20-34	101	3.9	16	1	1	3	4	8	13	22
35-49	54	3.2	6	<1	1	3	4	6	8	14
50-64	104	4.7	16	<1	1	4	5	11	13	19
65+	187	6.3	48	1	2	4	7	13	19	43
TOT. SINGLE DX	534	2.3	4	<1	<1	2	2	4	6	11
" MULTIPLE DX	650	4.6	30	1	1	3	5	9	14	34
TOTAL 0-19 YRS	479	2.8	15	<1	<1	2	3	5	7	27
20-34	167	3.4	14	<1	1	2	4	8	11	18
35-49	104	2.7	5	<1	<1	2	3	6	7	13
50-64	158	4.0	15	<1	<1	3	5	9	13	21
65+	276	5.1	37	<1	1	3	6	10	14	35
GRAND TOTAL	**1184**	**3.6**	**20**	**<1**	**1**	**2**	**4**	**7**	**11**	**23**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	2.5		1	2	2	3	3	4	6
20-34	120	2.2	1	<1	1	2	3	3	4	6
35-49	206	2.2		1	1	2	3	3	4	6
50-64	139	2.3		1	1	2	3	3	4	5
65+	64	2.4		1	1	2	3	4	4	6
2. MULTIPLE DX										
0-19 YRS	25	2.1		<1	1	2	3	3	3	3
20-34	69	2.4	1	1	1	2	3	4	4	6
35-49	95	2.4	1	1	1	2	3	3	4	8
50-64	109	2.5	2	1	1	2	3	4	5	10
65+	42	2.6	1	1	1	2	3	4	6	7
TOT. SINGLE DX	557	2.3	1	1	1	2	3	3	4	5
" MULTIPLE DX	340	2.4	1	1	1	2	3	3	4	8
TOTAL 0-19 YRS	53	2.3	1	1	1	2	3	3	3	6
20-34	189	2.3	1	1	1	2	3	3	4	6
35-49	301	2.3	1	1	1	2	3	3	4	6
50-64	248	2.4	1	1	1	2	3	3	4	8
65+	106	2.5	1	1	1	2	3	4	4	7
GRAND TOTAL	**897**	**2.3**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	517	1.7		<1	1	2	2	2	3	3
20-34	256	2.0		1	1	2	2	3	3	4
35-49	225	2.0		1	1	2	2	3	3	4
50-64	168	2.0		1	1	2	2	3	4	5
65+	67	2.0		1	1	2	2	3	3	6
2. MULTIPLE DX										
0-19 YRS	450	1.9	1	<1	1	2	2	3	3	7
20-34	253	2.0		1	1	2	2	3	3	4
35-49	254	2.2	1	1	1	2	3	3	4	9
50-64	220	2.7	39	1	1	2	3	3	4	9
65+	88	2.4	1	1	1	2	3	3	4	8
TOT. SINGLE DX	1233	1.9	1	1	1	2	2	3	3	4
" MULTIPLE DX	1265	2.2	8	1	1	2	2	3	4	7
TOTAL 0-19 YRS	967	1.8	1	<1	1	2	2	3	3	4
20-34	509	2.0	1	1	1	2	2	3	3	4
35-49	479	2.1	1	1	1	2	2	3	3	8
50-64	388	2.4	23	1	1	2	2	3	4	7
65+	155	2.2	1	1	1	2	3	3	4	7
GRAND TOTAL	**2498**	**2.0**	**4**	**1**	**1**	**2**	**2**	**3**	**3**	**6**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2071	1.1		<1	<1	<1	1	1	2	4
20-34	52	1.9	1	<1	<1	2	2	3	4	6
35-49	48	1.6		<1	1	1	2	3	3	5
50-64	29	1.6	1	<1	<1	1	2	3	3	6
65+	17	1.5	1	<1	<1	1	2	2	5	6
2. MULTIPLE DX										
0-19 YRS	1801	2.1	5	<1	<1	2	2	4	6	11
20-34	77	2.9	5	<1	1	2	3	6	8	14
35-49	66	4.4	78	<1	1	2	4	8	15	60
50-64	62	3.9	18	1	1	2	4	10	15	20
65+	50	5.9	37	1	1	2	9	14	17	29
TOT. SINGLE DX	2217	1.2	1	<1	<1	<1	1	1	2	4
" MULTIPLE DX	2056	2.4	9	<1	<1	2	2	4	7	15
TOTAL 0-19 YRS	3872	1.6	3	<1	<1	1	2	2	4	9
20-34	129	2.5	4	<1	1	2	3	5	6	12
35-49	114	3.2	47	<1	1	2	3	5	11	38
50-64	91	3.1	14	1	1	2	3	8	12	19
65+	67	4.8	32	<1	1	2	7	13	15	27
GRAND TOTAL	**4273**	**1.7**	**5**	**<1**	**<1**	**1**	**2**	**3**	**5**	**11**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	197	2.4	2	1	1	2	3	4	4	8
20-34	118	2.3	2	1	1	2	2	4	5	8
35-49	108	2.6	6	1	1	2	3	4	5	16
50-64	75	2.5	1	1	1	2	3	4	5	6
65+	39	3.2	5	1	2	3	3	5	8	14
2. MULTIPLE DX										
0-19 YRS	333	2.8	14	1	1	2	3	4	5	18
20-34	221	3.0	7	1	1	2	3	5	9	16
35-49	184	2.9	9	1	1	2	3	4	6	17
50-64	180	3.6	13	1	2	3	4	7	9	20
65+	119	5.1	58	1	2	3	4	11	16	46
TOT. SINGLE DX	537	2.5	3	1	1	2	3	4	5	8
" MULTIPLE DX	1037	3.3	17	1	1	2	3	5	8	19
TOTAL 0-19 YRS	530	2.7	10	1	1	2	3	4	5	13
20-34	339	2.7	6	1	1	2	3	4	7	14
35-49	292	2.8	8	1	1	2	3	4	5	16
50-64	255	3.3	10	1	2	3	3	6	8	17
65+	158	4.6	46	1	2	3	4	8	14	44
GRAND TOTAL	**1574**	**3.0**	**13**	**1**	**1**	**2**	**3**	**4**	**7**	**18**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	120	1.8	3	<1	<1	1	2	3	4	13
20-34	69	2.6	1	1	1	2	3	4	6	7
35-49	83	2.6	2	1	1	2	3	4	6	9
50-64	59	2.8	3	<1	1	2	3	5	6	12
65+	31	2.8	2	1	1	2	4	5	5	8
2. MULTIPLE DX										
0-19 YRS	145	2.3	4	<1	1	2	2	4	6	14
20-34	78	2.9	5	1	1	2	3	5	10	12
35-49	82	3.4	9	1	1	2	4	7	9	19
50-64	65	4.3	26	1	2	3	4	9	11	32
65+	58	4.0	16	1	1	3	4	8	12	22
TOT. SINGLE DX	362	2.4	3	<1	1	2	3	4	6	9
" MULTIPLE DX	428	3.2	11	1	1	2	3	6	9	21
TOTAL 0-19 YRS	265	2.1	4	<1	<1	2	2	3	5	14
20-34	147	2.8	4	1	1	2	3	4	7	12
35-49	165	3.0	6	1	1	2	3	6	7	13
50-64	124	3.6	16	1	1	3	4	7	10	27
65+	89	3.6	12	1	1	2	4	7	8	22
GRAND TOTAL	**790**	**2.8**	**8**	**<1**	**1**	**2**	**3**	**5**	**7**	**14**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	68	2.1		1	1	2	3	3	4	5
20-34	163	2.0		1	1	2	3	3	3	5
35-49	118	2.2	1	1	1	2	3	3	4	6
50-64	43	2.5	1	1	1	2	3	4	5	6
65+	11	2.1		1	1	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	232	2.6	24	<1	1	2	3	4	5	6
20-34	680	2.4	1	1	1	2	3	4	5	7
35-49	478	2.4	1	1	1	2	3	4	5	7
50-64	243	2.8	4	1	1	2	3	4	6	13
65+	63	3.3	13	1	1	3	3	6	7	26
TOT. SINGLE DX	403	2.1	1	1	1	2	3	3	4	6
" MULTIPLE DX	1696	2.5	6	1	1	2	3	4	5	8
TOTAL 0-19 YRS	300	2.5	19	<1	1	2	3	4	4	6
20-34	843	2.3	2	1	1	2	3	4	5	6
35-49	596	2.4	2	1	1	2	3	4	5	7
50-64	286	2.8	4	1	1	2	3	4	6	13
65+	74	3.2	12	1	1	3	3	5	7	24
GRAND TOTAL	**2099**	**2.4**	**5**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	422	2.1	1	<1	1	2	3	3	4	5
20-34	796	2.1		<1	1	2	3	3	4	5
35-49	435	2.2	1	<1	1	2	3	3	4	7
50-64	221	2.3	2	1	1	2	3	4	4	9
65+	70	2.6	2	1	1	2	3	4	5	10
2. MULTIPLE DX										
0-19 YRS	783	2.4	4	1	1	2	3	4	4	9
20-34	1864	2.3	3	1	1	2	3	4	4	7
35-49	1300	2.6	3	1	1	2	3	4	5	11
50-64	658	2.9	7	1	1	2	3	5	7	16
65+	220	3.5	11	1	1	3	4	7	10	21
TOT. SINGLE DX	1944	2.1	1	<1	1	2	3	3	4	6
" MULTIPLE DX	4825	2.5	5	1	1	2	3	4	5	11
TOTAL 0-19 YRS	1205	2.3	3	1	1	2	3	4	4	7
20-34	2660	2.2	3	1	1	2	3	3	4	7
35-49	1735	2.5	3	1	1	2	3	4	5	10
50-64	879	2.8	6	1	1	2	3	4	6	13
65+	290	3.3	10	1	1	2	4	6	10	18
GRAND TOTAL	**6769**	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	90	2.3	2	<1	<1	2	2	3	7	9
20-34	84	2.2	3	<1	<1	2	3	4	5	12
35-49	80	2.0	1	<1	<1	2	3	3	4	9
50-64	130	2.4	3	<1	1	2	3	4	5	11
65+	134	2.5	5	<1	<1	2	3	4	4	15
2. MULTIPLE DX										
0-19 YRS	114	2.8	7	<1	<1	2	3	5	7	15
20-34	214	2.5	5	<1	1	2	3	4	6	16
35-49	230	3.2	7	1	1	2	4	6	9	15
50-64	265	3.3	8	1	1	3	4	6	9	18
65+	343	5.0	32	1	1	3	6	10	15	29
TOT. SINGLE DX	518	2.3	4	<1	<1	2	3	4	5	10
" MULTIPLE DX	1166	3.6	15	1	1	2	4	7	10	18
TOTAL 0-19 YRS	204	2.6	5	<1	<1	2	3	5	7	13
20-34	298	2.4	5	<1	1	2	3	4	6	15
35-49	310	2.9	6	<1	1	2	3	6	8	14
50-64	395	3.0	7	<1	1	2	3	5	8	15
65+	477	4.3	26	<1	1	3	5	9	13	24
GRAND TOTAL	**1684**	**3.2**	**12**	**<1**	**1**	**2**	**3**	**6**	**9**	**17**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	363	1.7	2	<1	<1	1	2	3	4	10
20-34	294	2.1	2	<1	<1	2	2	4	6	10
35-49	114	2.8	3	<1	<1	2	3	5	7	9
50-64	106	4.0	4	<1	1	4	5	7	8	10
65+	68	5.0	10	1	2	4	6	9	11	18
2. MULTIPLE DX										
0-19 YRS	240	2.9	17	<1	1	2	3	5	8	12
20-34	340	3.3	18	1	1	2	4	6	8	22
35-49	153	5.3	53	1	1	4	6	9	12	39
50-64	161	5.7	15	1	2	5	7	10	13	18
65+	235	6.3	34	1	2	4	8	14	17	29
TOT. SINGLE DX	945	2.5	4	<1	<1	2	3	5	6	10
" MULTIPLE DX	1129	4.5	28	1	1	3	5	9	12	26
TOTAL 0-19 YRS	603	2.2	9	<1	<1	1	2	4	5	11
20-34	634	2.8	12	<1	1	2	3	5	7	13
35-49	267	4.2	34	<1	1	3	5	8	10	36
50-64	267	5.0	12	1	2	4	6	9	11	16
65+	303	6.0	29	1	2	4	7	13	16	26
GRAND TOTAL	**2074**	**3.5**	**18**	**<1**	**1**	**2**	**4**	**7**	**10**	**19**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	45	2.4	2	1	1	2	3	4	5	8
20-34	158	2.6	4	1	1	2	3	4	5	7
35-49	179	2.9	6	1	1	3	3	5	5	10
50-64	148	3.2	5	1	1	3	4	5	7	13
65+	63	2.8	1	1	2	3	3	4	5	5
2. MULTIPLE DX										
0-19 YRS	68	3.5	8	<1	1	3	4	7	10	16
20-34	218	3.9	13	1	1	3	4	7	12	21
35-49	294	4.0	24	1	1	3	4	7	11	20
50-64	244	4.3	13	1	2	3	5	9	12	19
65+	166	4.7	17	1	2	3	6	9	13	23
TOT. SINGLE DX	593	2.8	5	1	1	2	3	5	5	10
" MULTIPLE DX	990	4.2	17	1	2	3	4	8	12	22
TOTAL 0-19 YRS	113	3.1	6	<1	1	2	3	5	8	15
20-34	376	3.4	10	1	1	3	4	5	9	20
35-49	473	3.6	18	1	1	3	4	6	9	17
50-64	392	3.9	11	1	2	3	4	7	10	18
65+	229	4.2	13	1	2	3	5	8	10	22
GRAND TOTAL	1583	3.7	13	1	1	3	4	6	10	20

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	93	2.5	5	<1	<1	2	3	5	8	12
20-34	130	3.5	10	1	1	3	4	7	9	18
35-49	123	3.0	3	1	1	2	4	6	7	9
50-64	98	3.1	5	1	1	2	3	6	8	14
65+	54	4.1	24	1	1	3	5	8	10	34
2. MULTIPLE DX										
0-19 YRS	159	5.0	22	1	1	3	7	10	14	27
20-34	231	4.2	21	1	1	3	5	8	12	27
35-49	236	4.7	38	1	1	3	5	9	12	32
50-64	230	5.3	27	1	1	4	6	11	15	27
65+	172	6.9	47	1	2	5	8	15	19	37
TOT. SINGLE DX	498	3.2	9	1	1	2	4	7	8	14
" MULTIPLE DX	1028	5.1	32	1	1	3	6	11	15	27
TOTAL 0-19 YRS	252	4.1	18	<1	1	3	5	9	11	27
20-34	361	4.0	17	1	1	3	5	8	12	26
35-49	359	4.1	27	1	1	3	4	8	11	17
50-64	328	4.6	22	1	1	3	5	10	13	26
65+	226	6.2	43	1	2	4	8	13	18	36
GRAND TOTAL	1526	4.5	25	1	1	3	5	9	13	26

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	499	1.6		<1	<1	2	2	2	2	4
20-34	347	1.7		<1	1	2	2	2	3	4
35-49	121	2.1	1	1	1	2	2	3	4	8
50-64	58	2.6	5	1	1	2	3	4	6	15
65+	41	2.7	4	1	1	2	3	5	8	11
2. MULTIPLE DX										
0-19 YRS	416	2.7	29	<1	<1	2	2	4	7	52
20-34	564	4.9	76	1	1	2	4	10	17	46
35-49	424	4.5	27	1	2	2	5	10	14	28
50-64	446	5.3	65	1	2	3	5	11	16	44
65+	471	6.0	66	2	2	3	6	13	20	43
TOT. SINGLE DX	1066	1.8	1	<1	1	2	2	2	3	7
" MULTIPLE DX	2321	4.7	56	1	1	2	4	10	16	41
TOTAL 0-19 YRS	915	2.1	14	<1	<1	2	2	3	4	13
20-34	911	3.7	50	<1	1	2	3	7	12	35
35-49	545	4.0	22	1	1	2	3	9	13	26
50-64	504	5.0	59	1	2	2	5	11	15	43
65+	512	5.7	63	1	2	3	6	12	19	42
GRAND TOTAL	3387	3.8	41	1	1	2	3	8	12	31

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	232	1.2		<1	<1	1	1	2	2	3
20-34	23	2.5	3	<1	<1	2	4	5	6	8
35-49	9	3.3	20	<1	<1	2	3	11	15	15
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	329	1.4	1	<1	<1	1	2	2	3	8
20-34	37	3.0	8	<1	<1	2	3	8	10	12
35-49	16	4.4	29	<1	<1	3	5	9	19	23
50-64	6	3.3	6	1	1	3	4	8	8	8
65+	4	4.5	25	1	1	2	7	12	12	12
TOT. SINGLE DX	268	1.4	1	<1	<1	1	1	2	3	6
" MULTIPLE DX	392	1.8	4	<1	<1	1	2	3	5	12
TOTAL 0-19 YRS	561	1.3	1	<1	<1	1	1	2	2	6
20-34	60	2.8	6	<1	<1	2	4	7	9	12
35-49	25	4.0	25	<1	<1	2	4	9	17	23
50-64	8	3.3	5	1	1	3	4	7	8	8
65+	6	3.7	17	1	1	2	3	11	12	12
GRAND TOTAL	660	1.6	3	<1	<1	1	2	2	4	10

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	71	2.6	6	1	1	2	3	5	6	17
20-34	68	2.5	3	1	1	2	2	4	7	11
35-49	148	2.6	1	1	1	2	3	4	4	6
50-64	124	2.9	2	1	2	3	3	4	6	9
65+	38	3.6	11	1	1	3	4	5	10	21
2. MULTIPLE DX										
0-19 YRS	104	2.3	1	<1	1	2	3	4	5	49
20-34	78	4.2	18	1	2	3	4	9	14	24
35-49	121	3.2	4	2	2	3	4	5	7	13
50-64	147	4.3	58	2	2	3	4	7	9	19
65+	126	5.2	46	1	2	3	5	9	16	42
TOT. SINGLE DX	449	2.7	4	1	1	2	3	4	5	12
" MULTIPLE DX	576	3.9	29	1	2	3	4	6	9	26
TOTAL 0-19 YRS	175	2.4	4	<1	1	2	3	4	5	17
20-34	146	3.4	12	1	1	2	3	7	10	18
35-49	269	2.9	3	1	2	2	3	4	5	10
50-64	271	3.6	33	1	2	3	4	6	7	16
65+	164	4.9	39	1	2	3	5	8	15	38
GRAND TOTAL	**1025**	**3.4**	**18**	**1**	**1**	**2**	**4**	**5**	**8**	**18**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	98	2.8	1	1	1	3	4	4	5	9
20-34	205	3.1	2	1	2	3	4	5	5	8
35-49	250	3.1	5	1	2	3	4	5	6	8
50-64	250	3.7	5	2	2	3	4	6	7	14
65+	206	3.5	3	1	2	3	4	6	7	11
2. MULTIPLE DX										
0-19 YRS	44	3.3	6	1	1	2	4	7	10	11
20-34	87	3.8	18	1	1	3	4	7	9	28
35-49	135	4.4	10	2	2	3	5	9	11	16
50-64	199	5.0	13	2	2	4	6	9	12	17
65+	333	6.2	61	2	2	4	6	11	15	45
TOT. SINGLE DX	1009	3.3	4	1	2	3	4	5	6	10
" MULTIPLE DX	798	5.2	34	2	2	4	6	9	13	29
TOTAL 0-19 YRS	142	2.9	3	1	1	3	4	5	6	11
20-34	292	3.3	7	1	1	3	4	5	7	12
35-49	385	3.6	7	1	2	3	4	6	8	14
50-64	449	4.3	10	2	2	3	5	8	10	16
65+	539	5.2	41	2	2	4	5	9	12	31
GRAND TOTAL	**1807**	**4.1**	**18**	**1**	**2**	**3**	**4**	**7**	**9**	**17**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	358	3.8	2	1	2	4	5	6	7	8
20-34	11	3.0	1	1	1	3	4	4	4	4
35-49	13	3.2	3	1	1	3	4	6	8	8
50-64	8	2.6	1	1	1	3	3	4	4	4
65+	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	255	4.3	10	2	2	4	5	6	8	16
20-34	22	3.9	7	1	1	3	5	6	9	14
35-49	17	5.0	29	2	2	4	5	8	19	25
50-64	18	4.1	3	1	2	4	5	7	7	7
65+	1	6.0		6	6	6	6	6	6	6
TOT. SINGLE DX	392	3.7	2	1	2	4	5	6	7	8
" MULTIPLE DX	313	4.3	11	2	2	4	5	7	8	19
TOTAL 0-19 YRS	613	4.0	6	2	2	4	5	6	7	9
20-34	33	3.6	5	1	2	3	4	5	6	14
35-49	30	4.2	19	1	2	3	4	7	8	25
50-64	26	3.7	3	1	2	3	5	7	7	7
65+	3	4.3	2	3	3	4	5	6	6	6
GRAND TOTAL	**705**	**4.0**	**6**	**2**	**2**	**4**	**5**	**6**	**7**	**10**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	443	2.8	5	<1	1	2	4	5	6	8
20-34	138	4.0	16	<1	1	3	5	8	11	20
35-49	105	3.1	5	<1	1	2	4	6	9	12
50-64	200	3.6	12	<1	1	2	4	7	11	17
65+	215	3.6	11	<1	1	2	4	7	11	18
2. MULTIPLE DX										
0-19 YRS	364	3.9	24	1	1	3	5	8	10	20
20-34	212	4.1	17	1	1	3	5	8	11	23
35-49	227	7.2	106	1	1	4	8	14	25	52
50-64	378	7.1	78	1	2	4	8	15	26	56
65+	547	7.6	87	1	2	5	9	17	24	50
TOT. SINGLE DX	1101	3.3	10	<1	1	2	4	6	8	16
" MULTIPLE DX	1728	6.3	69	1	1	4	7	13	20	45
TOTAL 0-19 YRS	807	3.3	15	<1	1	2	4	6	8	15
20-34	350	4.0	17	<1	1	3	5	8	11	21
35-49	332	5.9	78	1	1	3	7	11	20	45
50-64	578	5.9	58	1	1	3	7	13	18	36
65+	762	6.5	69	1	1	4	8	14	21	49
GRAND TOTAL	**2829**	**5.1**	**48**	**1**	**1**	**3**	**6**	**10**	**15**	**35**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3429	1.8		1	1	2	2	2	3	4
20-34	2502	1.9		1	1	2	2	3	3	5
35-49	331	2.1	1	1	1	2	2	3	4	6
50-64	70	2.6	2	1	1	2	3	5	5	10
65+	19	2.3	1	1	1	2	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	1080	2.0	2	1	1	2	2	3	4	7
20-34	695	2.4	2	1	1	2	3	4	5	9
35-49	172	3.2	10	1	1	2	3	6	8	20
50-64	41	4.5	34	1	1	3	4	8	12	37
65+	21	5.4	22	1	1	3	10	12	14	16
TOT. SINGLE DX	6351	1.9	1	1	1	2	2	3	3	5
" MULTIPLE DX	2009	2.3	4	1	1	2	2	4	5	10
TOTAL 0-19 YRS	4509	1.8	1	1	1	2	2	3	3	5
20-34	3197	2.0	1	1	1	2	2	3	4	6
35-49	503	2.5	4	1	1	2	3	4	6	11
50-64	111	3.3	15	1	1	2	4	6	7	22
65+	40	3.9	15	1	1	2	4	11	12	16
GRAND TOTAL	**8360**	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**3**	**6**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6603	1.8	2	<1	1	2	2	2	3	4
20-34	340	2.1	1	1	1	2	2	3	4	6
35-49	38	2.6	3	<1	1	2	3	5	6	10
50-64	6	2.2		2	2	2	2	3	3	3
65+	7	1.4		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	5748	1.9	1	1	1	2	2	2	3	6
20-34	142	2.6	3	1	1	2	3	4	6	11
35-49	23	3.6	3	1	2	3	4	6	8	9
50-64	4	3.8	6	1	1	3	5	7	7	7
65+	6	5.0	23	1	1	4	6	13	14	14
TOT. SINGLE DX	6994	1.8	2	1	1	2	2	2	3	4
" MULTIPLE DX	5923	1.9	2	1	1	2	2	2	3	6
TOTAL 0-19 YRS	12351	1.8	2	1	1	2	2	2	3	5
20-34	482	2.2	3	1	1	2	3	3	4	9
35-49	61	3.0	4	1	1	2	4	5	7	10
50-64	10	2.8	3	1	1	2	3	5	7	7
65+	13	3.1	13	<1	<1	2	3	8	13	14
GRAND TOTAL	**12917**	**1.8**	**2**	**1**	**1**	**2**	**2**	**2**	**3**	**5**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	289	1.3		<1	<1	1	2	2	2	4
20-34	4	1.3		<1	<1	1	2	2	2	2
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	6.0		6	6	6	6	6	6	6
65+										
2. MULTIPLE DX										
0-19 YRS	1293	1.5	5	<1	<1	1	2	2	2	8
20-34	3	4.7	40	1	1	1	9	12	12	12
35-49	2	2.5	5	<1	<1	2	4	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	2.0		2	2	2	2	2	2	2
TOT. SINGLE DX	295	1.4	1	<1	<1	1	2	2	2	5
" MULTIPLE DX	1300	1.5	6	<1	<1	1	2	2	2	8
TOTAL 0-19 YRS	1582	1.5	5	<1	<1	1	2	2	2	7
20-34	7	2.7	17	<1	<1	1	2	10	12	12
35-49	3	3.0	3	<1	<1	4	4	4	4	4
50-64	2	5.0	2	4	4	5	6	6	6	6
65+	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**1595**	**1.5**	**5**	**<1**	**<1**	**1**	**2**	**2**	**2**	**7**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	353	2.1	2	<1	1	2	2	4	5	7
20-34	263	2.5	2	1	1	2	3	4	5	8
35-49	104	2.6	4	1	1	2	3	5	6	12
50-64	69	3.8	11	<1	1	2	5	9	10	19
65+	60	3.3	4	<1	1	3	4	7	8	9
2. MULTIPLE DX										
0-19 YRS	140	3.5	12	1	1	3	4	7	10	17
20-34	124	3.2	4	1	1	3	4	6	7	11
35-49	100	5.3	32	1	2	4	6	11	14	33
50-64	135	8.0	92	1	2	4	10	19	24	50
65+	129	8.7	137	1	2	4	10	19	36	66
TOT. SINGLE DX	849	2.5	4	<1	1	2	3	5	6	10
" MULTIPLE DX	628	5.8	62	1	1	3	6	12	18	45
TOTAL 0-19 YRS	493	2.5	6	<1	1	2	3	4	6	12
20-34	387	2.7	3	1	1	2	3	5	6	10
35-49	204	3.9	20	1	1	3	5	8	12	17
50-64	204	6.6	69	1	1	3	8	17	21	46
65+	189	7.0	101	1	2	4	8	14	22	62
GRAND TOTAL	**1477**	**3.9**	**31**	**1**	**1**	**2**	**4**	**8**	**11**	**29**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	40	1.8	1	<1	<1	1	2	4	5	5
20-34	21	2.3	1	<1	1	2	3	4	5	5
35-49	30	3.0	4	<1	1	3	4	6	8	9
50-64	30	4.0	25	1	1	3	5	7	10	28
65+	32	3.7	5	<1	1	3	5	7	9	9
2. MULTIPLE DX										
0-19 YRS	78	3.8	40	1	1	3	4	6	7	44
20-34	14	4.8	10	2	2	4	5	9	13	14
35-49	33	4.5	13	1	2	3	5	8	15	17
50-64	66	5.3	45	1	1	4	5	9	12	47
65+	122	5.5	49	1	1	4	6	9	12	52
TOT. SINGLE DX	153	2.9	8	<1	1	2	4	6	7	10
" MULTIPLE DX	313	4.9	41	1	1	3	5	8	11	51
TOTAL 0-19 YRS	118	3.1	28	<1	1	2	3	5	6	25
20-34	35	3.3	6	1	1	3	4	5	8	14
35-49	63	3.7	10	<1	1	3	5	7	9	17
50-64	96	4.9	39	1	1	4	5	8	12	41
65+	154	5.1	41	1	1	4	6	9	11	50
GRAND TOTAL	**466**	**4.2**	**31**	**1**	**1**	**3**	**5**	**7**	**9**	**28**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	120	1.9	3	<1	1	2	2	2	3	14
20-34	121	1.6		<1	<1	1	2	2	3	4
35-49	250	1.7		<1	<1	2	2	2	3	5
50-64	402	2.0	1	<1	<1	2	2	3	4	9
65+	220	2.0	2	<1	1	2	2	3	4	10
2. MULTIPLE DX										
0-19 YRS	64	3.5	16	1	1	2	3	8	13	20
20-34	72	2.7	14	1	1	2	3	4	6	27
35-49	163	4.2	69	<1	1	2	4	9	14	32
50-64	363	3.4	20	1	1	2	3	7	11	26
65+	326	4.2	29	1	1	2	4	9	14	29
TOT. SINGLE DX	1113	1.9	2	<1	<1	2	2	2	3	8
" MULTIPLE DX	988	3.7	31	1	1	2	3	8	12	27
TOTAL 0-19 YRS	184	2.5	8	1	1	2	2	4	8	16
20-34	193	2.0	6	<1	<1	2	2	3	4	10
35-49	413	2.7	29	<1	1	2	2	4	8	20
50-64	765	2.7	11	<1	1	2	2	4	8	20
65+	546	3.3	20	1	1	2	3	7	11	25
GRAND TOTAL	**2101**	**2.8**	**16**	**<1**	**1**	**2**	**2**	**5**	**8**	**20**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	2.8	11	1	1	2	2	3	12	16
20-34	9	6.3	35	<1	1	2	13	15	15	15
35-49	14	6.7	36	<1	1	4	10	17	17	17
50-64	31	7.8	41	1	2	8	10	13	19	33
65+	27	7.6	33	1	1	9	13	16	17	18
2. MULTIPLE DX										
0-19 YRS	28	8.3	207	1	1	2	7	21	43	66
20-34	6	3.2	3	1	1	3	4	6	6	6
35-49	13	11.0	96	1	2	7	15	28	30	31
50-64	50	10.7	81	1	2	8	16	24	27	38
65+	55	12.1	141	2	2	9	16	22	40	58
TOT. SINGLE DX	98	6.6	35	1	1	4	11	15	17	26
" MULTIPLE DX	152	10.5	126	1	2	6	15	23	32	59
TOTAL 0-19 YRS	45	6.2	139	1	1	2	3	19	26	66
20-34	15	5.1	24	<1	1	3	6	14	15	15
35-49	27	8.8	67	1	1	7	13	21	28	31
50-64	81	9.6	67	1	2	8	13	23	25	36
65+	82	10.6	109	1	2	9	15	19	32	55
GRAND TOTAL	**250**	**9.0**	**93**	**1**	**2**	**6**	**13**	**19**	**27**	**48**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	10	11.8	48	2	2	11	14	22	26	26
50-64	29	13.0	15	7	8	12	15	19	19	21
65+	21	16.2	61	8	10	14	16	26	37	42
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49	18	25.2	288	9	13	19	26	55	65	71
50-64	106	19.5	147	9	11	17	22	30	38	82
65+	93	20.3	180	9	10	16	24	31	43	87
TOT. SINGLE DX	60	13.9	39	6	8	14	15	20	24	41
" MULTIPLE DX	217	20.3	173	9	10	17	23	32	44	82
TOTAL 0-19 YRS										
20-34										
35-49	28	20.4	240	3	7	18	22	45	57	71
50-64	135	18.1	126	9	10	15	20	27	36	78
65+	114	19.5	160	9	10	16	23	31	41	83
GRAND TOTAL	**277**	**18.9**	**151**	**8**	**10**	**16**	**21**	**29**	**40**	**76**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	11.5	221	1	1	11	22	22	22	22
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64										
65+	9	11.7	77	1	1	11	20	24	25	25
2. MULTIPLE DX										
0-19 YRS	15	32.9	581	8	10	27	56	98	99+	99+
20-34	16	39.4	696	5	8	42	73	96	99+	99+
35-49	13	24.5	417	4	4	22	32	51	73	78
50-64	48	26.2	373	7	7	21	43	56	72	99+
65+	71	31.5	524	4	7	28	43	74	92	99+
TOT. SINGLE DX	14	9.9	77	1	1	6	19	23	24	25
" MULTIPLE DX	163	30.3	498	5	7	26	47	74	94	99+
TOTAL 0-19 YRS	17	30.4	573	4	8	26	53	96	99+	99+
20-34	17	37.3	731	3	5	39	70	95	99+	99+
35-49	15	21.7	412	3	4	13	30	44	69	78
50-64	48	26.2	374	7	7	21	43	56	72	99+
65+	80	29.3	513	3	5	25	40	73	86	99+
GRAND TOTAL	**177**	**28.7**	**495**	**4**	**6**	**24**	**44**	**73**	**92**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	6.4	113	1	2	2	5	25	47	99+
20-34	19	2.1	1	<1	<1	2	2	4	5	5
35-49	14	4.7	9	<1	1	4	6	10	10	10
50-64	31	5.3	45	1	1	2	5	16	25	26
65+	26	4.9	24	1	2	3	5	15	16	19
2. MULTIPLE DX										
0-19 YRS	106	18.9	449	1	2	14	38	98	99+	99+
20-34	57	25.4	705	2	3	14	45	95	99+	99+
35-49	70	23.1	417	2	4	17	37	58	70	96
50-64	190	20.6	498	1	2	11	35	65	82	99+
65+	252	25.7	593	1	2	18	44	67	93	99+
TOT. SINGLE DX	126	5.0	51	1	1	2	5	13	20	65
" MULTIPLE DX	675	22.9	540	2	2	15	41	70	97	99+
TOTAL 0-19 YRS	142	15.8	393	1	2	9	27	85	99+	99+
20-34	76	19.6	631	1	1	9	35	84	99+	99+
35-49	84	20.0	396	2	2	10	29	54	67	93
50-64	221	18.4	463	1	2	9	30	62	78	99+
65+	278	23.8	577	1	2	15	42	64	87	99+
GRAND TOTAL	**801**	**20.1**	**505**	**1**	**2**	**11**	**35**	**65**	**94**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	4.5	13	<1	1	3	6	11	12	14
20-34	102	4.3	10	1	1	3	6	8	11	16
35-49	158	6.4	35	1	2	4	8	14	17	29
50-64	321	5.7	23	1	1	4	8	11	15	21
65+	331	6.1	27	1	2	4	8	13	17	25
2. MULTIPLE DX										
0-19 YRS	29	8.8	86	2	2	7	11	18	21	49
20-34	205	9.1	69	2	2	6	12	20	24	41
35-49	535	9.5	74	2	2	7	12	19	25	54
50-64	1701	9.9	76	2	2	8	12	20	27	48
65+	2786	10.7	72	2	3	9	14	20	27	44
TOT. SINGLE DX	940	5.8	25	1	2	4	8	12	16	25
" MULTIPLE DX	5256	10.2	74	2	3	8	13	20	26	45
TOTAL 0-19 YRS	57	6.7	54	1	1	4	9	12	18	47
20-34	307	7.5	55	1	2	5	9	17	22	40
35-49	693	8.8	67	1	2	7	11	17	24	48
50-64	2022	9.2	71	2	2	7	11	18	25	44
65+	3117	10.2	69	2	3	8	13	20	26	43
GRAND TOTAL	**6196**	**9.5**	**69**	**2**	**2**	**8**	**12**	**19**	**25**	**44**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	4	27.3	1715	1	1	9	50	89	89	89
20-34										
35-49										
50-64	3	10.0	39	3	3	12	14	15	15	15
65+	1	7.0		7	7	7	7	7	7	7
TOT. SINGLE DX	1	2.0		2	2	2	2	2	2	2
" MULTIPLE DX	8	18.3	840	1	2	9	14	67	89	89
TOTAL 0-19 YRS	4	27.3	1715	1	1	9	50	89	89	89
20-34										
35-49										
50-64	4	8.0	42	2	2	7	13	15	15	15
65+	1	7.0		7	7	7	7	7	7	7
GRAND TOTAL	**9**	**16.4**	**764**	**1**	**1**	**7**	**13**	**59**	**89**	**89**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	9.0	21	4	4	8	11	14	20	23
20-34	75	8.7	34	1	2	7	12	17	22	25
35-49	101	8.7	32	1	2	8	11	16	22	27
50-64	203	9.1	38	1	2	8	12	17	19	34
65+	188	8.5	32	1	2	8	13	17	19	22
2. MULTIPLE DX										
0-19 YRS	51	15.6	144	5	5	11	21	31	42	59
20-34	133	11.7	47	2	5	10	16	21	26	32
35-49	274	12.7	121	2	4	10	15	24	31	66
50-64	812	13.4	102	2	4	11	17	24	31	61
65+	1120	13.5	118	2	3	11	17	26	33	58
TOT. SINGLE DX	584	8.8	34	1	2	8	12	17	19	24
" MULTIPLE DX	2390	13.3	110	2	4	11	17	25	32	59
TOTAL 0-19 YRS	68	14.0	121	4	5	10	19	29	34	57
20-34	208	10.6	44	2	3	9	14	20	24	30
35-49	375	11.6	100	2	3	9	14	22	29	63
50-64	1015	12.5	93	2	3	10	16	23	30	59
65+	1308	12.8	109	2	3	11	16	24	31	55
GRAND TOTAL	**2974**	**12.4**	**98**	**2**	**3**	**10**	**16**	**23**	**30**	**56**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	10.8	22	5	6	10	14	18	18	18
20-34	6	9.5	32	1	2	9	13	17	18	18
35-49	42	11.1	11	6	7	11	13	16	17	19
50-64	96	12.6	26	7	8	11	15	19	22	33
65+	91	14.5	46	8	8	13	16	23	30	41
2. MULTIPLE DX										
0-19 YRS	17	15.5	62	8	8	13	21	25	32	36
20-34	19	13.9	65	6	7	12	15	25	34	39
35-49	105	18.5	168	8	8	14	22	31	38	85
50-64	427	16.3	71	8	9	14	19	25	31	53
65+	431	17.6	76	8	9	15	21	29	34	49
TOT. SINGLE DX	243	12.9	33	7	8	12	15	19	23	37
" MULTIPLE DX	999	17.0	84	8	9	15	21	28	33	52
TOTAL 0-19 YRS	25	14.0	53	6	7	12	18	24	28	36
20-34	25	12.9	60	5	7	12	15	20	31	39
35-49	147	16.4	135	7	8	13	18	28	36	85
50-64	523	15.6	65	8	8	14	19	24	30	51
65+	522	17.0	73	8	9	14	21	28	34	48
GRAND TOTAL	**1242**	**16.2**	**77**	**8**	**8**	**14**	**19**	**26**	**32**	**50**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	265	3.3	18	<1	1	2	3	7	10	26
20-34	144	5.3	30	1	1	3	7	10	13	27
35-49	185	4.7	18	1	1	3	7	10	15	19
50-64	318	5.8	32	1	1	4	8	14	17	24
65+	265	6.9	40	1	2	5	9	14	18	36
2. MULTIPLE DX										
0-19 YRS	338	8.8	102	1	2	6	11	19	26	99
20-34	278	9.9	98	1	2	7	13	21	27	55
35-49	659	9.1	78	2	2	7	12	19	23	48
50-64	1515	9.7	77	2	2	8	12	19	25	47
65+	2217	11.5	106	2	3	9	15	22	31	57
TOT. SINGLE DX	1177	5.2	30	1	1	3	7	12	16	27
" MULTIPLE DX	5007	10.4	94	2	2	8	13	20	28	52
TOTAL 0-19 YRS	603	6.4	73	1	1	3	8	14	21	50
20-34	422	8.3	80	1	2	6	11	17	25	49
35-49	844	8.1	68	1	2	6	10	17	21	43
50-64	1833	9.0	72	1	2	7	12	18	24	41
65+	2482	11.0	102	2	3	8	14	21	29	55
GRAND TOTAL	**6184**	**9.4**	**86**	**1**	**2**	**7**	**12**	**19**	**26**	**49**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	7.1	15	2	2	7	9	11	16	18
20-34	62	5.5	7	2	3	5	7	9	11	14
35-49	24	7.1	26	2	3	6	8	15	21	22
50-64	14	10.3	155	2	3	5	9	34	41	43
65+	10	6.9	33	2	2	5	6	17	21	21
2. MULTIPLE DX										
0-19 YRS	25	13.9	222	2	3	8	16	38	46	64
20-34	43	10.2	102	2	3	7	11	27	35	45
35-49	30	9.1	59	2	3	6	11	28	31	99+
50-64	65	11.3	70	3	3	9	16	20	28	47
65+	78	13.0	119	3	4	10	15	27	34	55
TOT. SINGLE DX	127	6.6	31	2	3	5	8	11	17	35
" MULTIPLE DX	241	11.6	107	2	3	9	15	27	33	57
TOTAL 0-19 YRS	42	11.1	147	2	3	7	11	23	39	64
20-34	105	7.4	51	2	3	6	8	12	21	41
35-49	54	8.2	45	2	3	6	9	20	28	96
50-64	79	11.2	84	3	3	8	15	21	30	48
65+	88	12.3	113	2	4	10	14	26	33	55
GRAND TOTAL	**368**	**9.9**	**86**	**2**	**3**	**7**	**12**	**20**	**31**	**52**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	137	5.6	11	2	2	5	7	10	11	21
20-34	487	5.4	10	2	3	5	6	8	10	15
35-49	194	5.9	16	2	2	5	7	10	14	20
50-64	95	9.5	91	3	3	7	11	18	25	59
65+	84	9.8	98	2	3	8	12	17	18	64
2. MULTIPLE DX										
0-19 YRS	257	13.1	174	2	4	9	16	29	48	99+
20-34	508	10.0	107	3	3	7	11	19	29	67
35-49	393	10.2	61	3	3	8	13	21	26	45
50-64	659	12.9	117	3	4	10	16	25	35	56
65+	873	13.7	101	3	5	11	17	25	33	51
TOT. SINGLE DX	997	6.3	29	2	3	5	7	11	14	25
" MULTIPLE DX	2690	12.2	110	3	4	9	15	24	33	60
TOTAL 0-19 YRS	394	10.5	131	2	3	7	13	24	33	99+
20-34	995	7.7	65	2	3	6	8	14	19	52
35-49	587	8.7	51	2	3	6	11	17	23	37
50-64	754	12.4	115	3	4	9	15	24	34	56
65+	957	13.3	103	3	4	11	17	25	33	51
GRAND TOTAL	**3687**	**10.6**	**95**	**3**	**3**	**8**	**13**	**22**	**29**	**54**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	262	6.0	8	2	2	6	7	9	11	17
20-34	95	6.4	27	1	1	5	9	13	16	28
35-49	83	5.7	30	<1	1	4	8	14	17	26
50-64	110	8.1	61	1	2	6	10	18	20	40
65+	87	8.8	50	1	2	6	13	19	20	34
2. MULTIPLE DX										
0-19 YRS	86	10.2	57	2	3	8	12	20	29	38
20-34	131	10.7	80	2	2	8	12	25	31	46
35-49	212	10.6	82	2	2	8	14	22	32	42
50-64	437	12.2	98	2	3	10	16	24	31	52
65+	654	11.9	92	2	3	9	16	23	29	45
TOT. SINGLE DX	637	6.8	30	1	2	6	8	14	17	27
" MULTIPLE DX	1520	11.6	90	2	3	9	16	23	30	45
TOTAL 0-19 YRS	348	7.0	23	2	2	6	8	11	15	29
20-34	226	8.9	62	1	2	7	11	18	27	40
35-49	295	9.2	72	1	2	7	13	19	27	40
50-64	547	11.4	94	2	2	9	16	23	29	51
65+	741	11.5	88	2	3	9	16	22	29	43
GRAND TOTAL	**2157**	**10.2**	**77**	**2**	**2**	**8**	**13**	**21**	**27**	**42**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	221	9.2	16	5	5	8	10	14	16	26
20-34	23	10.2	13	6	7	10	10	16	19	20
35-49	47	11.7	15	7	8	11	14	18	20	22
50-64	58	11.6	18	7	7	11	13	17	20	30
65+	27	15.8	41	9	10	14	17	22	30	39
2. MULTIPLE DX										
0-19 YRS	489	13.6	92	5	6	11	16	25	33	76
20-34	72	18.8	285	7	8	12	21	45	72	96
35-49	126	15.9	95	7	8	14	20	25	35	99+
50-64	313	17.4	130	8	9	14	19	28	37	72
65+	327	19.7	147	8	10	16	24	34	45	69
TOT. SINGLE DX	376	10.4	22	5	6	9	12	16	20	29
" MULTIPLE DX	1327	16.5	131	6	8	13	20	29	41	80
TOTAL 0-19 YRS	710	12.2	73	5	6	10	14	21	29	60
20-34	95	16.8	232	6	8	11	18	44	51	91
35-49	173	14.7	77	7	8	12	18	23	29	94
50-64	371	16.5	117	8	9	13	18	26	34	66
65+	354	19.4	140	8	10	16	23	33	45	69
GRAND TOTAL	**1703**	**15.2**	**113**	**6**	**7**	**12**	**18**	**26**	**36**	**70**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	5	11.2	3	9	9	11	12	14	14	14
35-49	102	11.4	13	7	8	11	13	17	18	25
50-64	252	11.8	18	8	8	11	13	16	19	34
65+	97	13.0	21	7	8	12	16	19	24	27
2. MULTIPLE DX										
0-19 YRS	3	11.7	4	10	10	11	13	14	14	14
20-34	17	12.3	24	6	7	11	17	20	21	22
35-49	852	12.1	41	7	8	10	13	17	22	38
50-64	2872	13.2	41	8	8	11	15	20	25	37
65+	1950	15.7	74	8	9	13	18	24	31	49
TOT. SINGLE DX	457	12.0	18	8	8	11	13	17	19	30
" MULTIPLE DX	5694	13.9	54	8	8	12	16	21	27	43
TOTAL 0-19 YRS	4	11.0	5	9	9	10	12	14	14	14
20-34	22	12.0	19	6	7	11	14	19	21	22
35-49	954	12.1	38	7	8	10	13	17	22	37
50-64	3124	13.0	40	8	8	11	14	20	25	36
65+	2047	15.6	72	8	9	13	18	24	31	48
GRAND TOTAL	**6151**	**13.7**	**52**	**8**	**8**	**12**	**15**	**21**	**26**	**42**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	530	1.9	5	1	1	2	2	2	4	13
20-34	203	3.4	8	1	2	2	3	8	10	14
35-49	1194	3.2	7	1	2	2	3	7	9	13
50-64	1751	3.3	8	1	2	2	3	7	10	14
65+	490	3.8	13	1	2	2	5	8	12	20
2. MULTIPLE DX										
0-19 YRS	1086	2.9	25	1	1	2	2	5	7	22
20-34	446	5.4	35	2	2	3	7	12	14	29
35-49	3953	4.7	19	2	2	3	6	10	12	21
50-64	8493	5.0	22	2	2	3	7	11	14	22
65+	4546	6.1	34	2	2	4	8	13	17	29
TOT. SINGLE DX	4168	3.2	8	1	1	2	3	7	9	14
" MULTIPLE DX	18524	5.1	26	2	2	3	7	11	14	24
TOTAL 0-19 YRS	1616	2.6	19	1	1	2	2	4	6	19
20-34	649	4.8	28	1	2	3	6	10	13	26
35-49	5147	4.3	17	2	2	2	5	9	12	20
50-64	10244	4.7	20	2	2	3	6	10	13	21
65+	5036	5.9	33	2	2	4	8	13	17	28
GRAND TOTAL	**22692**	**4.7**	**23**	**1**	**2**	**3**	**6**	**10**	**13**	**23**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	5.9	11	2	2	5	7	11	13	14
20-34	11	6.3	9	1	3	6	9	10	11	11
35-49	25	5.0	12	1	2	3	7	9	13	15
50-64	121	6.2	18	2	2	5	8	13	16	21
65+	450	5.3	15	1	2	4	6	11	13	20
2. MULTIPLE DX										
0-19 YRS	30	6.8	12	2	3	6	9	12	13	17
20-34	37	8.4	43	1	2	6	11	16	25	28
35-49	156	9.8	49	2	3	9	13	16	21	42
50-64	837	10.5	62	3	3	9	13	19	23	36
65+	4539	10.5	61	3	3	9	13	19	25	41
TOT. SINGLE DX	624	5.5	16	2	2	4	7	11	14	20
" MULTIPLE DX	5599	10.4	61	3	3	9	13	19	25	41
TOTAL 0-19 YRS	47	6.5	12	2	3	6	8	11	13	17
20-34	48	7.9	36	1	2	6	10	14	23	28
35-49	181	9.1	47	2	3	8	12	16	19	40
50-64	958	9.9	59	2	3	8	13	18	23	35
65+	4989	10.0	59	2	3	8	13	19	24	40
GRAND TOTAL	**6223**	**9.9**	**58**	**2**	**3**	**8**	**13**	**18**	**24**	**39**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	6.2	8	2	2	7	9	9	10	11
20-34	25	6.4	12	1	1	7	9	10	11	11
35-49	71	5.1	13	2	2	4	7	11	13	16
50-64	131	4.8	15	2	2	3	6	10	12	19
65+	36	4.9	14	2	2	3	7	10	14	15
2. MULTIPLE DX										
0-19 YRS	69	10.3	74	1	3	8	12	20	23	54
20-34	67	10.9	77	2	3	8	14	26	32	37
35-49	391	8.1	41	2	3	6	10	15	20	36
50-64	767	8.0	39	3	3	6	10	15	20	35
65+	383	9.6	49	3	3	8	13	18	23	35
TOT. SINGLE DX	291	5.2	14	2	2	4	7	10	12	16
" MULTIPLE DX	1677	8.6	46	3	3	7	11	17	21	36
TOTAL 0-19 YRS	97	9.1	58	1	2	8	10	16	22	46
20-34	92	9.7	64	1	3	8	11	18	30	37
35-49	462	7.6	38	2	3	6	10	14	19	34
50-64	898	7.5	37	2	3	6	10	15	19	33
65+	419	9.2	48	2	3	7	12	18	23	34
GRAND TOTAL	**1968**	**8.1**	**43**	**2**	**3**	**6**	**10**	**16**	**20**	**34**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	378	2.8	12	1	1	2	2	5	9	19
20-34	99	4.2	44	<1	1	2	5	9	12	43
35-49	121	3.0	14	<1	1	2	3	7	9	19
50-64	207	4.0	24	<1	1	2	4	11	15	22
65+	169	4.4	18	1	1	2	6	11	14	21
2. MULTIPLE DX										
0-19 YRS	405	6.8	71	1	1	4	9	15	22	58
20-34	198	8.8	99	1	2	6	11	18	28	73
35-49	423	9.1	73	1	2	7	13	19	25	40
50-64	956	8.9	73	1	2	7	12	18	24	44
65+	2184	11.6	93	2	3	9	15	23	29	50
TOT. SINGLE DX	974	3.5	20	<1	1	2	3	8	12	21
" MULTIPLE DX	4166	10.1	87	1	2	8	14	21	27	48
TOTAL 0-19 YRS	783	4.9	47	1	1	2	5	12	16	33
20-34	297	7.3	85	1	1	5	9	15	22	61
35-49	544	7.7	67	1	1	5	11	17	24	37
50-64	1163	8.1	68	1	1	5	11	17	23	38
65+	2353	11.1	91	2	2	9	15	22	28	50
GRAND TOTAL	**5140**	**8.9**	**81**	**1**	**1**	**6**	**12**	**19**	**26**	**45**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	3.4	2	1	1	3	4	5	7	8
20-34	297	3.7	3	2	2	3	4	5	7	9
35-49	509	3.9	3	2	2	4	5	6	7	10
50-64	377	4.5	9	2	2	4	5	7	9	20
65+	105	6.1	33	2	3	5	6	12	13	36
2. MULTIPLE DX										
0-19 YRS	4	8.3	98	2	2	4	14	23	23	23
20-34	83	5.7	18	2	3	4	7	10	16	26
35-49	240	5.7	25	2	2	4	6	11	17	26
50-64	260	6.2	19	2	2	5	7	12	14	25
65+	184	8.1	60	2	3	6	11	16	20	28
TOT. SINGLE DX	1313	4.2	8	2	2	4	5	6	8	14
" MULTIPLE DX	771	6.5	32	2	2	5	7	13	17	26
TOTAL 0-19 YRS	29	4.1	16	1	1	3	4	6	9	23
20-34	380	4.1	7	2	2	4	5	6	8	17
35-49	749	4.5	11	2	2	4	5	7	10	18
50-64	637	5.2	14	2	2	4	6	9	12	23
65+	289	7.4	52	2	3	5	9	14	18	28
GRAND TOTAL	**2084**	**5.0**	**18**	**2**	**2**	**4**	**6**	**9**	**12**	**24**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	6.7	10	2	3	7	9	11	12	14
20-34	21	7.4	69	<1	1	4	8	17	27	37
35-49	83	8.1	13	3	4	8	11	13	15	17
50-64	249	10.2	36	3	5	9	12	17	21	28
65+	221	10.5	34	4	5	9	12	17	23	33
2. MULTIPLE DX										
0-19 YRS	135	12.3	149	3	4	10	15	21	30	80
20-34	162	11.4	109	2	2	9	15	23	34	73
35-49	435	11.4	82	2	3	9	13	21	28	56
50-64	1525	13.5	106	3	5	11	15	23	32	64
65+	2259	15.7	119	5	7	13	18	28	39	62
TOT. SINGLE DX	602	9.8	34	3	4	9	11	16	21	31
" MULTIPLE DX	4516	14.3	114	4	5	11	17	26	35	63
TOTAL 0-19 YRS	163	11.4	130	3	4	9	14	19	28	78
20-34	183	10.9	106	2	2	8	14	22	34	68
35-49	518	10.9	73	2	4	9	13	20	26	52
50-64	1774	13.0	98	3	5	11	15	22	30	61
65+	2480	15.3	114	5	6	12	18	28	37	60
GRAND TOTAL	**5118**	**13.8**	**107**	**4**	**5**	**11**	**16**	**25**	**34**	**61**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+	2	21.5	13	19	19	21	24	24	24	24
2. MULTIPLE DX										
0-19 YRS	2	17.5	85	11	11	17	24	24	24	24
20-34										
35-49	1	26.0		26	26	26	26	26	26	26
50-64	2	26.5	1	26	26	26	27	27	27	27
65+	2	10.0	2	9	9	10	11	11	11	11
TOT. SINGLE DX	3	16.3	86	6	6	19	23	24	24	24
" MULTIPLE DX	7	19.1	69	9	9	24	26	27	27	27
TOTAL 0-19 YRS	2	17.5	85	11	11	17	24	24	24	24
20-34										
35-49	2	16.0	200	6	6	16	26	26	26	26
50-64	2	26.5	1	26	26	26	27	27	27	27
65+	4	15.8	49	9	9	15	21	24	24	24
GRAND TOTAL	**10**	**18.3**	**67**	**6**	**7**	**21**	**26**	**27**	**27**	**27**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	3.6	10	1	1	2	5	9	9	9
20-34	7	3.9	14	1	1	2	4	10	12	12
35-49	4	3.0	3	<1	<1	3	4	5	5	5
50-64	10	4.7	11	1	1	4	6	10	11	11
65+	11	3.7	2	1	1	4	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	56	4.7	16	1	1	3	6	9	14	21
20-34	278	6.1	53	1	1	4	7	11	16	29
35-49	496	5.6	29	1	1	4	7	11	15	27
50-64	786	6.7	43	1	2	5	8	14	19	35
65+	756	7.0	50	1	2	5	8	15	19	32
TOT. SINGLE DX	37	3.9	8	1	1	4	5	8	11	12
" MULTIPLE DX	2372	6.5	44	1	2	5	8	13	18	32
TOTAL 0-19 YRS	61	4.6	16	1	1	3	6	9	14	20
20-34	285	6.0	52	1	1	4	7	11	16	29
35-49	500	5.6	29	1	1	4	7	11	15	27
50-64	796	6.6	43	1	2	5	8	13	19	35
65+	767	7.0	49	1	2	5	8	14	19	32
GRAND TOTAL	**2409**	**6.4**	**43**	**1**	**2**	**5**	**8**	**13**	**18**	**32**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	309	8.0	53	1	2	6	9	13	19	46
20-34	193	5.9	39	1	1	4	8	16	19	25
35-49	268	7.9	61	1	2	5	10	16	23	47
50-64	706	7.5	32	2	3	6	9	14	17	28
65+	910	7.7	23	2	3	6	10	14	17	26
2. MULTIPLE DX										
0-19 YRS	2102	19.3	393	2	4	12	27	55	79	99+
20-34	574	10.1	140	1	2	6	12	24	36	67
35-49	1000	10.2	118	1	2	7	13	24	31	61
50-64	3473	11.1	95	2	3	9	13	22	30	53
65+	6075	12.3	98	3	4	10	15	23	31	53
TOT. SINGLE DX	2386	7.6	36	1	2	6	10	14	18	30
" MULTIPLE DX	13224	12.8	156	2	3	9	15	27	39	83
TOTAL 0-19 YRS	2411	17.8	364	2	3	11	24	50	74	99+
20-34	767	9.1	119	1	1	5	11	20	32	62
35-49	1268	9.7	107	1	2	7	12	22	29	58
50-64	4179	10.5	87	2	3	8	13	20	28	51
65+	6985	11.7	91	3	4	9	14	22	29	52
GRAND TOTAL	**15610**	**12.0**	**141**	**2**	**3**	**9**	**14**	**25**	**36**	**77**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	3.3	6	1	1	2	3	8	9	9
20-34	36	4.7	12	<1	1	3	8	9	12	15
35-49	31	5.2	7	2	2	4	7	10	10	10
50-64	61	7.8	25	2	3	7	9	15	19	27
65+	67	7.3	23	2	2	6	8	15	16	29
2. MULTIPLE DX										
0-19 YRS	14	6.7	21	1	1	6	10	13	15	16
20-34	43	7.0	20	2	3	6	9	11	16	26
35-49	62	9.9	70	2	2	8	12	17	23	48
50-64	178	11.0	99	3	4	8	12	21	31	50
65+	297	11.2	106	3	4	8	13	21	30	55
TOT. SINGLE DX	210	6.4	21	2	2	6	8	11	16	25
" MULTIPLE DX	594	10.6	93	3	4	8	12	20	27	50
TOTAL 0-19 YRS	29	4.9	16	1	1	3	8	11	13	16
20-34	79	5.9	18	1	2	5	8	10	14	23
35-49	93	8.4	54	2	2	7	10	14	18	47
50-64	239	10.2	82	3	4	8	11	20	27	49
65+	364	10.4	93	3	4	8	12	20	26	54
GRAND TOTAL	**804**	**9.5**	**78**	**2**	**3**	**7**	**11**	**17**	**24**	**49**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	447	3.2	10	<1	1	2	4	7	9	17
20-34	316	3.8	19	<1	1	2	4	8	11	24
35-49	241	3.7	11	<1	1	3	5	8	10	17
50-64	227	5.0	23	<1	1	3	7	11	15	22
65+	234	5.7	24	1	2	4	7	11	16	23
2. MULTIPLE DX										
0-19 YRS	195	4.8	18	1	1	4	6	9	13	23
20-34	290	7.2	32	1	2	6	10	15	18	28
35-49	380	7.9	66	2	2	6	10	15	21	38
50-64	605	8.1	56	1	2	6	10	17	23	36
65+	875	9.5	73	2	2	8	12	19	25	41
TOT. SINGLE DX	1465	4.1	18	<1	1	3	5	9	12	20
" MULTIPLE DX	2345	8.2	60	1	2	6	10	17	23	38
TOTAL 0-19 YRS	642	3.7	14	<1	1	2	5	7	11	18
20-34	606	5.4	29	<1	1	3	7	12	15	27
35-49	621	6.3	49	1	1	4	8	13	17	35
50-64	832	7.2	49	1	2	5	9	16	21	31
65+	1109	8.7	66	2	2	7	11	18	24	39
GRAND TOTAL	**3810**	**6.6**	**48**	**1**	**1**	**4**	**9**	**14**	**19**	**33**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	4	10.3	16	6	6	10	13	15	15	15
35-49	3	24.0	421	3	3	25	39	44	44	44
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
0-19 YRS										
20-34	1	17.0		17	17	17	17	17	17	17
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	10.0		10	10	10	10	10	10	10
TOT. SINGLE DX	9	14.0	175	2	2	11	17	36	44	44
" MULTIPLE DX	4	7.8	52	2	2	6	13	17	17	17
TOTAL 0-19 YRS										
20-34	5	11.6	21	6	6	12	15	17	17	17
35-49	4	18.5	402	2	2	14	34	44	44	44
50-64	2	2.0		2	2	2	2	2	2	2
65+	2	10.5	1	10	10	10	11	11	11	11
GRAND TOTAL	**13**	**12.1**	**139**	**2**	**2**	**10**	**15**	**29**	**41**	**44**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	32.0	1150	3	3	25	59	74	74	74
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	12	39.3	404	4	9	43	52	63	72	74
20-34	3	50.7	262	32	32	59	60	61	61	61
35-49										
50-64										
65+	1	16.0		16	16	16	16	16	16	16
TOT. SINGLE DX	4	32.0	1150	3	3	25	59	74	74	74
" MULTIPLE DX	16	40.0	393	5	11	43	56	61	70	74
TOTAL 0-19 YRS	16	37.5	537	3	4	43	52	72	74	74
20-34	3	50.7	262	32	32	59	60	61	61	61
35-49										
50-64										
65+	1	16.0		16	16	16	16	16	16	16
GRAND TOTAL	**20**	**38.4**	**503**	**3**	**5**	**43**	**56**	**67**	**74**	**74**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	329	6.0	31	1	1	5	7	11	13	34
20-34	188	6.9	28	2	2	6	8	13	19	29
35-49	161	8.2	63	2	2	6	10	16	24	35
50-64	193	7.4	48	1	2	5	9	14	25	35
65+	259	7.8	69	1	2	5	9	15	22	51
2. MULTIPLE DX										
0-19 YRS	452	9.8	109	2	2	7	11	21	33	55
20-34	535	11.4	108	2	3	8	13	24	34	53
35-49	654	10.9	120	3	3	8	12	21	31	74
50-64	1351	11.1	101	2	3	8	13	22	31	61
65+	3515	10.9	72	3	3	9	14	21	28	46
TOT. SINGLE DX	1130	7.1	47	1	2	5	9	13	19	35
" MULTIPLE DX	6507	10.9	89	2	3	8	13	21	30	52
TOTAL 0-19 YRS	781	8.2	80	1	2	6	9	15	25	50
20-34	723	10.2	91	2	2	7	12	21	32	51
35-49	815	10.4	110	2	3	7	12	21	29	71
50-64	1544	10.6	96	2	3	8	13	21	30	59
65+	3774	10.7	73	2	3	8	13	21	27	46
GRAND TOTAL	**7637**	**10.3**	**85**	**2**	**3**	**8**	**12**	**21**	**28**	**50**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	105	12.1	155	1	2	8	17	27	40	58
20-34	39	11.4	101	1	2	8	15	29	34	37
35-49	51	11.6	134	1	2	7	17	32	38	44
50-64	51	7.5	73	1	1	4	9	19	29	39
65+	29	11.1	193	2	2	6	12	35	63	99+
2. MULTIPLE DX										
0-19 YRS	234	19.1	324	2	3	14	29	50	70	99+
20-34	193	14.5	231	2	2	10	18	32	46	89
35-49	324	12.1	138	2	2	8	17	29	37	56
50-64	527	13.2	160	2	2	9	17	31	39	65
65+	718	16.2	186	2	4	13	22	34	43	75
TOT. SINGLE DX	275	10.9	134	1	2	7	15	29	37	58
" MULTIPLE DX	1996	14.9	197	2	2	11	20	34	44	78
TOTAL 0-19 YRS	339	16.9	282	1	2	12	24	45	58	99+
20-34	232	14.0	210	2	2	10	17	32	42	85
35-49	375	12.0	138	2	2	8	17	29	37	55
50-64	578	12.7	156	2	2	8	17	31	39	64
65+	747	16.0	188	2	3	12	22	34	43	78
GRAND TOTAL	**2271**	**14.4**	**191**	**2**	**2**	**10**	**20**	**33**	**43**	**75**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	104	3.8	31	<1	<1	2	4	9	12	34
20-34	65	4.9	13	1	1	4	6	12	13	16
35-49	103	4.9	21	<1	1	3	7	10	14	23
50-64	140	4.7	18	1	1	3	7	11	13	33
65+	135	5.3	20	1	1	4	7	11	14	22
2. MULTIPLE DX										
0-19 YRS	164	7.8	97	<1	1	4	10	18	29	53
20-34	234	7.0	37	1	2	5	9	15	20	29
35-49	513	7.3	50	1	2	5	9	15	21	38
50-64	960	8.5	97	1	2	6	10	17	26	61
65+	1646	9.0	77	2	2	7	11	19	25	46
TOT. SINGLE DX	547	4.8	21	<1	1	3	6	10	14	25
" MULTIPLE DX	3517	8.4	78	1	2	6	10	18	24	49
TOTAL 0-19 YRS	268	6.2	75	<1	1	3	8	16	23	49
20-34	299	6.5	33	1	2	5	8	14	18	28
35-49	616	6.9	46	1	2	5	8	15	20	37
50-64	1100	8.0	89	1	2	5	10	16	24	60
65+	1781	8.7	74	1	2	6	11	18	24	46
GRAND TOTAL	**4064**	**7.9**	**72**	**1**	**2**	**5**	**10**	**16**	**23**	**45**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	643	3.3	1	2	2	3	4	5	6	8
20-34	5	16.8	418	5	5	9	22	53	53	53
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	4	11.0	31	6	6	10	15	18	18	18
65+	5	10.0	56	3	3	8	16	21	21	21
2. MULTIPLE DX										
0-19 YRS	148	5.0	10	2	2	4	6	8	10	20
20-34	5	9.8	102	3	3	4	15	27	27	27
35-49	12	14.4	54	7	8	12	21	46	90	99+
50-64	14	13.1	85	4	6	10	16	21	37	41
65+	40	16.7	47	7	9	17	21	25	28	37
TOT. SINGLE DX	659	3.5	7	2	2	3	4	5	6	12
" MULTIPLE DX	219	8.3	50	2	3	5	10	19	23	38
TOTAL 0-19 YRS	791	3.6	4	2	2	3	4	6	7	11
20-34	10	13.3	245	3	3	7	12	40	53	53
35-49	14	12.7	65	2	4	11	20	32	83	99+
50-64	18	12.6	72	4	6	10	16	19	32	41
65+	45	16.0	52	4	8	16	21	25	28	37
GRAND TOTAL	878	4.7	22	2	2	3	5	8	15	25

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	25.3	584	3	4	15	39	65	73	73
20-34										
35-49	1	10.0		10	10	10	10	10	10	10
50-64	13	12.6	89	4	4	11	17	24	35	38
65+	26	15.1	247	3	3	9	19	32	46	75
2. MULTIPLE DX										
0-19 YRS	102	23.1	428	5	6	17	31	56	81	99+
20-34	25	25.8	504	4	5	23	49	95	99+	99+
35-49	40	17.8	347	4	5	14	30	99	99+	99+
50-64	137	18.0	230	3	4	13	25	42	53	81
65+	534	20.0	265	4	5	16	27	44	57	97
TOT. SINGLE DX	48	16.0	260	3	3	10	19	36	50	75
" MULTIPLE DX	838	20.1	292	4	5	15	28	46	61	99+
TOTAL 0-19 YRS	110	23.3	435	4	6	17	32	57	80	99+
20-34	25	25.8	505	4	5	23	49	95	99+	99+
35-49	41	17.6	341	4	5	14	29	99	99+	99+
50-64	150	17.5	219	3	4	12	23	40	51	78
65+	560	19.8	265	3	5	16	26	43	57	97
GRAND TOTAL	886	19.9	291	3	5	15	27	46	61	99+

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	4.5	22	<1	1	4	5	6	15	23
20-34	103	5.1	14	1	2	4	6	9	13	22
35-49	157	5.0	12	<1	1	4	7	10	12	20
50-64	167	5.4	12	1	2	4	7	9	13	19
65+	158	5.8	21	1	2	5	8	11	13	43
2. MULTIPLE DX										
0-19 YRS	46	6.7	89	1	1	5	7	11	16	64
20-34	379	6.5	37	2	2	5	8	11	16	33
35-49	829	6.7	25	2	2	5	8	12	16	29
50-64	1444	7.8	45	2	3	6	9	14	20	37
65+	2906	8.9	50	2	3	7	11	16	21	36
TOT. SINGLE DX	604	5.3	16	1	2	4	7	10	13	21
" MULTIPLE DX	5604	8.1	46	2	3	7	10	15	20	35
TOTAL 0-19 YRS	65	6.0	70	1	1	4	6	9	17	58
20-34	482	6.2	33	2	2	5	7	11	15	31
35-49	986	6.5	24	2	2	5	8	12	16	29
50-64	1611	7.6	43	2	3	6	9	14	19	35
65+	3064	8.8	49	2	3	7	11	16	21	37
GRAND TOTAL	6208	7.9	43	2	3	6	9	15	19	34

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	8.5	46	2	2	7	13	18	18	18
20-34	45	9.6	18	6	6	9	11	14	19	25
35-49	114	10.9	18	6	7	9	13	16	19	26
50-64	93	11.5	24	6	7	10	14	18	23	28
65+	66	13.4	18	8	9	13	16	21	22	24
2. MULTIPLE DX										
0-19 YRS	5	19.2	99	10	10	17	26	34	34	34
20-34	73	16.7	153	6	7	13	18	39	47	62
35-49	196	15.9	151	7	8	12	18	24	33	79
50-64	348	15.8	68	8	9	14	18	24	32	55
65+	524	19.8	129	8	10	17	24	35	42	63
TOT. SINGLE DX	322	11.4	21	6	7	10	14	18	21	26
" MULTIPLE DX	1146	17.7	119	8	9	15	20	30	40	64
TOTAL 0-19 YRS	9	14.4	99	2	4	11	19	30	34	34
20-34	118	14.0	114	6	6	11	16	21	46	57
35-49	310	14.1	108	7	8	11	16	22	27	76
50-64	441	14.9	62	7	8	13	18	23	29	53
65+	590	19.1	121	8	9	16	23	33	40	63
GRAND TOTAL	1468	16.3	105	7	8	14	19	27	36	60

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	2	13.0	72	7	7	13	19	19	19	19
35-49	5	15.0	28	9	9	14	18	23	23	23
50-64	19	16.6	74	8	10	14	17	26	37	46
65+	16	18.0	27	11	13	17	21	25	28	29
2. MULTIPLE DX										
0-19 YRS										
20-34	2	20.0	72	14	14	20	26	26	26	26
35-49	17	23.2	221	11	12	18	24	53	59	60
50-64	70	21.1	174	9	11	17	24	36	42	89
65+	72	22.1	160	10	12	19	25	36	44	87
TOT. SINGLE DX	43	16.8	48	8	10	15	20	24	28	46
" MULTIPLE DX	161	21.7	170	10	12	18	24	36	44	92
TOTAL 0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	4	16.5	64	7	7	16	22	26	26	26
35-49	22	21.4	187	10	11	16	22	42	58	60
50-64	89	20.1	156	9	11	17	23	33	42	81
65+	88	21.4	138	10	12	19	24	32	41	80
GRAND TOTAL	204	20.7	148	9	11	17	24	33	43	77

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	10.0	4	8	8	9	11	13	13	13
20-34	55	8.6	14	5	6	8	10	12	19	23
35-49	75	10.1	15	6	7	9	11	14	18	28
50-64	53	10.7	16	5	6	10	13	17	19	22
65+	27	12.4	45	6	7	10	15	18	22	41
2. MULTIPLE DX										
0-19 YRS	4	28.3	297	6	6	29	39	48	48	48
20-34	59	12.2	57	5	6	10	13	22	28	47
35-49	147	12.4	51	6	6	11	15	20	29	56
50-64	164	15.2	108	6	7	13	17	26	31	59
65+	166	17.9	93	8	9	16	22	31	34	78
TOT. SINGLE DX	214	10.2	20	5	6	9	11	15	19	26
" MULTIPLE DX	540	15.0	90	6	7	12	18	27	32	56
TOTAL 0-19 YRS	8	19.1	225	6	7	11	29	43	48	48
20-34	114	10.5	40	5	6	9	11	18	23	37
35-49	222	11.6	41	6	7	10	13	18	26	43
50-64	217	14.1	90	6	7	12	16	25	29	50
65+	193	17.1	90	8	9	15	20	30	34	67
GRAND TOTAL	754	13.7	75	6	7	11	16	24	30	48

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	106	9.1	56	2	2	7	11	16	22	46
20-34	273	7.7	8	5	5	7	9	10	13	20
35-49	259	8.4	13	5	5	8	9	11	16	25
50-64	129	10.7	61	5	6	9	11	18	23	50
65+	68	11.6	41	6	7	9	14	19	28	36
2. MULTIPLE DX										
0-19 YRS	265	19.5	322	5	6	13	24	48	68	98
20-34	412	9.8	61	5	5	8	10	16	23	51
35-49	682	10.7	58	5	6	8	11	18	25	43
50-64	478	13.8	118	6	7	10	15	24	33	66
65+	606	16.9	120	7	8	14	20	30	38	67
TOT. SINGLE DX	835	8.9	28	4	5	8	10	13	18	29
" MULTIPLE DX	2443	13.6	126	5	6	10	16	26	35	70
TOTAL 0-19 YRS	371	16.5	268	2	5	11	20	39	63	92
20-34	685	9.0	41	5	5	8	9	13	18	37
35-49	941	10.1	47	5	6	8	10	17	23	37
50-64	607	13.2	108	6	6	10	15	23	32	61
65+	674	16.4	115	7	7	14	19	29	37	65
GRAND TOTAL	3278	12.4	105	5	6	9	14	23	31	65

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	186	4.3	18	1	1	3	5	8	13	23
20-34	251	4.7	13	1	1	4	6	9	10	18
35-49	267	4.8	13	1	1	4	7	10	12	18
50-64	402	4.1	12	1	1	3	6	9	10	16
65+	358	4.1	18	1	1	2	5	9	12	17
2. MULTIPLE DX										
0-19 YRS	294	6.5	48	1	1	5	8	11	19	41
20-34	676	6.8	38	2	2	5	8	13	16	31
35-49	1009	6.6	29	1	2	5	8	12	17	30
50-64	1973	6.9	38	1	2	5	9	13	17	32
65+	3622	7.7	48	1	2	6	10	15	20	35
TOT. SINGLE DX	1464	4.4	15	1	1	3	6	9	11	18
" MULTIPLE DX	7574	7.2	43	1	2	6	9	14	19	33
TOTAL 0-19 YRS	480	5.6	38	1	1	4	7	11	15	32
20-34	927	6.2	33	1	2	5	8	11	14	29
35-49	1276	6.2	27	1	2	5	8	12	16	29
50-64	2375	6.4	35	1	2	5	8	12	16	30
65+	3980	7.4	47	1	2	6	9	15	19	35
GRAND TOTAL	**9038**	**6.8**	**39**	**1**	**2**	**5**	**9**	**13**	**18**	**32**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	9.6	32	5	5	7	12	20	23	25
20-34	35	11.3	31	6	7	9	12	23	24	28
35-49	44	13.8	72	6	7	11	15	26	34	42
50-64	35	13.7	53	6	7	11	17	20	28	43
65+	55	14.2	74	6	7	12	16	26	35	44
2. MULTIPLE DX										
0-19 YRS	65	17.1	273	6	7	10	27	84	99+	99+
20-34	125	15.1	166	6	7	11	17	26	45	79
35-49	169	17.1	136	7	8	13	20	34	46	93
50-64	276	19.0	174	7	8	15	24	36	46	77
65+	552	20.3	185	8	9	16	24	38	51	85
TOT. SINGLE DX	200	12.8	58	5	6	10	15	23	29	43
" MULTIPLE DX	1187	18.8	181	7	8	15	23	38	51	99+
TOTAL 0-19 YRS	96	14.7	206	5	6	9	21	59	99+	99+
20-34	160	14.3	139	6	7	11	16	23	38	73
35-49	213	16.5	125	7	8	13	19	33	44	80
50-64	311	18.4	163	7	8	15	22	33	45	77
65+	607	19.7	178	8	9	15	24	38	49	83
GRAND TOTAL	**1387**	**18.0**	**168**	**7**	**8**	**14**	**21**	**36**	**48**	**99**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	10.0	20	5	6	9	11	16	19	26
20-34	85	11.0	22	6	6	10	13	16	21	29
35-49	182	11.1	15	7	7	10	12	16	18	25
50-64	399	11.7	14	7	8	11	14	16	19	23
65+	470	12.6	25	8	8	11	14	18	22	30
2. MULTIPLE DX										
0-19 YRS	87	20.4	389	6	7	13	22	50	78	96
20-34	193	16.2	185	7	8	12	18	30	43	99+
35-49	544	15.3	86	7	8	13	18	25	33	57
50-64	1556	15.5	72	8	9	13	18	25	33	53
65+	3812	17.7	100	8	9	15	20	29	36	63
TOT. SINGLE DX	1177	11.9	20	7	8	11	14	17	20	26
" MULTIPLE DX	6192	16.9	100	8	9	14	20	28	36	64
TOTAL 0-19 YRS	128	17.1	294	5	7	11	17	34	67	91
20-34	278	14.6	141	7	7	11	16	24	38	97
35-49	726	14.2	72	7	8	12	16	23	29	55
50-64	1955	14.7	63	8	8	12	17	24	31	51
65+	4282	17.1	95	8	9	14	20	28	35	60
GRAND TOTAL	**7369**	**16.1**	**91**	**8**	**9**	**13**	**18**	**26**	**34**	**60**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	8.2	28	1	2	8	11	17	17	17
20-34	11	14.1	69	6	7	11	18	27	33	34
35-49	14	8.6	13	3	5	8	10	14	16	16
50-64	16	12.3	38	4	5	11	14	22	26	28
65+	21	14.0	99	6	6	11	17	23	37	51
2. MULTIPLE DX										
0-19 YRS	15	16.8	230	1	3	12	28	50	85	99+
20-34	29	14.0	105	2	3	12	18	34	41	99+
35-49	55	17.1	176	6	7	12	18	39	43	71
50-64	104	16.5	98	7	9	14	20	26	40	56
65+	264	19.6	136	7	9	16	24	34	42	65
TOT. SINGLE DX	75	11.7	57	3	5	10	14	20	24	47
" MULTIPLE DX	467	18.2	135	6	8	15	23	33	42	68
TOTAL 0-19 YRS	28	12.8	151	1	2	9	17	41	52	99+
20-34	40	14.0	93	3	5	12	18	32	39	99+
35-49	69	15.4	155	5	6	11	16	32	42	67
50-64	120	16.0	92	7	8	13	19	25	38	55
65+	285	19.2	135	7	9	16	24	33	42	65
GRAND TOTAL	**542**	**17.3**	**129**	**6**	**7**	**14**	**21**	**32**	**41**	**65**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	154	6.7	11	3	3	6	8	10	12	24
20-34	121	8.6	6	4	6	8	10	12	13	15
35-49	102	9.1	22	3	5	8	11	14	17	31
50-64	124	9.4	18	4	5	9	11	13	16	28
65+	125	10.4	25	4	5	9	12	15	18	30
2. MULTIPLE DX										
0-19 YRS	240	12.5	139	4	5	9	14	28	44	99+
20-34	240	12.1	104	5	6	9	13	21	33	78
35-49	263	12.8	61	6	6	11	14	22	28	44
50-64	358	14.1	120	5	7	11	15	25	35	68
65+	694	14.9	111	5	7	12	17	27	37	57
TOT. SINGLE DX	626	8.7	18	3	4	8	10	13	15	26
" MULTIPLE DX	1795	13.7	110	5	6	11	15	25	35	71
TOTAL 0-19 YRS	394	10.3	97	3	4	8	11	20	31	99+
20-34	361	10.9	75	5	6	9	11	16	23	68
35-49	365	11.8	53	5	6	10	13	20	26	43
50-64	482	12.9	99	5	6	10	14	21	28	60
65+	819	14.2	101	5	6	11	16	25	33	54
GRAND TOTAL	2421	12.4	91	4	5	10	14	22	30	59

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	12.0	127	4	5	8	14	22	33	60
20-34	13	11.5	74	2	2	9	13	27	30	31
35-49	12	14.3	40	4	7	14	17	23	27	28
50-64	16	11.9	42	4	5	10	16	21	26	28
65+	29	13.2	31	4	7	12	19	21	22	23
2. MULTIPLE DX										
0-19 YRS	37	25.6	502	5	6	18	33	55	78	98
20-34	43	21.0	372	6	8	13	26	49	82	99+
35-49	67	17.2	155	6	8	13	21	35	44	97
50-64	207	18.2	152	6	8	15	22	33	46	74
65+	403	21.2	195	8	9	18	25	38	53	99
TOT. SINGLE DX	96	12.6	65	4	5	11	16	21	26	47
" MULTIPLE DX	757	20.2	207	7	8	16	24	38	53	98
TOTAL 0-19 YRS	63	20.0	389	4	5	13	24	51	63	96
20-34	56	18.8	317	4	6	12	24	44	76	99
35-49	79	16.7	138	6	8	13	20	32	43	94
50-64	223	17.8	147	6	8	15	22	32	46	73
65+	432	20.7	188	8	9	18	24	36	53	98
GRAND TOTAL	853	19.4	197	6	8	16	23	35	52	97

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5272	3.8	5	2	2	3	4	6	8	12
20-34	3256	3.9	5	2	2	3	4	6	8	13
35-49	1166	4.6	6	2	2	4	6	8	9	14
50-64	470	5.7	8	2	3	5	7	10	11	16
65+	193	7.4	17	3	4	6	9	11	16	22
2. MULTIPLE DX										
0-19 YRS	1374	6.1	22	2	2	5	7	11	15	25
20-34	1143	6.0	18	2	3	5	7	10	13	20
35-49	544	7.7	25	3	3	6	9	14	18	27
50-64	472	9.7	49	3	4	8	12	16	21	45
65+	434	11.4	54	4	5	10	13	19	23	40
TOT. SINGLE DX	10357	4.1	6	2	2	3	5	7	9	13
" MULTIPLE DX	3967	7.3	32	2	3	6	9	13	17	27
TOTAL 0-19 YRS	6646	4.3	10	2	2	3	5	8	10	17
20-34	4399	4.5	10	2	2	4	5	7	10	15
35-49	1710	5.6	15	2	2	4	7	10	12	21
50-64	942	7.7	33	2	3	6	10	13	17	28
65+	627	10.2	46	3	4	9	12	18	21	37
GRAND TOTAL	14324	5.0	15	2	2	4	6	9	12	20

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	61	4.2	10	2	2	3	5	7	8	23
20-34	41	4.6	3	1	2	5	6	7	8	8
35-49	14	6.4	17	2	2	6	8	11	16	18
50-64	6	8.0	7	4	4	8	10	11	11	11
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	38	6.1	15	2	3	5	8	12	14	19
20-34	40	5.0	2	3	3	5	6	7	8	9
35-49	18	9.3	19	5	5	7	13	15	18	20
50-64	7	10.3	86	5	5	7	9	27	31	31
65+	4	8.5	9	5	5	9	11	11	11	11
TOT. SINGLE DX	123	4.8	10	2	2	4	6	8	10	20
" MULTIPLE DX	107	6.6	18	3	3	5	8	12	14	25
TOTAL 0-19 YRS	99	4.9	13	2	2	4	5	9	12	22
20-34	81	4.8	3	2	3	5	6	7	8	9
35-49	32	8.1	20	2	3	7	10	14	18	20
50-64	13	9.2	48	4	5	7	10	15	28	31
65+	5	8.8	7	5	5	10	11	11	11	11
GRAND TOTAL	230	5.6	14	2	2	5	7	10	13	21

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	9.0	25	2	3	8	12	16	19	21
20-34	16	5.8	3	3	3	6	7	8	9	9
35-49	6	8.2	10	5	5	7	9	13	14	14
50-64	4	6.8	11	3	3	6	9	11	11	11
65+	3	11.7	54	6	6	9	17	20	20	20
2. MULTIPLE DX										
0-19 YRS	12	12.3	18	5	6	12	15	18	19	19
20-34	4	10.3	14	5	5	11	13	13	13	13
35-49	10	13.0	104	2	2	12	18	27	36	36
50-64	7	13.4	10	10	10	12	16	18	18	18
65+	13	20.2	347	4	5	12	27	51	65	68
TOT. SINGLE DX	50	7.9	18	3	3	7	9	14	18	21
" MULTIPLE DX	46	14.7	133	4	5	12	16	26	38	68
TOTAL 0-19 YRS	33	10.2	25	3	4	10	14	18	19	21
20-34	20	6.7	9	3	3	6	8	11	13	13
35-49	16	11.2	72	2	3	8	15	19	31	36
50-64	11	11.0	21	3	5	11	14	17	18	18
65+	16	18.6	297	4	5	12	23	45	62	68
GRAND TOTAL	96	11.1	84	3	4	9	13	18	25	58

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	123	3.2	11	<1	1	2	4	6	10	18
20-34	95	3.5	8	<1	1	3	4	6	7	20
35-49	101	4.2	18	<1	1	3	5	8	10	28
50-64	93	4.3	15	1	2	3	5	9	12	22
65+	207	4.8	26	1	2	3	6	9	12	27
2. MULTIPLE DX										
0-19 YRS	92	8.0	173	1	1	4	7	16	36	69
20-34	112	5.1	19	1	2	4	6	10	16	24
35-49	213	5.9	20	1	2	5	7	11	15	25
50-64	359	7.0	38	2	2	5	8	13	20	32
65+	766	8.7	73	2	2	6	10	17	23	48
TOT. SINGLE DX	619	4.1	18	1	1	3	5	8	11	24
" MULTIPLE DX	1542	7.6	62	2	2	5	9	15	21	44
TOTAL 0-19 YRS	215	5.3	86	<1	1	3	5	10	15	62
20-34	207	4.4	15	<1	1	3	5	8	12	21
35-49	314	5.4	20	1	2	4	7	10	14	25
50-64	452	6.4	35	2	2	5	8	12	19	32
65+	973	7.9	66	2	2	6	10	15	21	46
GRAND TOTAL	2161	6.6	52	1	2	5	8	13	19	36

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	53	2.3	1	1	1	2	3	4	4	9
20-34	298	3.1	3	1	1	3	4	5	7	11
35-49	243	3.3	8	1	1	3	4	5	7	15
50-64	88	3.5	5	1	1	3	4	6	7	14
65+	35	5.8	35	1	2	4	6	9	22	29
2. MULTIPLE DX										
0-19 YRS	31	4.7	12	1	1	4	6	9	11	18
20-34	157	4.2	19	1	1	3	5	8	10	16
35-49	203	6.1	59	1	2	4	7	11	18	40
50-64	161	6.7	47	1	2	4	7	16	21	36
65+	101	8.7	50	2	3	6	11	16	25	36
TOT. SINGLE DX	717	3.3	7	1	1	3	4	5	7	13
" MULTIPLE DX	653	6.1	45	1	2	4	7	12	18	36
TOTAL 0-19 YRS	84	3.2	7	1	1	2	4	6	8	16
20-34	455	3.5	9	1	1	3	4	6	8	14
35-49	446	4.6	34	1	1	3	5	8	12	30
50-64	249	5.6	35	1	1	4	6	12	17	36
65+	136	8.0	48	2	2	6	10	15	25	31
GRAND TOTAL	1370	4.6	27	1	1	3	5	9	13	28

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	38	10.2	25	2	4	10	12	14	20	30
20-34	20	12.7	58	3	5	11	15	22	29	36
35-49	40	13.0	22	6	8	12	16	18	21	30
50-64	105	13.7	20	8	9	13	16	20	22	26
65+	102	13.6	25	6	7	13	17	19	22	30
2. MULTIPLE DX										
0-19 YRS	45	11.8	36	4	6	11	14	21	23	34
20-34	27	17.2	89	5	6	15	26	30	32	39
35-49	73	16.8	86	4	8	15	20	29	34	55
50-64	250	17.4	85	8	9	15	20	30	35	50
65+	588	19.9	144	9	10	17	23	33	41	80
TOT. SINGLE DX	305	13.1	26	6	8	12	16	19	22	30
" MULTIPLE DX	983	18.6	122	8	9	16	22	30	36	67
TOTAL 0-19 YRS	83	11.1	32	3	5	10	13	16	23	33
20-34	47	15.3	80	4	6	12	20	30	31	39
35-49	113	15.5	67	5	8	14	19	26	32	49
50-64	355	16.3	69	8	9	14	19	26	33	50
65+	690	19.0	132	8	10	16	22	31	38	73
GRAND TOTAL	1288	17.3	105	7	9	15	20	28	35	65

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	372	3.6	22	<1	1	3	4	7	9	14
20-34	960	4.6	13	1	2	4	6	8	11	17
35-49	960	4.8	18	1	2	4	6	8	11	18
50-64	778	5.0	23	1	1	4	6	9	11	26
65+	570	5.2	16	1	1	4	7	10	12	21
2. MULTIPLE DX										
0-19 YRS	623	5.3	24	1	2	4	6	10	14	31
20-34	2873	5.6	24	1	2	4	7	10	13	23
35-49	4518	6.2	29	2	2	5	8	11	15	28
50-64	5611	6.9	35	2	2	5	8	13	16	29
65+	8401	8.3	51	2	3	7	10	15	20	38
TOT. SINGLE DX	3640	4.7	19	1	1	4	6	8	11	19
" MULTIPLE DX	22026	7.1	40	2	2	6	8	13	17	32
TOTAL 0-19 YRS	995	4.7	25	1	1	4	6	9	12	29
20-34	3833	5.4	22	1	2	4	7	10	13	22
35-49	5478	6.0	28	2	2	5	7	11	14	26
50-64	6389	6.7	34	2	2	5	8	12	16	29
65+	8971	8.1	50	2	3	6	10	15	20	37
GRAND TOTAL	**25666**	**6.8**	**37**	**2**	**2**	**5**	**8**	**12**	**17**	**31**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	2.6	2	<1	1	2	3	5	6	7
20-34	264	3.1	2	1	1	3	4	5	6	9
35-49	287	3.2	5	1	1	3	4	5	6	7
50-64	134	3.3	3	1	2	3	4	5	7	10
65+	53	3.5	4	<1	1	3	4	6	7	13
2. MULTIPLE DX										
0-19 YRS	15	3.5	6	1	2	3	5	6	10	11
20-34	223	4.1	8	1	2	4	5	6	9	17
35-49	331	4.4	9	2	2	4	5	7	9	15
50-64	260	4.7	7	2	2	4	6	8	9	18
65+	135	5.7	69	2	2	5	6	9	12	28
TOT. SINGLE DX	779	3.2	4	1	1	3	4	5	6	9
" MULTIPLE DX	964	4.6	18	2	2	4	5	7	9	16
TOTAL 0-19 YRS	56	2.9	3	<1	1	2	4	5	6	11
20-34	487	3.6	6	1	1	3	4	6	8	15
35-49	618	3.8	8	1	2	3	4	6	7	14
50-64	394	4.2	7	2	2	4	5	7	8	16
65+	188	5.1	52	1	2	4	6	8	11	16
GRAND TOTAL	**1743**	**4.0**	**12**	**1**	**2**	**3**	**5**	**6**	**8**	**15**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	2.4	1	<1	<1	2	3	4	4	5
20-34	265	2.9	1	<1	1	3	4	5	5	7
35-49	210	3.2	2	<1	1	3	4	5	6	8
50-64	80	3.6	3	1	2	3	5	6	6	12
65+	42	4.0	10	1	2	3	4	6	9	21
2. MULTIPLE DX										
0-19 YRS	37	3.2	2	1	2	3	4	5	6	8
20-34	305	4.0	4	1	2	4	5	6	8	13
35-49	421	4.4	11	2	2	4	5	6	8	18
50-64	299	4.8	9	1	2	4	5	7	12	17
65+	201	5.8	18	2	2	5	7	11	14	24
TOT. SINGLE DX	638	3.1	3	<1	1	3	4	5	6	9
" MULTIPLE DX	1263	4.6	11	2	2	4	5	7	10	18
TOTAL 0-19 YRS	78	2.8	2	<1	1	3	4	4	5	8
20-34	570	3.5	4	1	1	3	4	5	7	11
35-49	631	4.0	9	1	2	4	5	6	7	14
50-64	379	4.5	9	1	2	4	5	7	10	16
65+	243	5.5	18	2	2	4	7	10	13	23
GRAND TOTAL	**1901**	**4.1**	**9**	**1**	**2**	**4**	**5**	**6**	**8**	**15**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	3.0	2	1	1	3	4	5	6	7
20-34	395	4.3	2	2	2	4	5	6	7	9
35-49	467	4.5	3	2	3	4	5	7	8	10
50-64	260	4.9	4	3	3	4	6	8	9	11
65+	91	5.1	5	2	3	5	7	8	9	13
2. MULTIPLE DX										
0-19 YRS	43	4.3	3	1	2	4	5	6	7	10
20-34	1486	4.9	5	2	3	5	6	7	9	14
35-49	2570	5.3	10	2	3	5	6	8	9	15
50-64	1859	5.7	10	3	3	5	7	9	11	16
65+	1006	6.5	17	3	3	5	8	11	13	23
TOT. SINGLE DX	1228	4.6	4	2	2	4	5	7	8	11
" MULTIPLE DX	6964	5.5	11	2	3	5	6	8	10	16
TOTAL 0-19 YRS	58	4.0	3	1	2	4	5	6	7	10
20-34	1881	4.8	5	2	3	4	6	7	8	12
35-49	3037	5.1	9	2	3	5	6	8	9	14
50-64	2119	5.6	9	3	3	5	6	9	11	16
65+	1097	6.4	17	3	3	5	7	10	13	21
GRAND TOTAL	**8192**	**5.3**	**10**	**2**	**3**	**5**	**6**	**8**	**10**	**15**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	105	3.0	4	<1	1	3	4	6	7	10
20-34	227	3.0	3	1	1	3	4	5	6	9
35-49	228	3.2	3	1	1	3	4	5	7	10
50-64	111	3.8	8	1	1	3	5	6	8	17
65+	75	3.8	5	1	2	3	5	7	9	11
2. MULTIPLE DX										
0-19 YRS	84	5.6	15	2	2	5	7	10	15	20
20-34	173	4.2	5	1	2	4	5	7	9	11
35-49	258	4.4	10	1	2	4	5	8	11	19
50-64	205	6.2	43	2	2	4	7	12	16	37
65+	204	8.0	82	2	3	5	9	16	22	56
TOT. SINGLE DX	746	3.3	5	1	1	3	4	6	7	11
" MULTIPLE DX	924	5.7	35	1	2	4	6	10	15	26
TOTAL 0-19 YRS	189	4.2	11	1	1	3	5	8	10	17
20-34	400	3.5	5	1	1	3	5	6	8	11
35-49	486	3.8	8	1	1	3	5	7	9	17
50-64	316	5.4	32	1	2	4	6	9	14	28
65+	279	6.9	65	2	2	5	7	14	19	49
GRAND TOTAL	1670	4.6	23	1	1	3	5	8	11	22

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	15.3	69	6	6	18	21	22	22	22
20-34	8	13.8	49	6	6	13	17	25	27	27
35-49	3	4.7	4	3	3	4	6	7	7	7
50-64	4	11.0	126	1	1	8	19	26	26	26
65+	3	7.0	25	2	2	7	11	12	12	12
2. MULTIPLE DX										
0-19 YRS	12	13.8	71	4	5	15	21	46	90	99+
20-34	19	20.4	144	4	7	18	27	46	74	99+
35-49	12	10.7	75	2	2	9	17	22	30	31
50-64	12	10.3	77	2	2	9	12	24	32	33
65+	23	16.3	151	3	3	16	20	35	46	47
TOT. SINGLE DX	21	11.2	60	2	3	9	16	24	26	27
" MULTIPLE DX	78	15.1	124	2	3	14	21	33	46	99+
TOTAL 0-19 YRS	15	14.1	67	4	5	15	21	31	80	99+
20-34	27	18.4	123	5	6	16	23	41	54	99+
35-49	15	9.5	66	2	2	7	15	18	28	31
50-64	16	10.5	82	1	2	9	13	25	31	33
65+	26	15.2	145	2	3	14	19	32	45	47
GRAND TOTAL	99	14.3	112	2	3	13	20	32	44	99+

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	99	5.4	29	1	1	3	8	14	17	23
20-34	158	3.4	9	1	1	2	5	7	9	15
35-49	148	4.3	26	1	1	2	6	10	12	34
50-64	160	4.9	25	1	1	3	6	12	15	24
65+	123	6.4	35	1	1	5	9	14	18	29
2. MULTIPLE DX										
0-19 YRS	177	11.4	174	1	1	6	16	30	42	74
20-34	305	9.3	123	1	2	6	11	21	29	70
35-49	486	9.1	89	1	2	7	12	19	24	55
50-64	839	8.9	64	1	2	7	12	18	24	43
65+	948	11.1	71	2	2	9	14	21	26	45
TOT. SINGLE DX	688	4.8	25	1	1	2	6	11	15	24
" MULTIPLE DX	2755	9.9	86	1	2	8	13	20	27	50
TOTAL 0-19 YRS	276	9.3	130	1	1	5	11	25	34	60
20-34	463	7.3	92	1	1	4	9	16	26	62
35-49	634	7.9	79	1	1	5	10	17	23	45
50-64	999	8.3	61	1	2	6	11	17	23	41
65+	1071	10.5	69	1	2	9	14	20	26	44
GRAND TOTAL	3443	8.9	78	1	2	7	12	19	25	47

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	294	6.1	4	4	4	6	7	9	10	14
20-34	3249	6.2	5	3	4	6	7	9	10	14
35-49	2994	6.6	5	4	4	6	8	9	11	14
50-64	2370	7.2	8	4	4	7	8	11	12	17
65+	1266	8.6	14	5	5	8	10	13	16	24
2. MULTIPLE DX										
0-19 YRS	241	8.6	23	3	4	7	10	14	15	29
20-34	2698	7.8	14	4	4	7	9	12	15	22
35-49	3520	8.7	28	4	5	7	10	14	17	31
50-64	4590	9.9	36	5	5	8	12	16	20	35
65+	6147	12.6	55	5	6	11	15	21	26	43
TOT. SINGLE DX	10173	6.8	8	4	4	6	8	10	12	17
" MULTIPLE DX	17196	10.3	42	4	5	9	12	17	21	36
TOTAL 0-19 YRS	535	7.2	15	4	4	6	8	12	14	22
20-34	5947	6.9	10	4	4	6	8	10	13	18
35-49	6514	7.7	19	4	4	7	9	12	15	23
50-64	6960	9.0	29	4	5	8	10	14	17	29
65+	7413	11.9	50	5	6	10	14	20	25	40
GRAND TOTAL	27369	9.0	32	4	5	8	10	15	18	31

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	11.5	51	2	3	10	18	21	22	22
20-34	46	8.0	49	2	2	7	10	15	20	39
35-49	47	7.6	40	1	1	6	10	16	21	30
50-64	57	10.7	37	2	3	9	13	19	20	33
65+	84	11.3	47	2	2	11	16	21	26	30
2. MULTIPLE DX										
0-19 YRS	27	16.8	146	2	4	13	24	34	45	48
20-34	55	9.7	42	2	3	8	13	16	24	34
35-49	132	14.6	141	3	3	12	19	28	36	62
50-64	232	15.6	113	3	6	13	19	29	34	64
65+	668	17.0	107	4	7	15	21	30	37	60
TOT. SINGLE DX	252	9.9	46	1	2	9	13	18	23	30
" MULTIPLE DX	1114	16.1	113	3	5	14	20	29	35	60
TOTAL 0-19 YRS	45	14.7	113	2	3	12	18	28	37	48
20-34	101	9.0	46	2	2	8	12	16	23	36
35-49	179	12.8	124	2	3	10	17	25	33	56
50-64	289	14.7	102	2	5	12	18	27	33	62
65+	752	16.4	104	3	6	14	20	29	35	57
GRAND TOTAL	**1366**	**14.9**	**106**	**2**	**4**	**13**	**19**	**28**	**34**	**57**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	7.9	31	1	1	8	12	16	17	17
20-34	76	6.9	39	1	2	5	9	14	19	34
35-49	104	6.5	44	1	1	4	8	14	19	39
50-64	95	9.1	83	1	2	6	13	18	24	48
65+	86	9.0	67	1	2	7	12	19	23	45
2. MULTIPLE DX										
0-19 YRS	22	20.6	425	4	6	12	26	51	73	81
20-34	181	10.1	124	1	2	7	11	22	36	55
35-49	329	11.9	118	2	3	9	16	25	34	69
50-64	386	12.8	196	2	2	9	16	27	37	86
65+	570	12.7	179	2	2	9	15	25	41	78
TOT. SINGLE DX	373	7.9	59	1	2	5	10	17	20	41
" MULTIPLE DX	1488	12.3	168	2	2	9	15	26	37	76
TOTAL 0-19 YRS	34	16.1	319	1	2	10	16	40	63	81
20-34	257	9.2	101	1	2	6	11	19	31	52
35-49	433	10.6	106	2	2	8	13	23	32	65
50-64	481	12.1	176	2	2	8	15	25	36	82
65+	656	12.2	166	2	2	9	15	24	36	70
GRAND TOTAL	**1861**	**11.4**	**150**	**2**	**2**	**8**	**14**	**24**	**35**	**70**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	338	3.6	9	1	1	3	4	7	9	17
20-34	837	4.1	8	1	2	3	5	7	10	14
35-49	816	4.4	11	1	1	3	5	8	11	17
50-64	849	4.5	20	1	1	3	6	8	11	18
65+	712	4.5	13	1	1	4	6	9	11	19
2. MULTIPLE DX										
0-19 YRS	400	4.8	32	1	1	3	5	9	12	28
20-34	1649	5.1	19	1	2	4	6	9	12	24
35-49	2740	5.6	22	2	2	4	7	10	13	25
50-64	4510	6.0	29	2	2	5	7	11	15	27
65+	8657	7.2	37	2	2	6	9	13	17	32
TOT. SINGLE DX	3552	4.3	13	1	1	3	5	8	10	17
" MULTIPLE DX	17956	6.4	32	2	2	5	8	12	16	29
TOTAL 0-19 YRS	738	4.2	23	1	1	3	5	8	11	23
20-34	2486	4.8	16	1	2	4	6	9	11	22
35-49	3556	5.3	20	1	2	4	7	10	13	24
50-64	5359	5.8	28	1	2	4	7	10	14	26
65+	9369	7.0	36	2	2	6	9	13	17	31
GRAND TOTAL	**21508**	**6.0**	**30**	**1**	**2**	**5**	**7**	**11**	**15**	**28**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2212	1.9	1	<1	<1	2	2	3	4	5
20-34	2411	3.1	1	1	2	3	4	5	5	7
35-49	2320	3.3	2	1	2	3	4	5	6	8
50-64	2924	3.6	3	1	2	3	4	5	6	8
65+	2221	4.0	4	2	2	4	5	6	7	10
2. MULTIPLE DX										
0-19 YRS	1261	2.6	16	<1	<1	2	3	4	6	14
20-34	843	3.8	7	1	2	3	5	6	7	13
35-49	1205	4.4	9	2	2	4	5	7	10	18
50-64	2349	4.7	10	2	2	4	5	8	9	16
65+	3492	5.8	17	2	3	5	7	10	13	22
TOT. SINGLE DX	12088	3.2	3	1	1	3	4	5	6	8
" MULTIPLE DX	9150	4.7	15	1	2	4	6	8	10	18
TOTAL 0-19 YRS	3473	2.1	7	<1	<1	2	2	3	4	8
20-34	3254	3.3	3	1	2	3	4	5	6	9
35-49	3525	3.7	5	1	2	3	4	6	7	12
50-64	5273	4.1	7	2	2	4	5	6	8	13
65+	5713	5.1	13	2	2	4	6	8	11	19
GRAND TOTAL	**21238**	**3.9**	**9**	**1**	**2**	**3**	**5**	**6**	**8**	**15**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	962	1.5		<1	<1	1	2	2	3	4
20-34	207	3.7	1	2	2	4	5	5	6	8
35-49	348	4.1	2	2	2	4	5	6	7	9
50-64	442	4.3	2	2	3	4	5	6	7	9
65+	291	4.7	3	2	3	4	6	7	8	11
2. MULTIPLE DX										
0-19 YRS	702	3.4	92	<1	<1	2	2	4	8	96
20-34	103	4.3	5	2	2	4	5	7	9	13
35-49	217	4.7	4	2	3	4	5	7	8	13
50-64	421	5.6	28	2	3	5	6	9	11	23
65+	540	6.5	16	3	3	5	8	11	14	24
TOT. SINGLE DX	2250	3.1	4	<1	1	3	4	6	6	8
" MULTIPLE DX	1983	4.9	46	1	1	4	6	9	12	36
TOTAL 0-19 YRS	1664	2.3	40	<1	<1	1	2	3	4	38
20-34	310	3.9	3	2	2	4	5	6	7	11
35-49	565	4.3	3	2	2	4	5	6	7	10
50-64	863	5.0	16	2	3	4	5	7	9	20
65+	831	5.8	13	2	3	5	7	9	12	22
GRAND TOTAL	**4233**	**3.9**	**24**	**<1**	**1**	**3**	**5**	**7**	**9**	**20**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	2.2	1	1	1	2	3	4	5	5
20-34	46	3.6	3	1	2	3	4	6	6	12
35-49	101	3.5	2	1	2	3	4	5	7	10
50-64	85	4.3	5	1	2	4	5	7	9	14
65+	114	5.0	7	1	2	5	6	8	11	14
2. MULTIPLE DX										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	33	4.0	6	2	2	4	5	6	7	16
35-49	49	4.2	2	2	2	4	5	6	7	8
50-64	76	6.2	14	2	3	5	8	13	15	19
65+	265	8.2	33	3	3	6	10	15	19	34
TOT. SINGLE DX	363	4.1	5	1	2	4	5	7	8	13
" MULTIPLE DX	426	7.0	27	2	3	5	9	13	17	29
TOTAL 0-19 YRS	20	2.3	1	1	1	2	3	4	5	5
20-34	79	3.8	5	1	2	3	5	6	6	15
35-49	150	3.7	3	2	2	3	4	6	7	9
50-64	161	5.2	11	2	2	4	6	10	13	16
65+	379	7.3	28	2	3	6	9	13	17	31
GRAND TOTAL	**789**	**5.7**	**19**	**2**	**2**	**4**	**7**	**11**	**14**	**22**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	743	2.0	1	<1	<1	2	2	3	3	5
20-34	213	3.0	2	1	1	3	4	5	6	10
35-49	257	3.2	2	1	2	3	4	5	6	8
50-64	186	3.6	3	1	2	3	5	6	7	10
65+	87	5.0	7	1	2	5	6	9	11	14
2. MULTIPLE DX										
0-19 YRS	193	4.0	57	1	1	2	4	6	12	66
20-34	135	4.1	4	2	2	4	5	7	8	11
35-49	211	5.4	23	2	2	4	6	9	12	28
50-64	274	5.6	16	2	2	5	7	10	13	22
65+	280	8.0	34	2	3	6	10	15	21	30
TOT. SINGLE DX	1486	2.7	3	<1	1	2	3	5	6	9
" MULTIPLE DX	1093	5.7	30	1	2	4	7	11	14	29
TOTAL 0-19 YRS	936	2.4	13	<1	1	2	2	3	4	12
20-34	348	3.4	4	1	2	3	4	6	7	10
35-49	468	4.2	13	1	2	3	5	7	9	20
50-64	460	4.8	12	2	2	4	6	9	12	19
65+	367	7.3	30	2	3	6	9	13	18	29
GRAND TOTAL	**2579**	**4.0**	**17**	**1**	**1**	**3**	**5**	**8**	**10**	**21**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	104	2.3	2	1	1	2	3	4	5	8
20-34	267	3.8	3	1	2	4	5	6	7	10
35-49	541	4.9	6	2	2	4	6	8	10	13
50-64	572	5.4	7	2	2	5	7	9	10	14
65+	408	6.2	8	2	3	6	8	10	11	15
2. MULTIPLE DX										
0-19 YRS	38	4.7	21	1	1	3	6	8	14	25
20-34	210	5.9	37	2	2	5	6	9	13	26
35-49	561	7.2	26	2	3	6	9	12	14	29
50-64	876	7.6	19	3	3	7	9	13	16	24
65+	973	8.6	26	3	4	8	10	14	17	28
TOT. SINGLE DX	1892	5.0	7	2	2	5	6	8	10	14
" MULTIPLE DX	2658	7.7	26	3	3	7	9	13	16	27
TOTAL 0-19 YRS	142	2.9	8	1	1	2	3	5	7	19
20-34	477	4.7	20	1	2	4	5	7	9	21
35-49	1102	6.1	18	2	3	5	8	10	12	22
50-64	1448	6.8	16	2	3	6	8	11	14	21
65+	1381	7.9	22	3	3	7	10	13	16	25
GRAND TOTAL	**4550**	**6.6**	**20**	**2**	**3**	**6**	**8**	**11**	**14**	**23**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	4.1	10	<1	1	3	6	9	11	15
20-34	24	6.4	10	3	4	6	7	9	15	16
35-49	18	6.8	7	2	3	7	9	10	11	11
50-64	44	8.2	14	3	4	8	10	13	16	20
65+	28	8.7	28	3	3	8	10	15	21	26
2. MULTIPLE DX										
0-19 YRS	35	14.3	327	1	2	8	20	43	78	99+
20-34	67	9.1	26	4	5	8	11	14	20	34
35-49	128	9.8	27	5	6	8	11	16	20	32
50-64	161	11.0	36	5	6	9	13	18	22	39
65+	155	15.6	113	6	8	12	19	25	35	69
TOT. SINGLE DX	151	6.8	17	2	2	6	9	12	15	21
" MULTIPLE DX	546	12.0	79	5	6	9	14	21	26	59
TOTAL 0-19 YRS	72	9.0	188	1	1	5	11	25	42	97
20-34	91	8.4	23	3	4	7	10	13	16	31
35-49	146	9.4	26	4	5	8	10	16	19	30
50-64	205	10.4	33	4	5	9	12	18	21	33
65+	183	14.6	106	5	6	12	18	23	30	68
GRAND TOTAL	**697**	**10.9**	**71**	**2**	**4**	**9**	**13**	**19**	**23**	**48**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	197	3.3	5	<1	1	2	4	7	9	12
20-34	241	4.2	10	1	1	3	5	8	10	13
35-49	179	5.1	19	1	1	4	7	10	13	24
50-64	177	6.4	23	1	2	6	8	13	16	23
65+	116	7.2	43	1	2	5	9	14	22	32
2. MULTIPLE DX										
0-19 YRS	184	7.7	79	1	2	5	9	15	24	46
20-34	357	8.5	69	2	2	6	10	17	26	49
35-49	536	9.3	64	1	2	7	11	19	27	40
50-64	885	11.0	90	2	3	8	14	22	28	52
65+	1097	12.0	89	2	3	10	16	24	30	47
TOT. SINGLE DX	910	5.0	20	1	1	4	7	10	13	24
" MULTIPLE DX	3059	10.6	84	2	2	8	14	21	28	48
TOTAL 0-19 YRS	381	5.4	46	<1	1	3	7	11	14	38
20-34	598	6.8	50	1	2	5	8	13	20	33
35-49	715	8.3	57	1	2	6	10	17	24	37
50-64	1062	10.2	82	2	2	8	13	20	27	50
65+	1213	11.5	87	2	3	9	15	23	30	46
GRAND TOTAL	**3969**	**9.3**	**75**	**1**	**2**	**7**	**12**	**19**	**26**	**43**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	200	6.9	44	2	3	5	8	13	16	33
20-34	416	6.0	12	2	3	5	7	10	12	20
35-49	178	8.1	27	2	3	7	10	15	19	28
50-64	143	9.2	30	3	4	8	11	16	20	33
65+	98	12.2	57	4	6	11	15	20	27	76
2. MULTIPLE DX										
0-19 YRS	281	8.9	64	3	3	6	10	17	26	51
20-34	756	8.5	69	2	3	6	9	15	23	44
35-49	493	11.4	96	3	4	8	14	22	31	58
50-64	487	16.0	152	5	6	12	19	29	42	69
65+	585	17.1	115	6	7	15	21	31	38	62
TOT. SINGLE DX	1035	7.6	32	2	3	6	9	13	17	30
" MULTIPLE DX	2602	12.4	113	3	4	9	15	24	34	59
TOTAL 0-19 YRS	481	8.1	57	2	3	6	9	16	21	50
20-34	1172	7.6	51	2	3	6	8	13	18	39
35-49	671	10.6	80	3	4	8	12	20	26	53
50-64	630	14.5	133	4	6	11	17	26	35	64
65+	683	16.4	110	5	7	14	20	30	38	62
GRAND TOTAL	**3637**	**11.0**	**95**	**3**	**4**	**8**	**13**	**22**	**29**	**56**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	327	3.0	4	1	1	2	4	6	7	10
20-34	1227	2.7	4	<1	<1	2	4	5	7	9
35-49	211	2.4	5	<1	<1	2	3	5	6	11
50-64	42	3.0	6	<1	1	2	3	6	7	16
65+	18	2.9	5	1	1	2	3	7	9	9
2. MULTIPLE DX										
0-19 YRS	317	4.1	9	1	1	3	6	8	10	13
20-34	1882	3.4	9	<1	1	2	4	7	9	15
35-49	395	3.7	15	<1	1	2	5	8	11	21
50-64	66	5.5	34	1	2	4	6	11	16	33
65+	50	7.9	42	1	2	5	12	15	16	37
TOT. SINGLE DX	1825	2.7	4	<1	<1	2	3	5	7	10
" MULTIPLE DX	2710	3.7	12	<1	1	2	5	8	10	16
TOTAL 0-19 YRS	644	3.5	7	1	1	3	5	7	9	12
20-34	3109	3.1	8	<1	1	2	4	6	8	13
35-49	606	3.3	13	<1	<1	2	4	7	9	21
50-64	108	4.5	25	<1	1	3	5	10	13	29
65+	68	6.6	37	1	2	4	11	14	15	34
GRAND TOTAL	**4535**	**3.3**	**9**	**<1**	**1**	**2**	**4**	**7**	**9**	**14**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	107	6.3	19	1	2	6	8	11	13	26
20-34	330	6.0	16	1	2	5	7	11	15	22
35-49	276	8.7	41	2	3	7	11	15	18	37
50-64	212	9.1	24	3	4	8	11	15	18	31
65+	168	11.0	27	4	5	10	13	18	22	27
2. MULTIPLE DX										
0-19 YRS	203	10.7	87	2	4	8	12	22	32	63
20-34	1116	6.9	41	1	2	6	8	12	16	37
35-49	780	9.8	74	2	3	8	12	18	23	48
50-64	732	13.9	114	3	5	11	17	27	37	56
65+	899	15.8	107	5	7	13	20	28	39	59
TOT. SINGLE DX	1093	8.1	30	2	2	7	10	14	17	30
" MULTIPLE DX	3730	11.2	94	2	3	9	14	23	30	55
TOTAL 0-19 YRS	310	9.2	68	2	2	7	10	18	29	49
20-34	1446	6.7	36	1	2	6	8	12	16	33
35-49	1056	9.5	66	2	3	8	11	17	22	44
50-64	944	12.8	98	3	5	10	15	25	34	53
65+	1067	15.1	98	5	6	12	19	27	36	57
GRAND TOTAL	4823	10.5	81	2	3	8	13	21	28	50

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	62	8.3	16	4	4	8	10	12	14	28
20-34	56	8.4	5	5	6	8	9	11	11	18
35-49	67	9.1	5	6	7	9	10	12	14	16
50-64	105	10.7	12	6	7	10	12	16	18	21
65+	97	12.1	25	6	8	11	15	19	21	32
2. MULTIPLE DX										
0-19 YRS	128	10.6	39	4	5	9	12	19	25	33
20-34	112	10.4	38	5	6	9	12	16	25	65
35-49	149	13.8	102	6	7	11	15	22	34	72
50-64	337	13.2	45	7	7	11	15	22	26	37
65+	509	15.9	75	7	8	14	19	27	33	50
TOT. SINGLE DX	389	10.1	16	5	6	9	11	15	18	25
" MULTIPLE DX	1235	13.8	67	6	7	12	16	24	29	49
TOTAL 0-19 YRS	190	9.8	33	4	5	8	11	17	24	31
20-34	170	9.8	28	5	6	8	11	14	19	43
35-49	216	12.3	77	6	7	10	14	20	28	66
50-64	442	12.6	39	6	7	11	15	21	25	35
65+	606	15.3	69	7	8	13	18	26	31	47
GRAND TOTAL	1624	12.9	58	6	7	11	15	22	28	43

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	279	6.0	33	2	2	5	8	11	14	30
20-34	343	6.8	16	2	2	7	8	11	14	19
35-49	398	7.5	29	2	3	7	9	12	15	26
50-64	347	7.0	15	2	3	7	9	12	14	20
65+	133	8.1	20	2	3	8	10	13	17	25
2. MULTIPLE DX										
0-19 YRS	293	13.0	144	2	2	9	18	30	36	50
20-34	460	12.1	132	2	3	9	14	24	31	66
35-49	520	12.4	122	2	3	9	15	24	35	78
50-64	540	11.2	78	2	3	9	14	21	26	44
65+	560	12.2	86	2	3	10	15	23	31	44
TOT. SINGLE DX	1500	7.0	24	2	2	6	9	12	14	24
" MULTIPLE DX	2373	12.1	109	2	3	9	15	24	32	61
TOTAL 0-19 YRS	572	9.6	103	2	2	6	11	24	32	46
20-34	803	9.8	90	2	2	8	11	18	26	55
35-49	918	10.2	88	2	3	8	11	20	26	68
50-64	887	9.6	58	2	3	8	12	17	23	40
65+	693	11.4	77	2	3	9	14	22	29	43
GRAND TOTAL	3873	10.1	82	2	3	8	12	20	27	49

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	6.8	13	3	3	6	9	12	13	17
20-34	247	7.0	8	3	3	7	9	11	12	14
35-49	429	7.4	12	3	3	7	9	11	13	16
50-64	354	7.7	11	3	4	7	10	12	13	18
65+	121	8.6	12	4	5	8	10	14	16	42
2. MULTIPLE DX										
0-19 YRS	23	8.8	20	1	3	9	12	15	17	18
20-34	176	8.5	18	2	4	8	10	14	17	23
35-49	301	8.8	23	3	4	8	11	14	17	25
50-64	410	10.0	28	3	4	9	13	17	20	26
65+	416	12.0	49	3	5	10	15	21	25	38
TOT. SINGLE DX	1180	7.5	12	3	4	7	9	12	13	18
" MULTIPLE DX	1326	10.1	34	3	4	9	13	17	21	32
TOTAL 0-19 YRS	52	7.7	17	1	3	7	10	13	17	18
20-34	423	7.6	13	3	3	7	9	12	14	20
35-49	730	8.0	18	3	4	7	10	13	15	24
50-64	764	8.9	22	3	4	8	11	15	18	24
65+	537	11.2	43	4	5	10	14	20	23	38
GRAND TOTAL	2506	8.9	25	3	4	8	11	15	18	27

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	145	7.7	6	5	5	7	8	10	12	18
20-34	12	7.2	10	1	2	8	9	10	12	12
35-49	22	11.1	24	4	5	10	15	19	21	22
50-64	7	12.7	43	6	6	11	14	24	26	26
65+	8	16.4	87	8	8	14	20	32	36	36
2. MULTIPLE DX										
0-19 YRS	238	10.3	37	4	6	8	12	18	22	39
20-34	42	14.7	88	7	8	11	16	28	35	50
35-49	31	12.4	39	3	6	10	18	23	24	24
50-64	36	16.6	118	3	4	14	21	35	38	49
65+	65	21.9	189	6	9	16	31	41	46	72
TOT. SINGLE DX	194	8.6	17	5	5	8	9	13	16	25
" MULTIPLE DX	412	13.3	91	5	6	10	16	25	34	47
TOTAL 0-19 YRS	383	9.3	27	5	5	8	10	14	19	31
20-34	54	13.0	81	4	6	10	14	27	32	50
35-49	53	11.9	33	4	6	10	16	20	23	24
50-64	43	16.0	107	3	6	13	20	33	37	49
65+	73	21.3	180	6	9	16	30	40	46	70
GRAND TOTAL	606	11.8	72	5	6	9	13	22	30	46

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	121	4.3	9	1	2	3	5	9	11	15
20-34	838	3.9	5	1	2	3	5	7	8	13
35-49	1032	3.9	5	1	2	3	5	7	8	12
50-64	617	4.1	7	1	2	3	5	7	9	15
65+	220	4.7	15	2	2	4	6	8	9	17
2. MULTIPLE DX										
0-19 YRS	64	8.3	33	2	3	6	12	16	21	24
20-34	344	5.3	28	2	2	4	6	9	11	23
35-49	503	5.1	15	2	2	4	6	9	11	17
50-64	556	6.1	19	2	2	5	7	11	15	23
65+	457	8.2	37	2	3	6	10	16	19	32
TOT. SINGLE DX	2828	4.0	7	1	2	3	5	7	9	13
" MULTIPLE DX	1924	6.3	26	2	2	5	8	11	16	24
TOTAL 0-19 YRS	185	5.7	21	1	2	4	8	13	15	23
20-34	1182	4.3	13	1	2	3	5	7	9	16
35-49	1535	4.3	9	1	2	4	5	7	9	14
50-64	1173	5.1	14	2	2	4	6	9	11	20
65+	677	7.0	33	2	2	5	9	14	18	28
GRAND TOTAL	4752	4.9	16	2	2	4	6	9	12	20

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	741	2.1	3	<1	<1	1	2	4	6	10
20-34	862	3.6	7	<1	1	3	4	7	9	14
35-49	994	3.6	8	1	1	3	5	7	9	13
50-64	933	3.8	12	<1	1	3	5	8	10	16
65+	744	3.9	12	1	1	3	5	8	11	18
2. MULTIPLE DX										
0-19 YRS	1017	3.3	19	<1	1	2	4	7	10	17
20-34	1531	5.4	35	1	1	4	7	10	14	28
35-49	2061	6.0	34	1	1	4	8	12	16	31
50-64	3013	6.3	41	1	1	5	8	13	17	34
65+	5450	7.8	54	1	2	6	10	16	21	37
TOT. SINGLE DX	4274	3.4	9	<1	1	2	4	7	9	15
" MULTIPLE DX	13072	6.6	45	1	1	5	8	13	18	35
TOTAL 0-19 YRS	1758	2.8	13	<1	<1	2	3	6	8	16
20-34	2393	4.7	26	1	1	3	6	9	12	23
35-49	3055	5.2	27	1	1	4	7	10	13	27
50-64	3946	5.8	36	1	1	4	7	12	15	31
65+	6194	7.4	51	1	2	5	10	15	20	36
GRAND TOTAL	17346	5.8	38	1	1	4	7	12	16	31

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	2.7	4	<1	<1	2	3	6	8	9
20-34	74	3.2	10	1	1	2	4	6	7	23
35-49	169	3.0	3	1	1	2	4	6	6	9
50-64	523	3.4	5	1	1	3	4	6	8	12
65+	1058	3.7	6	1	2	3	5	6	8	13
2. MULTIPLE DX										
0-19 YRS	44	4.7	20	<1	1	3	6	12	14	17
20-34	160	4.5	25	<1	1	3	5	9	13	39
35-49	302	4.6	15	1	1	3	6	10	11	23
50-64	805	5.4	27	1	2	4	6	10	14	25
65+	2623	6.2	32	2	2	5	8	12	16	28
TOT. SINGLE DX	1843	3.5	6	1	1	3	4	6	8	12
" MULTIPLE DX	3934	5.8	30	1	2	4	7	11	15	27
TOTAL 0-19 YRS	63	4.1	16	<1	1	2	5	11	13	17
20-34	234	4.1	21	<1	1	3	5	8	11	31
35-49	471	4.1	12	1	1	3	5	8	10	19
50-64	1328	4.6	20	1	2	3	5	9	12	21
65+	3681	5.5	26	1	2	4	7	10	14	26
GRAND TOTAL	5777	5.1	23	1	2	4	6	10	13	24

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	71	5.4	17	1	1	4	7	10	16	18
20-34	92	4.8	9	1	1	4	7	9	9	16
35-49	129	5.3	16	1	2	5	7	10	12	25
50-64	186	6.0	23	1	1	4	10	13	15	19
65+	250	6.5	30	1	2	5	9	14	17	25
2. MULTIPLE DX										
0-19 YRS	160	9.1	77	1	2	7	11	16	26	51
20-34	194	10.1	198	1	2	6	11	20	32	86
35-49	234	8.6	98	1	2	6	9	19	27	83
50-64	461	9.0	86	2	2	6	12	18	24	46
65+	1236	10.1	84	2	2	8	13	21	28	49
TOT. SINGLE DX	728	5.8	22	1	1	4	8	13	15	22
" MULTIPLE DX	2285	9.6	96	2	2	7	12	20	28	57
TOTAL 0-19 YRS	231	7.9	62	1	2	6	10	15	18	47
20-34	286	8.4	144	1	2	5	9	15	24	75
35-49	363	7.4	71	1	2	5	9	14	24	60
50-64	647	8.1	70	1	2	6	11	16	22	43
65+	1486	9.5	77	2	2	7	13	20	26	46
GRAND TOTAL	3013	8.7	81	1	2	6	11	17	25	49

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	130	1.2		<1	<1	1	1	2	2	3
20-34	20	2.8	5	<1	<1	2	4	5	8	11
35-49	12	2.8	4	<1	<1	2	4	6	8	8
50-64	11	2.0	2	<1	<1	2	2	4	6	6
65+	14	3.3	5	<1	<1	3	4	6	8	9
2. MULTIPLE DX										
0-19 YRS	114	2.2	3	<1	1	2	3	5	6	9
20-34	28	3.9	27	<1	<1	2	5	8	10	28
35-49	25	3.4	7	<1	1	2	5	8	9	11
50-64	26	3.8	12	<1	<1	2	5	7	13	15
65+	36	6.2	19	1	2	5	8	13	15	17
TOT. SINGLE DX	187	1.7	2	<1	<1	1	2	3	5	9
" MULTIPLE DX	229	3.4	12	<1	1	2	4	7	10	16
TOTAL 0-19 YRS	244	1.7	2	<1	<1	1	2	3	4	8
20-34	48	3.4	18	<1	<1	2	4	7	9	28
35-49	37	3.2	7	<1	<1	2	5	7	9	11
50-64	37	3.3	10	<1	<1	2	4	7	11	15
65+	50	5.4	17	<1	1	4	7	12	15	17
GRAND TOTAL	416	2.6	8	<1	<1	2	3	6	8	15

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	704	5.2	15	1	1	4	7	10	13	17
20-34	123	3.9	10	<1	1	3	5	8	10	17
35-49	80	4.7	7	1	2	4	6	8	10	13
50-64	77	3.9	7	1	1	3	5	8	10	11
65+	85	4.5	12	1	1	4	6	9	11	19
2. MULTIPLE DX										
0-19 YRS	398	7.0	23	1	2	7	10	14	15	19
20-34	83	4.7	16	1	1	3	6	11	14	19
35-49	107	6.1	48	1	2	5	7	10	13	44
50-64	150	5.4	24	1	1	4	7	10	15	25
65+	209	6.3	26	2	2	5	8	12	17	27
TOT. SINGLE DX	[illegible]	4.8	13	1	1	4	7	9	12	17
" MULTIPLE DX	[illegible]	6.3	27	1	2	5	8	13	15	25
TOTAL 0-19 YRS	1102	5.8	19	1	1	5	8	12	14	18
20-34	206	4.2	13	1	1	3	5	9	12	18
35-49	187	5.5	31	1	2	5	7	10	11	33
50-64	227	4.9	19	1	1	4	6	9	12	23
65+	294	5.7	23	1	2	4	7	11	15	24
GRAND TOTAL	2016	5.5	20	1	1	4	8	12	14	20

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	152	1.9	2	<1	<1	1	2	3	4	9
20-34	107	2.6	3	<1	1	2	3	5	6	9
35-49	90	2.8	4	<1	<1	2	3	6	7	12
50-64	78	3.0	7	<1	1	2	4	6	7	17
65+	72	3.4	8	<1	<1	2	4	8	10	15
2. MULTIPLE DX										
0-19 YRS	387	2.4	25	<1	1	1	2	4	6	13
20-34	386	4.8	19	<1	1	4	6	10	13	23
35-49	439	5.5	31	1	1	4	7	10	14	25
50-64	554	6.2	46	1	1	4	8	12	18	33
65+	1182	8.1	54	2	2	6	10	16	22	39
TOT. SINGLE DX	499	2.6	5	<1	1	2	3	5	6	12
" MULTIPLE DX	2948	6.2	45	1	1	4	8	13	17	32
TOTAL 0-19 YRS	539	2.3	19	<1	1	1	2	4	6	12
20-34	493	4.3	16	<1	1	3	6	9	12	23
35-49	529	5.0	28	<1	1	3	7	10	13	24
50-64	632	5.8	43	1	1	4	7	11	17	31
65+	1254	7.8	53	1	2	6	10	15	22	38
GRAND TOTAL	3447	5.7	40	1	1	4	7	12	16	31

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	154	2.0	3	<1	<1	1	2	4	6	10
20-34	135	3.1	4	1	1	2	4	6	8	11
35-49	102	3.6	6	1	1	3	5	8	9	11
50-64	88	3.9	7	1	1	3	5	8	10	13
65+	87	4.1	6	1	2	3	5	8	9	13
2. MULTIPLE DX										
0-19 YRS	121	2.4	2	<1	1	2	3	5	7	8
20-34	189	3.5	8	1	1	2	4	7	9	14
35-49	197	4.6	23	1	1	3	5	8	13	28
50-64	244	5.7	36	1	2	4	7	10	17	36
65+	460	7.0	45	2	2	5	8	14	21	36
TOT. SINGLE DX	566	3.2	6	<1	1	2	4	7	8	12
" MULTIPLE DX	1211	5.4	32	1	2	4	6	11	16	31
TOTAL 0-19 YRS	275	2.2	3	<1	<1	2	2	4	6	9
20-34	324	3.3	7	1	1	2	4	7	9	13
35-49	299	4.3	18	1	1	3	5	8	11	25
50-64	332	5.2	29	1	2	4	6	10	13	29
65+	547	6.6	40	2	2	5	8	12	20	33
GRAND TOTAL	1777	4.7	25	1	1	3	6	9	13	27

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	46	6.7	4	2	4	7	8	9	10	12
35-49	239	7.4	3	5	5	7	8	10	11	13
50-64	185	7.9	7	5	5	8	9	10	11	21
65+	91	8.7	6	6	6	8	9	13	13	19
2. MULTIPLE DX										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	80	8.4	11	5	5	8	9	14	16	20
35-49	329	8.3	10	5	5	8	9	12	14	22
50-64	362	9.2	29	5	6	8	10	13	16	23
65+	220	10.0	18	5	6	9	12	16	20	23
TOT. SINGLE DX	562	7.7	6	5	5	8	9	10	12	18
" MULTIPLE DX	992	9.0	20	5	6	8	10	13	16	23
TOTAL 0-19 YRS	2	7.5	1	7	7	7	8	8	8	8
20-34	126	7.8	10	4	5	7	9	12	14	19
35-49	568	7.9	8	5	5	7	9	11	12	17
50-64	547	8.8	22	5	6	8	10	12	15	22
65+	311	9.6	16	5	6	8	11	15	19	23
GRAND TOTAL	1554	8.6	15	5	5	8	9	12	15	22

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	23	6.1	2	4	4	6	8	8	9	10
35-49	90	6.4	3	4	4	6	8	9	9	14
50-64	80	7.3	7	4	4	7	9	11	12	17
65+	53	7.1	5	4	4	7	8	10	11	13
2. MULTIPLE DX										
0-19 YRS	4	9.3	5	6	6	10	11	11	11	11
20-34	21	6.6	8	3	4	6	7	11	14	15
35-49	129	8.0	10	4	4	8	9	13	15	17
50-64	141	8.3	17	4	5	7	9	12	15	26
65+	126	8.5	10	4	5	8	10	13	14	21
TOT. SINGLE DX	246	6.8	5	4	4	7	8	9	11	13
" MULTIPLE DX	421	8.2	13	4	5	8	10	13	15	21
TOTAL 0-19 YRS	4	9.3	6	6	6	10	11	11	11	11
20-34	44	6.4	5	4	4	6	7	8	11	15
35-49	219	7.3	8	4	4	7	8	11	14	16
50-64	221	7.9	14	4	4	7	9	11	13	23
65+	179	8.1	9	4	5	8	10	12	13	19
GRAND TOTAL	667	7.7	11	4	4	7	9	11	13	19

645: Ureteral catheterization (59.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	5.0	8	1	1	6	7	9	10	10
20-34	26	4.2	7	1	1	4	6	8	9	11
35-49	38	5.3	18	<1	1	4	8	10	14	22
50-64	29	5.3	11	2	2	4	7	11	13	14
65+	6	3.5	11	<1	<1	3	3	9	10	10
2. MULTIPLE DX										
0-19 YRS	16	3.6	12	<1	1	2	4	10	12	13
20-34	39	6.2	17	1	2	6	8	11	12	23
35-49	45	5.8	22	1	2	4	7	14	17	20
50-64	63	8.0	54	2	2	6	10	17	20	39
65+	83	8.7	63	1	2	6	10	17	19	48
TOT. SINGLE DX	110	4.9	13	1	1	4	7	9	11	17
" MULTIPLE DX	246	7.3	45	1	2	5	9	14	19	36
TOTAL 0-19 YRS	27	4.1	11	<1	1	3	6	9	11	13
20-34	65	5.4	14	1	2	5	8	10	11	21
35-49	83	5.6	21	1	2	4	7	12	16	21
50-64	92	7.2	42	2	2	5	9	14	19	38
65+	89	8.3	62	1	2	6	10	16	19	47
GRAND TOTAL	356	6.5	36	1	2	5	8	13	18	35

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	15	6.9	42	2	2	6	8	11	24	28
35-49	18	5.7	10	1	2	5	8	10	11	12
50-64	11	6.5	24	2	3	4	7	16	17	17
65+	8	7.8	51	3	3	5	9	20	24	24
2. MULTIPLE DX										
0-19 YRS	5	7.4	31	1	1	7	12	14	14	14
20-34	17	5.7	7	1	2	6	7	9	11	12
35-49	17	8.8	10	4	4	9	11	13	14	15
50-64	22	11.1	109	1	1	10	14	18	33	51
65+	45	12.5	110	3	3	10	17	28	32	51
TOT. SINGLE DX	53	6.5	27	2	2	5	8	11	17	28
" MULTIPLE DX	106	10.3	78	2	3	8	13	20	29	51
TOTAL 0-19 YRS	6	6.8	27	1	1	5	12	14	14	14
20-34	32	6.3	23	2	2	6	7	10	12	28
35-49	35	7.2	13	2	2	8	9	12	13	15
50-64	33	9.6	85	1	2	8	13	16	20	51
65+	53	11.8	103	3	3	9	15	28	32	50
GRAND TOTAL	159	9.0	64	2	2	7	12	17	26	49

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	5.7	5	3	3	7	7	7	7	7
20-34	3	4.3	2	3	3	4	5	6	6	6
35-49	57	5.4	6	2	3	5	6	9	10	17
50-64	1186	5.6	4	3	4	5	6	8	9	13
65+	2522	6.2	9	3	4	6	7	9	11	15
2. MULTIPLE DX										
0-19 YRS	10	9.0	56	2	3	6	9	22	27	27
20-34	17	9.1	57	3	4	5	10	23	27	29
35-49	137	6.7	13	3	3	6	8	11	15	18
50-64	2742	7.1	19	3	4	6	8	12	15	24
65+	10119	8.8	37	4	4	7	10	15	19	33
TOT. SINGLE DX	3771	6.0	8	3	4	5	7	9	10	15
" MULTIPLE DX	13025	8.4	34	4	4	7	10	14	18	32
TOTAL 0-19 YRS	13	8.2	45	2	3	6	8	19	25	27
20-34	20	8.4	52	2	3	5	10	20	26	29
35-49	194	6.3	12	3	3	6	7	10	14	17
50-64	3928	6.6	15	3	4	6	7	10	13	21
65+	12641	8.2	33	4	4	7	9	14	18	31
GRAND TOTAL	16796	7.8	29	4	4	6	9	13	17	30

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	13.3	80	3	3	18	19	19	19	19
50-64	111	10.6	18	5	6	10	13	17	20	22
65+	175	11.1	24	6	7	10	13	17	21	29
2. MULTIPLE DX										
0-19 YRS	6	10.0	29	4	4	9	14	18	18	18
20-34	3	4.0	1	3	3	4	5	5	5	5
35-49	7	10.9	56	1	2	9	15	23	24	24
50-64	221	11.1	29	5	5	10	14	18	22	26
65+	748	12.1	39	5	6	11	14	19	23	37
TOT. SINGLE DX	290	10.9	23	5	7	10	13	17	21	25
" MULTIPLE DX	985	11.9	37	5	6	11	14	19	22	35
TOTAL 0-19 YRS	6	10.0	29	4	4	9	14	18	18	18
20-34	4	3.5	2	2	2	3	4	5	5	5
35-49	10	11.6	57	1	2	10	18	21	24	24
50-64	332	10.9	26	5	5	10	14	18	21	25
65+	923	11.9	37	5	7	11	14	19	22	36
GRAND TOTAL	1275	11.6	34	5	6	10	14	18	22	32

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	4.3	24	1	1	2	8	10	10	10
20-34	8	2.8	1	1	1	3	4	5	5	5
35-49	57	1.8		<1	1	2	2	3	3	5
50-64	347	2.5	2	1	1	2	3	4	6	11
65+	559	2.8	6	1	1	2	3	4	6	13
2. MULTIPLE DX										
0-19 YRS	6	5.3	41	1	1	3	6	17	18	18
20-34	4	8.5	76	2	2	5	14	21	21	21
35-49	72	4.5	17	1	1	3	6	9	10	26
50-64	445	4.2	11	1	2	3	5	9	11	17
65+	1122	5.6	26	1	2	4	8	12	16	26
TOT. SINGLE DX	974	2.6	5	1	1	2	3	4	6	12
" MULTIPLE DX	1649	5.2	23	1	2	3	7	11	15	24
TOTAL 0-19 YRS	9	5.0	32	1	1	2	7	15	18	18
20-34	12	4.7	30	1	1	3	4	12	20	21
35-49	129	3.3	12	1	1	2	4	7	9	16
50-64	792	3.4	8	1	1	2	4	7	9	16
65+	1681	4.7	22	1	1	3	6	10	14	24
GRAND TOTAL	2623	4.2	18	1	1	3	5	9	12	21

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	130	2.2	2	<1	1	2	3	4	5	9
20-34	89	2.8	6	<1	1	2	3	6	7	14
35-49	62	3.6	15	<1	1	3	4	7	10	26
50-64	58	3.5	5	1	2	3	4	5	9	12
65+	40	3.4	5	1	1	3	4	6	7	14
2. MULTIPLE DX										
0-19 YRS	64	3.1	10	<1	1	2	3	5	8	18
20-34	59	5.0	24	1	1	3	6	9	15	28
35-49	60	4.2	5	2	2	3	5	7	9	11
50-64	77	7.0	63	1	2	5	9	12	16	53
65+	96	7.5	42	2	2	6	10	18	21	73
TOT. SINGLE DX	379	2.9	7	<1	1	2	3	5	7	13
" MULTIPLE DX	356	5.6	35	1	2	4	7	11	17	33
TOTAL 0-19 YRS	194	2.5	5	<1	1	2	3	5	6	15
20-34	148	3.7	14	1	1	2	5	7	10	23
35-49	122	3.9	11	1	2	3	4	7	9	17
50-64	135	5.5	41	1	2	4	6	11	14	37
65+	136	6.3	35	2	2	4	8	14	19	49
GRAND TOTAL	735	4.2	22	1	1	3	5	9	12	25

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	159	2.2	1	<1	1	2	3	4	5	6
20-34	174	3.7	7	1	2	3	4	6	8	18
35-49	83	3.3	3	1	2	3	4	5	7	11
50-64	63	4.1	7	1	2	3	5	8	10	14
65+	170	3.9	8	1	2	3	5	8	10	14
2. MULTIPLE DX										
0-19 YRS	153	2.8	6	1	1	2	3	5	7	13
20-34	109	4.3	11	1	2	3	5	8	11	20
35-49	94	5.1	14	2	2	4	7	9	12	21
50-64	149	7.6	80	2	2	5	10	15	20	39
65+	671	7.6	49	2	2	5	10	16	21	42
TOT. SINGLE DX	649	3.4	6	1	1	3	4	6	8	14
" MULTIPLE DX	1176	6.5	44	1	2	4	8	14	19	38
TOTAL 0-19 YRS	312	2.5	4	<1	1	2	3	4	5	11
20-34	283	3.9	9	1	2	3	5	7	9	18
35-49	177	4.3	10	1	2	3	5	8	9	18
50-64	212	6.6	61	2	2	4	8	12	18	36
65+	841	6.9	43	2	2	5	9	14	20	40
GRAND TOTAL	1825	5.4	33	1	2	3	6	11	16	31

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	772	1.9		<1	<1	2	2	3	4	5
20-34	87	2.2	1	1	1	2	3	4	5	6
35-49	9	2.0		<1	<1	2	2	3	4	4
50-64	2	4.5	1	4	4	4	5	5	5	5
65+										
2. MULTIPLE DX										
0-19 YRS	554	2.4	3	<1	1	2	3	4	5	9
20-34	31	2.9	3	1	1	2	3	6	8	8
35-49	6	4.3	19	1	1	3	4	12	13	13
50-64	1	4.0		4	4	4	4	4	4	4
65+	3	8.3	104	<1	<1	4	16	20	20	20
TOT. SINGLE DX	870	1.9	1	<1	<1	2	2	3	4	5
" MULTIPLE DX	595	2.5	4	<1	1	2	3	4	5	11
TOTAL 0-19 YRS	1326	2.1	2	<1	1	2	2	3	4	7
20-34	118	2.4	2	1	1	2	3	4	5	8
35-49	15	2.9	9	<1	1	2	3	4	11	13
50-64	3	4.3		4	4	4	5	5	5	5
65+	3	8.3	104	<1	<1	4	16	20	20	20
GRAND TOTAL	**1465**	**2.1**	**2**	**<1**	**1**	**2**	**3**	**4**	**5**	**8**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	165	1.9	1	<1	1	2	2	3	4	5
20-34	97	2.2	1	1	1	2	3	3	5	7
35-49	45	2.5	2	1	1	2	3	5	6	8
50-64	13	3.0		2	2	3	4	4	4	4
65+	3	4.7	14	2	2	3	7	9	9	9
2. MULTIPLE DX										
0-19 YRS	65	2.8	10	<1	1	2	3	5	8	20
20-34	52	2.9	5	1	1	2	3	5	7	16
35-49	31	3.2	10	1	1	2	4	4	11	17
50-64	24	5.0	24	1	2	3	5	15	17	18
65+	12	5.0	4	3	3	4	6	9	10	10
TOT. SINGLE DX	323	2.1	2	<1	1	2	2	4	5	7
" MULTIPLE DX	184	3.3	11	1	1	2	4	6	10	18
TOTAL 0-19 YRS	230	2.1	4	<1	1	2	2	4	5	13
20-34	149	2.4	3	1	1	2	3	4	5	8
35-49	76	2.8	6	1	1	2	3	4	6	15
50-64	37	4.3	17	2	2	3	4	10	16	18
65+	15	4.9	6	2	3	4	6	9	10	10
GRAND TOTAL	**507**	**2.6**	**5**	**1**	**1**	**2**	**3**	**4**	**6**	**16**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	88	1.2		<1	<1	<1	1	2	2	3
35-49	68	1.3		<1	<1	<1	1	2	3	6
50-64	8	5.6	19	1	1	5	8	12	14	14
65+	3	6.3	16	2	2	7	9	10	10	10
2. MULTIPLE DX										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	34	3.9	13	<1	<1	2	5	10	12	16
35-49	36	4.1	34	<1	<1	2	5	9	11	34
50-64	14	4.4	7	<1	<1	4	7	8	9	9
65+	2	10.0	8	8	8	10	12	12	12	12
TOT. SINGLE DX	167	1.5	3	<1	<1	<1	1	2	4	10
" MULTIPLE DX	88	4.2	21	<1	<1	3	6	9	11	27
TOTAL 0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	122	1.9	5	<1	<1	<1	2	3	8	13
35-49	104	2.3	14	<1	<1	1	2	5	7	22
50-64	22	4.9	11	<1	1	4	7	9	11	14
65+	5	7.8	14	2	2	8	10	12	12	12
GRAND TOTAL	**255**	**2.5**	**11**	**<1**	**<1**	**1**	**2**	**7**	**9**	**14**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	423	1.8	1	<1	<1	2	2	3	3	6
20-34	387	2.1	1	<1	1	2	3	3	4	6
35-49	342	2.3	1	<1	1	2	3	4	4	8
50-64	259	2.8	2	1	1	3	4	4	6	8
65+	146	2.9	3	1	1	3	3	4	5	14
2. MULTIPLE DX										
0-19 YRS	242	2.4	19	<1	1	2	2	3	4	13
20-34	261	2.7	7	<1	1	2	3	4	6	12
35-49	226	3.1	4	1	1	3	4	5	7	13
50-64	292	4.3	11	1	2	3	5	8	10	22
65+	230	4.4	11	1	2	3	5	8	10	21
TOT. SINGLE DX	1557	2.3	2	<1	1	2	3	4	4	7
" MULTIPLE DX	1251	3.4	12	1	1	3	4	6	8	16
TOTAL 0-19 YRS	665	2.0	8	<1	<1	2	2	3	4	7
20-34	648	2.4	4	<1	1	2	3	4	5	8
35-49	568	2.6	3	<1	1	2	3	4	6	10
50-64	551	3.6	8	1	2	3	4	6	8	14
65+	376	3.8	9	1	2	3	4	6	10	18
GRAND TOTAL	**2808**	**2.8**	**7**	**<1**	**1**	**2**	**3**	**5**	**6**	**12**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	595	1.5	1	<1	<1	1	2	2	3	4
20-34	202	1.9	1	<1	1	2	2	3	3	5
35-49	122	1.8		<1	<1	2	2	3	3	5
50-64	57	1.8		<1	1	2	2	3	3	3
65+	41	2.7	5	1	1	2	3	5	8	13
2. MULTIPLE DX										
0-19 YRS	280	2.5	13	<1	<1	2	2	4	7	24
20-34	182	2.7	8	<1	1	2	3	5	7	12
35-49	229	3.2	14	<1	1	2	4	7	8	14
50-64	151	3.9	20	1	1	2	5	7	11	30
65+	174	4.5	35	1	1	2	5	9	14	40
TOT. SINGLE DX	1500	1.6	1	<1	<1	1	2	2	3	4
" MULTIPLE DX	1329	3.3	18	<1	1	2	3	7	9	22
TOTAL 0-19 YRS	1262	1.7	4	<1	<1	1	2	2	3	9
20-34	554	2.3	4	<1	1	2	2	4	5	10
35-49	467	2.7	10	<1	1	2	3	5	7	15
50-64	278	3.2	13	1	1	2	3	6	9	22
65+	268	4.3	34	1	1	2	5	9	12	42
GRAND TOTAL	**2829**	**2.4**	**10**	**<1**	**<1**	**2**	**2**	**4**	**7**	**15**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	94	3.1	6	<1	<1	2	4	7	8	13
20-34	69	3.1	4	<1	1	3	4	6	7	11
35-49	105	4.1	5	1	1	4	6	7	8	10
50-64	238	4.3	8	1	2	4	5	7	8	13
65+	107	4.6	4	2	2	4	6	8	9	10
2. MULTIPLE DX										
0-19 YRS	74	4.2	10	<1	1	3	6	9	10	13
20-34	102	6.4	34	1	1	5	8	13	21	28
35-49	161	6.2	44	2	2	5	7	10	12	26
50-64	367	5.3	17	2	3	4	6	8	10	23
65+	224	5.9	23	2	3	5	7	10	16	24
TOT. SINGLE DX	613	4.0	7	1	1	4	5	7	8	11
" MULTIPLE DX	928	5.6	25	1	2	4	7	10	12	26
TOTAL 0-19 YRS	168	3.6	8	<1	<1	3	5	8	9	13
20-34	171	5.1	25	1	1	3	6	10	15	28
35-49	266	5.4	30	1	2	5	6	9	11	24
50-64	605	4.9	14	2	2	4	6	8	9	19
65+	331	5.5	18	2	2	4	6	9	12	22
GRAND TOTAL	**1541**	**5.0**	**18**	**1**	**2**	**4**	**6**	**9**	**11**	**22**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	220	4.9	2	2	3	5	6	7	8	10
20-34	626	5.1	3	2	3	5	6	7	8	11
35-49	82	5.8	5	2	3	6	7	8	10	15
50-64	17	8.0	13	4	4	7	10	12	16	18
65+	9	8.9	14	5	5	7	12	15	15	15
2. MULTIPLE DX										
0-19 YRS	209	5.5	8	2	3	5	6	9	11	15
20-34	1191	5.7	6	2	3	5	6	8	10	16
35-49	239	7.0	18	1	3	6	9	12	13	27
50-64	48	8.3	18	1	3	8	10	15	18	20
65+	55	14.3	80	5	5	12	18	25	35	42
TOT. SINGLE DX	954	5.2	4	2	3	5	6	7	9	12
" MULTIPLE DX	1742	6.2	14	2	3	5	7	10	12	22
TOTAL 0-19 YRS	429	5.2	6	2	3	5	6	8	9	13
20-34	1817	5.5	6	2	3	5	6	8	9	14
35-49	321	6.7	16	2	3	6	8	11	13	21
50-64	65	8.2	17	2	4	8	10	14	18	20
65+	64	13.5	74	5	5	11	16	25	33	42
GRAND TOTAL	**2696**	**5.8**	**10**	**2**	**3**	**5**	**7**	**9**	**11**	**18**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	102	5.7	4	3	4	5	7	8	8	16
20-34	731	5.6	3	3	4	5	6	8	9	11
35-49	260	5.9	2	4	4	6	7	8	9	11
50-64	32	6.5	6	3	4	6	8	10	12	13
65+	14	7.3	10	3	4	7	8	10	15	17
2. MULTIPLE DX										
0-19 YRS	154	6.8	9	4	4	6	8	10	12	20
20-34	1806	6.2	6	4	4	6	7	9	10	17
35-49	872	7.0	11	4	4	6	8	10	12	20
50-64	121	11.3	109	5	5	8	12	19	29	64
65+	118	13.9	84	5	6	11	17	26	31	48
TOT. SINGLE DX	1139	5.7	3	3	4	5	6	8	9	12
" MULTIPLE DX	3071	7.0	18	4	4	6	7	10	13	24
TOTAL 0-19 YRS	256	6.4	8	3	4	6	7	9	11	16
20-34	2537	6.0	5	4	4	6	7	8	10	15
35-49	1132	6.8	10	4	4	6	8	10	12	19
50-64	153	10.3	92	4	5	8	11	16	24	56
65+	132	13.2	81	5	6	10	16	26	29	47
GRAND TOTAL	4210	6.6	14	4	4	6	7	9	12	21

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	4.0		3	3	4	29	99+	99+	99+
20-34	120	6.1	3	4	4	6	7	8	10	12
35-49	188	6.3	3	4	5	6	7	9	10	13
50-64	86	7.8	12	5	5	7	9	12	14	24
65+	27	8.7	12	5	5	8	10	14	17	19
2. MULTIPLE DX										
0-19 YRS	8	11.4	246	4	4	6	8	38	50	50
20-34	514	6.9	8	4	5	6	8	10	12	19
35-49	956	7.2	8	4	5	7	8	10	13	18
50-64	288	9.4	29	5	5	8	10	15	18	31
65+	181	12.7	82	6	7	10	15	21	28	56
TOT. SINGLE DX	425	6.7	6	4	5	6	7	10	11	16
" MULTIPLE DX	1947	8.0	22	4	5	7	9	12	16	25
TOTAL 0-19 YRS	12	8.9	170	3	3	5	8	60	92	99+
20-34	634	6.8	7	4	4	6	8	10	12	18
35-49	1144	7.0	8	4	5	6	8	10	12	18
50-64	374	9.0	26	5	5	8	10	14	18	29
65+	208	12.2	75	6	6	9	14	21	27	51
GRAND TOTAL	2372	7.7	20	4	5	7	8	12	15	24

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	51	3.6	3	1	1	4	5	6	6	10
20-34	161	3.2	4	<1	1	3	5	6	7	10
35-49	28	3.5	6	<1	<1	3	6	7	8	10
50-64	6	4.2	3	1	1	4	6	6	6	6
65+										
2. MULTIPLE DX										
0-19 YRS	64	4.8	6	1	2	5	7	8	9	12
20-34	504	4.3	6	1	1	4	6	7	8	12
35-49	112	5.1	12	1	1	5	7	10	12	17
50-64	10	6.8	10	2	2	7	8	11	12	12
65+	6	8.8	14	4	4	8	12	14	14	14
TOT. SINGLE DX	246	3.4	5	<1	1	3	5	6	7	10
" MULTIPLE DX	696	4.5	8	1	1	5	6	8	9	14
TOTAL 0-19 YRS	115	4.3	6	1	2	4	6	8	8	12
20-34	665	4.0	6	1	1	4	6	7	8	11
35-49	140	4.8	11	<1	1	4	6	9	11	16
50-64	16	5.8	10	1	2	6	7	11	12	12
65+	6	8.8	15	4	4	8	12	14	14	14
GRAND TOTAL	942	4.2	7	1	1	4	6	7	9	13

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	2.0	3	<1	<1	1	2	5	7	7
20-34	1348	1.4		<1	<1	1	2	2	2	4
35-49	454	1.4	2	<1	<1	1	1	2	2	5
50-64	5	1.0		<1	<1	<1	1	1	1	1
65+										
2. MULTIPLE DX										
0-19 YRS	11	1.8		<1	<1	2	3	3	3	3
20-34	1150	1.9	3	<1	<1	1	2	3	4	7
35-49	520	2.1	14	<1	<1	1	2	3	5	16
50-64	6	2.2		<1	<1	2	3	3	3	3
65+										
TOT. SINGLE DX	1817	1.4	1	<1	<1	1	2	2	2	4
" MULTIPLE DX	1687	2.0	7	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	21	1.9	2	<1	<1	2	2	3	5	7
20-34	2498	1.6	2	<1	<1	1	2	3	3	6
35-49	974	1.8	9	<1	<1	1	2	2	4	10
50-64	11	1.6	1	<1	<1	1	2	3	3	3
65+										
GRAND TOTAL	3504	1.7	4	<1	<1	1	2	3	3	7

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	2.9		1	2	3	3	4	4	5
20-34	1580	2.4	1	<1	1	2	3	4	4	6
35-49	424	2.2	2	<1	<1	2	3	4	4	6
50-64	3	5.0	7	2	2	6	7	7	7	7
65+										
2. MULTIPLE DX										
0-19 YRS	71	3.6	11	2	2	3	4	5	5	25
20-34	2559	3.1	3	1	2	3	4	5	6	9
35-49	564	3.0	2	1	1	3	4	5	6	9
50-64	4	3.8	4	2	2	4	5	6	6	6
65+										
TOT. SINGLE DX	2037	2.4	2	<1	1	2	3	4	5	6
" MULTIPLE DX	3198	3.1	4	1	1	3	4	5	6	9
TOTAL 0-19 YRS	101	3.4	9	2	2	3	4	5	5	21
20-34	4139	2.8	3	1	1	3	3	5	5	8
35-49	988	2.7	3	<1	1	2	3	5	5	9
50-64	7	4.3	5	2	2	5	6	7	7	7
65+										
GRAND TOTAL	5235	2.8	3	1	1	3	3	5	5	8

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	91	4.6	3	2	3	4	5	7	9	10
20-34	1266	4.6	2	2	3	5	5	6	7	9
35-49	156	4.6	3	<1	2	5	5	6	7	9
50-64	1	4.0		4	4	4	4	4	4	4
65+										
2. MULTIPLE DX										
0-19 YRS	99	4.9	5	2	3	5	5	7	9	15
20-34	1606	5.0	3	2	3	5	6	7	8	12
35-49	247	5.5	25	2	3	5	6	8	9	15
50-64	9	8.6	20	<1	2	8	10	15	18	18
65+	2	22.0	162	13	13	22	31	31	31	31
TOT. SINGLE DX	1514	4.6	3	2	3	5	5	6	7	9
" MULTIPLE DX	1963	5.1	7	2	3	5	6	7	8	12
TOTAL 0-19 YRS	190	4.8	4	2	3	5	5	7	9	12
20-34	2872	4.8	3	2	3	5	6	7	7	11
35-49	403	5.1	17	1	3	5	6	7	8	14
50-64	10	8.1	20	<1	2	8	10	14	18	18
65+	2	22.0	162	13	13	22	31	31	31	31
GRAND TOTAL	3477	4.9	5	2	3	5	6	7	8	11

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	2.0		1	1	2	3	3	3	3
20-34	697	2.1	1	<1	1	2	3	3	4	6
35-49	205	2.4	3	<1	1	2	3	4	6	11
50-64	70	2.4	2	1	1	2	3	4	6	8
65+	37	2.2	1	1	1	2	3	3	4	6
2. MULTIPLE DX										
0-19 YRS	27	2.7	3	<1	1	2	3	5	7	9
20-34	448	2.7	15	<1	1	2	3	5	6	9
35-49	189	2.6	3	<1	1	2	3	5	6	9
50-64	89	3.4	7	1	1	3	4	6	10	15
65+	69	4.8	19	1	2	3	5	13	16	18
TOT. SINGLE DX	1042	2.2	2	<1	1	2	3	3	4	7
" MULTIPLE DX	822	2.9	12	<1	1	2	3	5	7	14
TOTAL 0-19 YRS	60	2.3	2	<1	1	2	3	3	5	9
20-34	1145	2.3	7	<1	1	2	3	4	5	7
35-49	394	2.5	3	<1	1	2	3	5	6	10
50-64	159	2.9	5	1	1	2	3	5	7	14
65+	106	3.9	15	1	1	3	4	10	14	17
GRAND TOTAL	1864	2.5	6	<1	1	2	3	4	6	10

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (5)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	2.1	2	<1	<1	1	3	4	6	6
20-34	244	1.9	2	<1	<1	2	2	3	3	12
35-49	142	2.2	4	<1	<1	2	2	4	5	16
50-64	91	2.5	3	<1	1	2	3	5	7	11
65+	60	3.7	7	1	1	3	5	7	10	12
2. MULTIPLE DX										
0-19 YRS	17	2.8	4	<1	<1	2	4	6	8	8
20-34	285	2.8	7	<1	1	2	3	5	8	14
35-49	299	3.5	22	<1	<1	2	4	8	10	20
50-64	254	4.7	42	<1	1	2	5	10	14	26
65+	295	6.1	28	2	2	5	8	12	15	23
TOT. SINGLE DX	550	2.3	4	<1	<1	2	2	4	6	12
" MULTIPLE DX	1150	4.2	26	<1	1	2	5	9	12	22
TOTAL 0-19 YRS	30	2.5	4	<1	<1	2	3	5	7	8
20-34	529	2.4	5	<1	<1	2	3	4	6	12
35-49	441	3.1	17	<1	<1	2	3	6	9	18
50-64	345	4.1	33	<1	1	2	4	9	11	25
65+	355	5.7	25	1	2	4	8	11	14	20
GRAND TOTAL	1700	3.6	20	<1	1	2	4	8	10	18

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	32	3.4	3	1	1	3	4	6	8	8
20-34	560	2.9	3	1	1	3	3	5	6	11
35-49	52	3.2	3	1	1	3	4	5	8	9
50-64										
65+	2	4.5	5	3	3	4	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	8	3.9	11	2	2	3	4	10	12	12
20-34	156	4.6	25	1	2	3	5	8	11	34
35-49	16	3.1	4	2	2	2	3	7	8	9
50-64	1	7.0		7	7	7	7	7	7	7
65+	1	6.0		6	6	6	6	6	6	6
TOT. SINGLE DX	646	2.9	3	1	1	3	3	5	6	10
" MULTIPLE DX	182	4.5	23	1	2	3	5	8	10	32
TOTAL 0-19 YRS	40	3.5	5	1	2	3	4	6	8	12
20-34	716	3.3	9	1	1	3	4	5	7	14
35-49	68	3.2	3	1	1	3	4	5	8	9
50-64	1	7.0		7	7	7	7	7	7	7
65+	3	5.0	3	3	3	6	6	6	6	6
GRAND TOTAL	828	3.3	8	1	1	3	4	5	7	13

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	3.8	4	<1	1	4	5	6	6	6
20-34	226	5.1	5	<1	1	5	6	8	8	10
35-49	67	4.5	5	1	1	5	6	7	8	10
50-64	18	3.1	5	<1	1	2	4	8	8	8
65+	15	3.1	5	<1	1	2	4	6	9	10
2. MULTIPLE DX										
0-19 YRS	17	4.0	4	1	2	4	6	7	7	7
20-34	417	5.5	11	1	1	6	7	8	10	19
35-49	199	6.2	44	1	2	5	7	10	15	37
50-64	73	7.0	95	1	1	4	7	19	28	92
65+	75	7.3	45	2	2	5	9	17	20	37
TOT. SINGLE DX	334	4.8	6	<1	1	5	6	8	8	10
" MULTIPLE DX	781	6.0	31	1	2	5	7	10	15	31
TOTAL 0-19 YRS	25	3.9	4	1	2	4	6	6	7	7
20-34	643	5.4	9	1	1	5	7	8	10	18
35-49	266	5.8	35	1	1	5	7	9	13	29
50-64	91	6.2	80	1	1	3	7	17	27	86
65+	90	6.6	41	2	2	4	9	16	19	34
GRAND TOTAL	1115	5.6	24	1	1	5	7	9	12	28

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	6.8	8	3	4	6	7	10	14	15
20-34	1208	6.4	3	5	5	6	7	8	9	13
35-49	1777	6.6	3	5	5	6	7	8	10	13
50-64	450	7.4	5	5	5	7	8	10	12	16
65+	211	8.1	8	5	6	7	9	11	13	22
2. MULTIPLE DX										
0-19 YRS	80	8.2	16	4	5	7	10	13	16	26
20-34	8260	6.8	6	5	5	6	7	9	11	16
35-49	14634	7.1	5	5	5	7	8	9	11	17
50-64	3200	8.2	15	5	5	7	9	12	14	24
65+	1341	10.7	38	6	6	9	12	17	21	37
TOT. SINGLE DX	3658	6.7	4	5	5	6	7	9	10	14
" MULTIPLE DX	27515	7.3	9	5	5	7	8	10	12	19
TOTAL 0-19 YRS	92	8.0	16	4	5	7	9	13	15	25
20-34	9468	6.8	6	5	5	6	7	9	11	16
35-49	16411	7.0	6	5	5	7	8	9	11	16
50-64	3650	8.1	14	5	5	7	9	11	14	23
65+	1552	10.3	35	5	6	9	12	16	20	35
GRAND TOTAL	31173	7.2	9	5	5	7	8	10	12	19

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	6.0	2	5	5	6	7	8	8	8
20-34	857	5.3	1	4	4	5	6	7	7	9
35-49	692	5.7	3	4	4	5	6	7	8	12
50-64	239	7.0	4	4	5	7	8	10	11	14
65+	221	7.9	11	5	5	7	9	11	12	16
2. MULTIPLE DX										
0-19 YRS	14	6.4	2	4	4	6	8	8	9	9
20-34	3407	5.8	3	4	4	5	6	8	9	12
35-49	4792	6.2	4	4	4	6	7	8	10	14
50-64	1201	7.[illegible]	6	4	5	7	8	10	11	16
65+	951	8.[illegible]	11	5	6	8	9	11	15	22
TOT. SINGLE DX	2013	5.9	4	4	4	5	7	8	9	13
" MULTIPLE DX	10365	6.4	6	4	4	6	7	9	10	15
TOTAL 0-19 YRS	18	6.3	2	4	4	6	8	8	9	9
20-34	4264	5.7	3	4	4	5	6	7	9	11
35-49	5484	6.1	5	4	4	6	7	8	9	13
50-64	1440	7.3	6	4	5	7	8	10	11	15
65+	1172	8.4	11	5	6	8	9	11	14	22
GRAND TOTAL	12378	6.3	6	4	4	6	7	9	10	15

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	38	9.9	9	5	6	10	13	13	14	19
35-49	23	11.4	15	7	8	10	13	18	20	21
50-64	2	24.5	41	20	20	24	29	29	29	29
65+	8	12.6	28	7	7	11	15	21	23	23
2. MULTIPLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	38	10.7	17	5	6	9	14	16	17	23
35-49	84	12.1	63	6	7	10	14	19	35	43
50-64	29	18.7	393	6	7	12	19	32	77	94
65+	26	19.5	143	10	10	17	20	27	49	67
TOT. SINGLE DX	71	11.1	19	6	7	10	13	17	20	28
" MULTIPLE DX	178	13.9	128	6	7	11	16	22	34	73
TOTAL 0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	76	10.3	14	5	6	9	13	15	16	22
35-49	107	12.0	53	6	7	10	14	18	30	42
50-64	31	19.1	370	6	7	13	21	32	74	94
65+	34	17.9	123	9	9	15	20	24	41	67
GRAND TOTAL	**249**	**13.1**	**99**	**6**	**7**	**10**	**15**	**20**	**29**	**67**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	50th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	42	1.5		<1	<1	1	2	2	3	5
20-34	197	1.5	1	<1	<1	1	1	3	4	6
35-49	17	1.8	2	<1	<1	<1	2	5	6	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	27	3.9	9	1	1	3	5	6	8	17
20-34	184	3.1	12	<1	1	2	4	6	9	14
35-49	50	2.5	3	<1	<1	2	3	5	8	9
50-64										
65+										
TOT. SINGLE DX	256	1.5	1	<1	<1	1	2	2	4	6
" MULTIPLE DX	261	3.1	10	<1	1	2	4	6	8	15
TOTAL 0-19 YRS	69	2.5	5	<1	<1	2	3	5	6	15
20-34	381	2.2	7	<1	<1	1	2	4	6	11
35-49	67	2.3	4	<1	<1	2	3	5	7	9
50-64										
65+										
GRAND TOTAL	**517**	**2.3**	**6**	**<1**	**<1**	**1**	**3**	**5**	**6**	**11**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1603	1.7	1	<1	<1	1	2	3	4	6
20-34	9154	1.6	2	<1	<1	1	2	3	4	6
35-49	2764	1.6	1	<1	<1	1	2	2	3	6
50-64	1038	1.7	1	<1	<1	2	2	2	3	7
65+	392	2.3	6	<1	1	2	2	3	5	10
2. MULTIPLE DX										
0-19 YRS	680	2.7	4	<1	1	2	3	5	7	10
20-34	5241	2.8	7	<1	1	2	3	6	7	12
35-49	3710	2.7	8	<1	<1	2	3	5	8	14
50-64	1805	3.1	16	<1	1	2	3	6	9	18
65+	1067	4.2	26	1	1	2	5	9	14	24
TOT. SINGLE DX	14951	1.7	2	<1	<1	1	2	3	4	6
" MULTIPLE DX	12503	2.9	11	<1	1	2	3	6	8	15
TOTAL 0-19 YRS	2283	2.0	2	<1	1	2	2	4	5	8
20-34	14395	2.1	4	<1	<1	1	2	4	5	9
35-49	6474	2.2	6	<1	<1	2	2	4	6	11
50-64	2843	2.6	11	<1	<1	2	2	5	8	15
65+	1459	3.7	22	1	1	2	4	8	12	21
GRAND TOTAL	**27454**	**2.2**	**6**	**<1**	**<1**	**2**	**2**	**4**	**6**	**11**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	40	1.6	2	<1	<1	1	2	3	5	9
20-34	211	1.4	1	<1	<1	<1	1	2	3	6
35-49	37	1.3		<1	<1	<1	1	2	3	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	47	3.7	33	<1	<1	2	4	10	22	99+
20-34	278	3.5	40	<1	<1	1	3	7	12	32
35-49	63	2.1	3	<1	<1	1	3	4	5	11
50-64										
65+										
TOT. SINGLE DX	288	1.4	1	<1	<1	1	1	2	3	7
" MULTIPLE DX	388	3.3	34	<1	<1	1	3	7	12	32
TOTAL 0-19 YRS	87	2.8	20	<1	<1	1	2	6	12	74
20-34	489	2.6	25	<1	<1	1	2	5	7	29
35-49	100	1.8	2	<1	<1	1	2	4	5	9
50-64										
65+										
GRAND TOTAL	**676**	**2.5**	**21**	**<1**	**<1**	**1**	**2**	**5**	**7**	**29**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	230	1.4		<1	<1	1	2	2	3	4
20-34	1197	1.4		<1	<1	1	2	2	3	5
35-49	174	1.4		<1	<1	1	1	2	3	5
50-64	3	2.7	4	1	1	2	4	5	5	5
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	51	3.2	12	1	1	3	4	6	7	25
20-34	240	2.4	4	<1	1	2	3	5	7	9
35-49	50	2.3	3	<1	<1	2	3	5	7	9
50-64	4	5.5	35	1	1	3	9	14	14	14
65+	6	12.5	146	2	2	9	18	31	33	33
TOT. SINGLE DX	1605	1.4	1	<1	<1	1	2	2	3	5
" MULTIPLE DX	351	2.7	9	<1	1	2	3	5	7	16
TOTAL 0-19 YRS	281	1.7	3	<1	<1	1	2	3	4	7
20-34	1437	1.6	2	<1	<1	1	2	3	4	8
35-49	224	1.6	2	<1	<1	1	2	3	4	8
50-64	7	4.3	21	1	1	2	5	12	14	14
65+	7	10.9	140	1	1	4	17	30	33	33
GRAND TOTAL	**1956**	**1.6**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	4.0	3	3	3	3	5	6	6	6
20-34	29	4.2	3	1	2	4	5	6	8	9
35-49	6	4.7	8	<1	<1	6	7	7	7	7
50-64	3	7.3	1	6	6	8	8	8	8	8
65+	3	9.0	1	8	8	9	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	13	5.7	2	4	4	5	7	8	8	8
20-34	162	5.0	4	2	2	5	6	7	8	12
35-49	8	4.6	2	2	2	5	6	6	6	6
50-64	2	6.5	1	6	6	6	7	7	7	7
65+	7	8.3	12	2	3	9	11	12	12	12
TOT. SINGLE DX	44	4.8	5	1	2	5	6	8	9	10
" MULTIPLE DX	192	5.2	5	2	3	5	6	7	9	12
TOTAL 0-19 YRS	16	5.4	3	3	3	5	7	8	8	8
20-34	191	4.9	4	2	2	5	6	7	8	12
35-49	14	4.6	5	<1	1	5	6	7	7	7
50-64	5	7.0	1	6	6	7	8	8	8	8
65+	10	8.5	9	2	4	9	11	12	12	12
GRAND TOTAL	**236**	**5.1**	**5**	**2**	**2**	**5**	**6**	**8**	**9**	**12**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	2.8	1	<1	1	2	4	5	6	6
20-34	85	2.9	4	<1	<1	2	5	6	7	9
35-49	25	3.7	6	<1	1	4	6	7	8	10
50-64	11	3.2	8	<1	<1	3	4	7	11	11
65+	7	4.1		4	4	4	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	12	4.3	3	2	2	4	6	7	7	7
20-34	180	3.8	8	<1	1	3	6	7	10	12
35-49	56	4.9	26	<1	1	3	6	9	19	24
50-64	21	3.8	4	1	1	4	5	6	8	9
65+	36	4.8	12	2	2	4	5	8	10	21
TOT. SINGLE DX	144	3.1	5	<1	<1	2	4	6	7	10
" MULTIPLE DX	305	4.1	11	1	1	3	6	7	10	21
TOTAL 0-19 YRS	28	3.4	3	1	2	3	5	6	7	7
20-34	265	3.5	7	<1	1	3	5	7	8	11
35-49	81	4.5	20	<1	1	4	6	8	14	23
50-64	32	3.6	5	1	1	3	5	6	9	11
65+	43	4.7	10	2	3	4	5	7	10	21
GRAND TOTAL	**449**	**3.8**	**9**	**<1**	**1**	**3**	**5**	**7**	**9**	**17**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	5.3	20	1	1	5	9	10	10	10
20-34	60	5.4	7	1	2	5	7	8	11	13
35-49	260	6.0	4	3	4	6	7	9	10	13
50-64	393	6.6	6	4	4	6	8	10	11	15
65+	221	6.6	4	4	4	6	8	9	11	15
2. MULTIPLE DX										
0-19 YRS	2	5.5	5	4	4	5	7	7	7	7
20-34	190	6.6	14	3	3	6	8	10	11	17
35-49	519	7.2	15	4	4	7	8	11	12	19
50-64	741	7.5	9	4	5	7	9	11	13	19
65+	626	8.0	12	4	5	7	9	12	14	23
TOT. SINGLE DX	937	6.4	6	3	4	6	8	9	11	14
" MULTIPLE DX	2078	7.5	12	4	4	7	9	11	13	20
TOTAL 0-19 YRS	5	5.4	11	1	1	5	8	10	10	10
20-34	250	6.3	13	2	3	6	8	10	11	15
35-49	779	6.8	12	3	4	6	8	10	12	16
50-64	1134	7.2	8	4	4	7	8	11	12	18
65+	847	7.7	11	4	5	7	9	11	13	21
GRAND TOTAL	**3015**	**7.2**	**11**	**4**	**4**	**7**	**8**	**11**	**12**	**18**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	48	3.0	8	<1	1	2	4	6	7	18
20-34	124	3.6	6	1	1	3	5	6	7	13
35-49	71	3.9	6	1	1	4	5	7	8	12
50-64	28	4.6	8	1	1	4	7	9	9	10
65+	14	5.3	5	1	2	6	7	8	9	9
2. MULTIPLE DX										
0-19 YRS	42	4.0	10	<1	1	3	5	9	11	16
20-34	96	4.3	8	1	1	4	5	9	11	14
35-49	68	6.4	27	1	1	5	8	14	16	26
50-64	53	8.0	43	2	2	7	9	12	17	45
65+	55	9.0	61	2	2	8	11	13	19	55
TOT. SINGLE DX	285	3.7	7	1	1	3	5	7	8	11
" MULTIPLE DX	314	6.1	31	1	2	5	8	11	14	24
TOTAL 0-19 YRS	90	3.5	10	1	1	2	4	7	10	17
20-34	220	3.9	8	1	1	3	5	7	9	13
35-49	139	5.1	18	1	1	4	6	10	13	23
50-64	81	6.8	34	1	2	7	9	11	13	39
65+	69	8.3	52	2	2	7	10	12	16	50
GRAND TOTAL	599	5.0	21	1	1	4	7	10	12	22

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	76	2.4	4	<1	<1	2	3	5	7	12
20-34	240	3.6	8	<1	<1	3	5	8	10	13
35-49	104	3.8	8	<1	1	3	6	8	9	14
50-64	64	4.0	7	<1	1	3	5	8	8	16
65+	78	4.9	9	1	2	4	7	9	10	17
2. MULTIPLE DX										
0-19 YRS	80	3.7	8	1	1	3	5	8	11	74
20-34	303	4.7	17	<1	1	3	6	10	13	20
35-49	158	5.3	18	1	1	4	7	11	16	20
50-64	161	7.8	46	1	2	6	9	14	20	42
65+	242	8.0	37	2	3	6	9	16	22	31
TOT. SINGLE DX	562	3.7	8	<1	1	3	5	8	9	13
" MULTIPLE DX	944	6.1	29	1	1	5	8	12	17	29
TOTAL 0-19 YRS	156	3.1	7	<1	1	2	4	6	10	16
20-34	543	4.2	13	<1	1	3	6	9	11	19
35-49	262	4.7	15	<1	1	4	7	9	13	17
50-64	225	6.7	38	1	2	6	8	11	18	37
65+	320	7.2	33	2	2	6	9	13	19	30
GRAND TOTAL	1506	5.2	23	<1	1	4	7	10	13	24

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	136	2.1	3	<1	<1	2	3	3	5	10
20-34	471	2.1	1	<1	<1	2	3	4	5	8
35-49	269	2.2	2	<1	<1	2	3	4	5	7
50-64	107	2.5	2	<1	1	2	3	4	6	8
65+	58	3.5	15	<1	1	2	4	6	10	26
2. MULTIPLE DX										
0-19 YRS	72	4.0	9	1	1	3	5	8	11	15
20-34	215	3.7	49	<1	1	2	4	6	9	20
35-49	165	4.9	37	1	1	3	5	9	14	30
50-64	143	5.3	22	1	1	3	7	11	15	25
65+	157	6.7	37	1	2	5	9	14	18	35
TOT. SINGLE DX	1041	2.2	3	<1	<1	2	3	4	5	9
" MULTIPLE DX	752	4.9	37	1	1	3	6	10	14	28
TOTAL 0-19 YRS	208	2.8	6	<1	<1	2	3	6	8	13
20-34	686	2.6	17	<1	<1	2	3	5	6	11
35-49	434	3.2	17	<1	1	2	4	5	8	21
50-64	250	4.1	16	<1	1	3	5	8	11	23
65+	215	5.9	34	1	2	4	8	13	17	32
GRAND TOTAL	1793	3.4	19	<1	1	2	4	6	9	20

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	22	4.1	6	1	1	3	5	8	9	9
35-49	20	6.5	96	1	2	4	6	12	30	46
50-64	23	8.1	34	1	2	6	12	18	19	19
65+	26	7.2	31	2	3	5	9	15	18	27
2. MULTIPLE DX										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	17	6.5	24	1	2	5	9	14	17	19
35-49	23	11.5	356	1	2	8	13	15	44	95
50-64	31	14.8	283	2	3	10	16	30	36	92
65+	68	14.8	235	3	4	11	18	30	48	90
TOT. SINGLE DX	93	6.4	41	1	2	4	8	15	18	38
" MULTIPLE DX	141	13.1	242	2	2	9	15	27	35	95
TOTAL 0-19 YRS	4	2.5	2	1	1	2	3	4	4	4
20-34	39	5.2	16	1	2	4	8	10	13	19
35-49	43	9.2	237	1	2	5	10	15	27	95
50-64	54	12.0	186	2	2	9	16	20	31	90
65+	94	12.7	190	3	3	9	15	26	34	80
GRAND TOTAL	234	10.4	172	2	2	7	13	19	30	92

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	1.4		<1	<1	1	2	3	3	4
20-34	41	3.5	6	1	1	3	4	7	8	13
35-49	15	3.7	4	1	1	3	5	7	8	9
50-64	11	3.9	6	2	2	3	4	8	11	11
65+	5	3.2		2	2	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	16	5.7	93	1	1	3	5	12	32	40
20-34	39	4.4	10	<1	1	4	5	9	13	14
35-49	18	5.2	11	<1	1	5	5	12	12	12
50-64	8	4.6	9	1	1	4	6	10	11	11
65+	5	14.8	209	4	4	9	22	39	39	39
TOT. SINGLE DX	109	2.8	5	<1	1	2	4	5	8	12
" MULTIPLE DX	86	5.4	40	1	1	4	5	12	13	40
TOTAL 0-19 YRS	53	2.7	31	<1	<1	1	2	4	7	39
20-34	80	3.9	8	1	1	3	5	8	10	14
35-49	33	4.5	9	<1	1	4	5	9	12	12
50-64	19	4.2	8	1	2	3	5	9	11	11
65+	10	9.0	131	2	2	4	9	28	39	39
GRAND TOTAL	195	4.0	22	<1	1	3	5	8	12	29

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	1.9	1	<1	<1	2	2	4	4	4
20-34	9	3.3	3	1	1	4	5	6	6	6
35-49	3	1.3		1	1	1	2	2	2	2
50-64	3	3.3	5	2	2	2	5	6	6	6
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	10	4.4	19	1	1	3	4	12	14	14
20-34	21	3.9	11	<1	<1	2	6	8	11	14
35-49	5	12.0	83	<1	<1	15	17	24	24	24
50-64	2	7.0	72	<1	<1	6	13	13	13	13
65+	8	6.9	17	<1	1	6	10	12	13	13
TOT. SINGLE DX	24	2.5	3	<1	1	2	4	5	6	6
" MULTIPLE DX	46	5.5	27	<1	<1	4	7	14	15	24
TOTAL 0-19 YRS	17	3.4	13	<1	<1	2	3	10	13	14
20-34	30	3.7	9	<1	1	3	5	7	8	14
35-49	8	8.0	78	<1	<1	3	15	21	24	24
50-64	5	4.8	25	<1	<1	2	8	13	13	13
65+	10	5.9	17	<1	1	5	10	12	13	13
GRAND TOTAL	70	4.5	21	<1	<1	3	6	12	14	22

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2589	2.8	1	1	2	3	3	4	4	6
20-34	11042	3.0	1	2	2	3	3	4	5	6
35-49	466	3.2	1	1	2	3	4	4	5	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1499	3.3	6	2	2	3	4	5	6	11
20-34	7951	3.4	4	2	2	3	4	5	6	9
35-49	591	3.7	4	2	2	3	4	5	6	9
50-64										
65+										
TOT. SINGLE DX	14097	2.9	1	2	2	3	3	4	5	6
" MULTIPLE DX	10041	3.4	5	2	2	3	4	5	6	9
TOTAL 0-19 YRS	4088	3.0	3	1	2	3	3	4	5	8
20-34	18993	3.2	2	2	2	3	4	4	5	7
35-49	1057	3.5	3	2	2	3	4	5	6	9
50-64										
65+										
GRAND TOTAL	24138	3.1	3	2	2	3	4	4	5	7

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	2.6	1	1	1	2	3	4	5	6
20-34	190	2.6	1	1	1	3	3	4	4	6
35-49	22	2.9		2	2	3	3	4	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	68	2.7	1	1	1	2	3	5	6	7
20-34	314	3.5	13	1	1	3	4	5	7	19
35-49	37	3.4	5	1	2	3	4	6	9	12
50-64										
65+										
TOT. SINGLE DX	235	2.6	1	1	1	3	3	4	4	6
" MULTIPLE DX	419	3.4	11	1	1	3	4	5	7	15
TOTAL 0-19 YRS	91	2.6	2	1	1	2	3	5	6	7
20-34	504	3.2	9	1	1	3	4	5	6	14
35-49	59	3.2	4	1	2	3	4	5	8	12
50-64										
65+										
GRAND TOTAL	654	3.1	8	1	1	3	3	5	6	14

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	377	2.8		2	2	3	3	4	4	6
20-34	2019	2.9	1	1	2	3	3	4	4	6
35-49	111	3.0	1	2	2	3	3	4	5	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	528	3.2	5	1	2	3	4	5	6	12
20-34	2469	3.4	3	2	2	3	4	5	6	11
35-49	197	3.4	5	2	2	3	4	4	6	8
50-64										
65+										
TOT. SINGLE DX	2507	2.9	1	2	2	3	3	4	4	6
" MULTIPLE DX	3194	3.4	4	2	2	3	4	5	6	11
TOTAL 0-19 YRS	905	3.0	4	1	2	3	3	4	5	10
20-34	4488	3.2	3	2	2	3	4	4	5	8
35-49	308	3.2	4	2	2	3	4	4	5	8
50-64										
65+										
GRAND TOTAL	5701	3.1	3	2	2	3	4	4	5	8

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11463	2.5	1	1	1	2	3	4	4	5
20-34	48012	2.6	1	1	2	3	3	4	4	6
35-49	2327	2.7	1	1	1	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3490	3.1	7	1	2	3	3	5	6	11
20-34	20292	3.2	4	1	2	3	4	5	5	10
35-49	1747	3.5	7	1	2	3	4	5	6	11
50-64										
65+										
TOT. SINGLE DX	61802	2.6	1	1	1	3	3	4	4	6
" MULTIPLE DX	25529	3.2	5	1	2	3	4	5	6	10
TOTAL 0-19 YRS	14953	2.7	3	1	1	2	3	4	4	7
20-34	68304	2.8	2	1	2	3	3	4	5	7
35-49	4074	3.0	4	1	2	3	3	4	5	9
50-64										
65+										
GRAND TOTAL	87331	2.8	2	1	2	3	3	4	5	7

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1540	5.0	2	3	4	5	6	7	7	10
20-34	10320	5.0	2	3	4	5	6	6	7	9
35-49	554	5.6	15	3	4	5	6	7	8	10
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3026	5.9	9	4	4	5	6	8	10	17
20-34	20612	5.7	10	4	4	5	6	7	9	17
35-49	1962	6.1	13	4	4	5	6	8	10	22
50-64										
65+										
TOT. SINGLE DX	12414	5.1	3	3	4	5	6	6	7	9
" MULTIPLE DX	25600	5.8	11	4	4	5	6	8	9	17
TOTAL 0-19 YRS	4566	5.6	7	3	4	5	6	8	9	15
20-34	30932	5.5	8	3	4	5	6	7	8	15
35-49	2516	6.0	14	4	4	5	6	8	9	20
50-64										
65+										
GRAND TOTAL	38014	5.5	8	3	4	5	6	7	8	16

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	202	4.8	1	3	3	5	5	6	7	8
20-34	761	4.9	1	3	3	5	5	6	7	9
35-49	30	4.9	1	4	4	5	6	6	6	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	222	5.7	5	3	4	5	6	9	10	14
20-34	1154	5.8	15	3	4	5	6	8	10	20
35-49	114	6.5	35	3	4	5	6	10	12	37
50-64										
65+										
TOT. SINGLE DX	993	4.9	2	3	3	5	5	6	7	9
" MULTIPLE DX	1490	5.8	15	3	4	5	6	8	10	19
TOTAL 0-19 YRS	424	5.3	4	3	4	5	6	7	9	13
20-34	1915	5.4	10	3	4	5	6	7	9	17
35-49	144	6.2	28	3	4	5	6	8	11	28
50-64										
65+										
GRAND TOTAL	2483	5.4	10	3	4	5	6	7	9	16

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	3.5	1	2	2	3	4	5	5	5
20-34	54	4.3	1	2	3	4	5	6	6	7
35-49	4	5.5	1	5	5	5	6	7	7	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	4	5.0	2	4	4	5	6	7	7	7
20-34	67	5.4	6	3	3	5	6	8	10	18
35-49	10	5.3	5	1	2	5	6	8	10	10
50-64										
65+										
TOT. SINGLE DX	62	4.3	2	2	3	4	5	6	7	7
" MULTIPLE DX	81	5.4	6	3	3	5	6	8	10	17
TOTAL 0-19 YRS	8	4.3	2	2	2	4	5	6	7	7
20-34	121	4.9	4	3	3	5	5	7	8	13
35-49	14	5.4	4	2	3	5	6	8	9	10
50-64										
65+										
GRAND TOTAL	**143**	**4.9**	**4**	**2**	**3**	**5**	**5**	**7**	**8**	**12**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	214	1.8		1	1	2	2	2	3	4
20-34	220	1.8	1	1	1	2	2	3	3	5
35-49	17	1.9		<1	1	2	2	3	4	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	73	2.3	1	1	1	2	3	3	4	8
20-34	113	2.8	8	1	1	2	3	4	5	21
35-49	18	2.8	3	1	1	2	4	6	7	7
50-64										
65+										
TOT. SINGLE DX	451	1.8	1	1	1	2	2	3	3	4
" MULTIPLE DX	204	2.6	6	1	1	2	3	4	5	18
TOTAL 0-19 YRS	287	1.9	1	1	1	2	2	3	3	6
20-34	333	2.2	4	1	1	2	2	3	4	13
35-49	35	2.4	2	1	1	2	3	5	6	7
50-64										
65+										
GRAND TOTAL	**655**	**2.1**	**3**	**1**	**1**	**2**	**2**	**3**	**4**	**7**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	3.6	7	<1	1	3	4	8	10	12
20-34	96	4.1	21	<1	1	3	5	9	10	27
35-49	9	6.4	36	<1	<1	6	8	17	19	19
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	29	4.1	9	<1	1	3	6	9	9	11
20-34	131	6.0	45	1	1	4	8	12	16	43
35-49	12	7.3	41	1	2	6	8	15	24	26
50-64										
65+										
TOT. SINGLE DX	139	4.2	19	<1	1	3	5	9	11	21
" MULTIPLE DX	172	5.8	39	1	1	4	7	11	15	41
TOTAL 0-19 YRS	63	3.8	8	<1	1	3	5	9	10	12
20-34	227	5.2	36	<1	1	4	6	11	14	40
35-49	21	7.0	38	<1	1	6	8	15	22	26
50-64										
65+										
GRAND TOTAL	**311**	**5.1**	**31**	**<1**	**1**	**4**	**6**	**10**	**13**	**37**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	435	2.3	1	<1	<1	2	3	3	4	7
20-34	1931	2.3	1	<1	1	2	3	3	4	6
35-49	97	2.4	1	<1	<1	2	3	4	5	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	158	3.2	27	<1	1	2	3	5	6	15
20-34	859	3.0	9	<1	1	3	3	5	6	15
35-49	54	3.2	4	1	1	3	3	6	8	11
50-64										
65+										
TOT. SINGLE DX	2463	2.3	1	<1	<1	2	3	3	4	6
" MULTIPLE DX	1071	3.0	12	<1	1	3	3	5	6	15
TOTAL 0-19 YRS	593	2.5	9	<1	<1	2	3	4	5	9
20-34	2790	2.5	4	<1	1	2	3	4	5	7
35-49	151	2.7	3	<1	1	2	3	4	5	11
50-64										
65+										
GRAND TOTAL	**3534**	**2.5**	**5**	**<1**	**1**	**2**	**3**	**4**	**5**	**8**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1379	2.5		1	2	2	3	3	4	5
20-34	5213	2.6		1	1	2	3	4	4	5
35-49	323	2.6	1	1	1	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1070	3.1	7	1	2	3	3	4	5	10
20-34	4969	3.0	6	1	2	3	3	4	5	8
35-49	351	3.2	2	1	2	3	4	5	6	10
50-64										
65+										
TOT. SINGLE DX	6915	2.5	1	1	1	2	3	4	4	5
" MULTIPLE DX	6390	3.0	7	1	2	3	3	4	5	9
TOTAL 0-19 YRS	2449	2.8	4	1	2	3	3	4	4	8
20-34	10182	2.8	4	1	2	3	3	4	5	7
35-49	674	2.9	2	1	1	3	3	4	5	9
50-64										
65+										
GRAND TOTAL	**13305**	**2.8**	**4**	**1**	**2**	**3**	**3**	**4**	**5**	**7**

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	42	3.4	4	1	1	3	4	7	9	99+
20-34	38	4.1	10	1	1	3	5	8	11	17
35-49	34	3.8	7	2	2	3	5	8	10	11
50-64	25	8.6	112	2	2	7	9	12	33	53
65+	17	5.6	27	<1	1	3	8	15	17	17
2. MULTIPLE DX										
0-19 YRS	26	3.5	14	<1	1	2	3	8	13	18
20-34	43	5.9	65	2	2	3	5	12	31	37
35-49	59	5.7	60	1	2	3	7	14	22	95
50-64	87	7.7	93	1	2	4	9	20	30	49
65+	68	7.9	74	2	2	4	9	19	33	40
TOT. SINGLE DX	156	4.7	29	1	2	3	6	10	12	51
" MULTIPLE DX	283	6.7	72	1	2	3	7	17	28	49
TOTAL 0-19 YRS	68	3.4	8	<1	1	2	4	8	10	84
20-34	81	5.0	40	1	2	3	5	8	15	36
35-49	93	5.0	42	1	2	3	6	11	17	78
50-64	112	7.9	97	2	2	4	9	19	30	52
65+	85	7.4	66	1	2	4	9	17	28	39
GRAND TOTAL	**439**	**6.0**	**57**	**1**	**2**	**3**	**7**	**12**	**21**	**51**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	278	3.8	1	2	3	4	4	5	6	9
20-34	590	3.6	1	2	2	3	4	5	6	9
35-49	265	3.6	2	2	2	3	4	5	6	8
50-64	95	3.5	2	2	2	3	4	5	6	9
65+	23	3.7	6	1	2	3	4	5	9	14
2. MULTIPLE DX										
0-19 YRS	332	4.0	2	2	3	4	5	6	7	9
20-34	376	4.2	6	2	3	4	5	6	7	11
35-49	182	4.4	12	2	2	4	5	7	9	17
50-64	88	4.4	14	2	2	4	5	7	9	25
65+	36	8.8	63	2	3	5	14	20	22	38
TOT. SINGLE DX	1251	3.7	2	2	2	3	4	5	6	9
" MULTIPLE DX	1014	4.4	9	2	2	4	5	6	8	17
TOTAL 0-19 YRS	610	3.9	2	2	3	4	4	5	7	9
20-34	966	3.9	4	2	2	4	4	5	6	9
35-49	447	3.9	7	2	2	3	4	6	7	15
50-64	183	3.9	8	2	2	3	5	6	7	17
65+	59	6.8	47	2	2	4	9	16	21	37
GRAND TOTAL	**2265**	**4.0**	**6**	**2**	**2**	**4**	**4**	**6**	**7**	**14**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	86	2.6	2	1	1	2	3	4	7	10
20-34	154	2.9	3	1	1	3	3	5	6	9
35-49	42	2.5	1	<1	1	2	3	4	5	8
50-64	14	3.6	7	1	1	3	4	8	10	10
65+	9	3.8	3	2	2	3	5	7	7	7
2. MULTIPLE DX										
0-19 YRS	176	4.5	24	1	1	3	5	8	11	25
20-34	234	5.2	35	1	1	3	6	10	19	33
35-49	95	5.3	13	1	2	4	7	9	12	20
50-64	29	9.2	269	1	1	4	6	30	42	79
65+	25	9.1	64	2	2	8	11	20	26	34
TOT. SINGLE DX	305	2.8	3	1	1	2	3	5	6	9
" MULTIPLE DX	559	5.4	43	1	1	4	6	10	16	34
TOTAL 0-19 YRS	262	3.8	18	1	1	3	4	7	10	20
20-34	388	4.3	24	1	1	3	5	8	12	25
35-49	137	4.4	11	1	1	3	6	9	10	18
50-64	43	7.4	189	1	1	3	6	14	37	79
65+	34	7.7	54	2	2	5	9	19	23	34
GRAND TOTAL	**864**	**4.5**	**30**	**1**	**1**	**3**	**5**	**8**	**11**	**27**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	107	3.2	8	1	1	2	4	5	7	18
20-34	311	3.3	5	1	1	3	4	6	8	12
35-49	125	3.6	10	1	1	3	4	7	9	20
50-64	29	3.3	4	1	1	3	4	5	8	11
65+	14	3.2	1	1	2	3	4	5	6	6
2. MULTIPLE DX										
0-19 YRS	210	5.7	35	1	2	4	7	10	12	35
20-34	513	6.5	64	1	2	4	7	13	18	46
35-49	206	6.7	65	2	2	5	8	13	17	64
50-64	100	8.9	112	1	2	6	10	18	36	58
65+	63	11.0	132	2	2	5	16	28	38	50
TOT. SINGLE DX	586	3.4	7	1	1	3	4	6	8	13
" MULTIPLE DX	1092	6.9	69	1	2	4	8	13	20	49
TOTAL 0-19 YRS	317	4.8	28	1	1	3	6	9	11	28
20-34	824	5.3	44	1	2	4	6	10	15	36
35-49	331	5.6	47	1	2	4	7	11	15	39
50-64	129	7.7	94	1	2	4	9	15	26	53
65+	77	9.6	117	2	2	5	12	25	35	49
GRAND TOTAL	**1678**	**5.7**	**50**	**1**	**2**	**4**	**6**	**11**	**16**	**42**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	3.6	5	2	2	3	4	7	9	11
20-34	21	5.1	16	1	2	3	8	12	14	14
35-49	34	4.0	6	<1	1	3	5	8	10	11
50-64	22	3.6	2	2	2	3	4	6	7	9
65+	16	3.5	5	2	2	3	4	6	9	11
2. MULTIPLE DX										
0-19 YRS	33	3.5	3	2	2	3	4	5	8	10
20-34	29	6.9	200	<1	1	4	6	10	16	79
35-49	27	5.9	31	2	2	4	6	13	20	26
50-64	29	5.1	34	2	2	3	6	9	11	33
65+	28	6.8	67	2	2	4	8	12	18	44
TOT. SINGLE DX	124	4.0	7	1	2	3	5	8	10	14
" MULTIPLE DX	146	5.5	66	1	2	3	6	10	13	45
TOTAL 0-19 YRS	64	3.6	4	2	2	3	4	6	8	11
20-34	50	6.1	122	1	1	3	7	10	14	79
35-49	61	4.8	18	1	2	4	6	10	12	25
50-64	51	4.5	21	2	2	3	5	8	9	33
65+	44	5.6	47	2	2	3	6	11	14	44
GRAND TOTAL	**270**	**4.8**	**39**	**2**	**2**	**3**	**5**	**9**	**11**	**32**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	357	5.8	33	1	2	4	7	12	16	24
20-34	196	4.9	22	1	1	3	6	10	15	22
35-49	154	4.7	9	1	2	4	6	9	11	15
50-64	163	6.4	27	2	2	5	8	11	15	28
65+	51	8.8	50	3	3	7	11	16	27	99
2. MULTIPLE DX										
0-19 YRS	415	8.1	91	2	2	5	8	16	24	52
20-34	191	7.8	86	1	2	5	9	16	32	49
35-49	182	7.0	46	2	2	5	8	14	23	33
50-64	243	8.4	70	2	2	6	10	16	25	51
65+	150	10.1	76	2	3	8	11	20	27	42
TOT. SINGLE DX	921	5.7	28	1	2	4	7	11	15	25
" MULTIPLE DX	1181	8.2	78	2	2	5	9	17	25	49
TOTAL 0-19 YRS	772	7.0	66	1	2	5	8	14	20	45
20-34	387	6.3	56	1	1	4	7	12	20	41
35-49	336	5.9	31	1	2	4	7	11	15	31
50-64	406	7.6	54	2	2	6	9	15	22	48
65+	201	9.8	70	2	3	7	11	19	27	53
GRAND TOTAL	**2102**	**7.1**	**57**	**1**	**2**	**5**	**8**	**14**	**20**	**43**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	111	3.4	2	2	2	3	4	5	6	8
20-34	210	3.4	6	1	1	3	4	5	6	8
35-49	293	3.5	2	1	2	3	4	6	6	8
50-64	312	4.0	3	1	2	4	5	6	7	9
65+	131	4.0	4	1	2	4	5	6	8	11
2. MULTIPLE DX										
0-19 YRS	126	3.6	2	1	2	3	4	5	6	9
20-34	332	3.7	3	1	2	3	5	6	7	10
35-49	522	4.2	12	1	2	4	5	6	8	14
50-64	903	4.2	4	2	2	4	5	7	8	11
65+	648	5.0	9	2	2	4	6	8	11	18
TOT. SINGLE DX	1057	3.6	4	1	2	3	5	6	7	9
" MULTIPLE DX	2531	4.3	8	2	2	4	5	7	8	15
TOTAL 0-19 YRS	237	3.5	2	1	2	3	4	5	6	9
20-34	542	3.6	5	1	2	3	4	6	6	9
35-49	815	4.0	9	1	2	4	5	6	7	11
50-64	1215	4.2	5	2	2	4	5	7	8	11
65+	779	4.8	9	2	2	4	6	8	10	18
GRAND TOTAL	**3588**	**4.1**	**7**	**1**	**2**	**4**	**5**	**6**	**8**	**13**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	881	3.8	13	1	1	3	4	7	11	20
20-34	1003	4.0	16	1	1	3	4	8	10	18
35-49	824	4.2	16	1	1	3	5	9	12	20
50-64	612	4.6	26	1	2	3	5	8	12	28
65+	346	5.6	32	1	1	4	6	12	17	32
2. MULTIPLE DX										
0-19 YRS	473	8.5	140	1	2	4	9	23	37	59
20-34	853	7.8	124	1	2	4	8	19	33	83
35-49	960	6.9	77	1	2	4	8	15	22	50
50-64	1036	8.0	109	1	2	4	9	18	29	61
65+	889	11.1	132	2	2	8	14	24	35	62
TOT. SINGLE DX	3666	4.2	19	1	1	3	5	8	12	23
" MULTIPLE DX	4211	8.4	115	1	2	4	10	20	31	62
TOTAL 0-19 YRS	1354	5.4	63	1	1	3	5	11	19	44
20-34	1856	5.7	70	1	1	3	6	11	19	53
35-49	1784	5.7	51	1	2	3	6	12	17	40
50-64	1648	6.8	81	1	2	4	7	15	23	50
65+	1235	9.5	111	1	2	6	12	21	30	54
GRAND TOTAL	**7877**	**6.5**	**75**	**1**	**2**	**4**	**7**	**14**	**22**	**49**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	373	6.7	59	1	2	4	7	13	25	40
20-34	249	5.2	27	1	2	4	6	9	12	34
35-49	119	5.9	15	1	2	5	8	12	13	19
50-64	123	8.3	54	2	2	7	10	15	21	48
65+	158	11.3	31	3	4	10	15	18	21	25
2. MULTIPLE DX										
0-19 YRS	242	10.3	198	2	2	5	10	23	43	71
20-34	195	10.5	141	2	2	6	13	25	41	68
35-49	123	13.5	203	2	2	8	17	34	45	67
50-64	164	12.9	152	3	4	9	16	25	35	74
65+	420	15.9	128	4	6	13	18	29	40	61
TOT. SINGLE DX	1022	7.2	45	1	2	5	9	15	19	37
" MULTIPLE DX	1144	13.1	162	2	3	9	16	27	41	69
TOTAL 0-19 YRS	615	8.1	117	1	2	4	8	19	30	60
20-34	444	7.5	84	1	2	5	8	15	25	52
35-49	242	9.8	125	2	2	6	11	20	34	61
50-64	287	10.9	115	2	3	8	13	22	30	60
65+	578	14.6	107	4	5	13	17	24	36	55
GRAND TOTAL	**2166**	**10.3**	**116**	**2**	**2**	**7**	**13**	**21**	**32**	**58**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	575	2.6	9	<1	<1	2	3	4	5	18
20-34	621	2.8	8	<1	1	2	3	5	7	13
35-49	389	3.1	9	<1	1	2	4	6	7	20
50-64	276	3.7	24	<1	1	2	4	7	10	21
65+	243	5.5	33	<1	1	3	7	13	17	29
2. MULTIPLE DX										
0-19 YRS	339	5.9	95	<1	1	3	5	14	22	65
20-34	299	5.7	42	1	1	4	6	13	19	36
35-49	204	7.3	79	1	2	4	8	15	29	46
50-64	228	8.1	115	1	2	4	9	19	33	65
65+	389	10.7	104	2	2	8	15	23	28	47
TOT. SINGLE DX	2104	3.2	14	<1	1	2	3	6	9	22
" MULTIPLE DX	1459	7.7	92	1	2	4	9	18	26	50
TOTAL 0-19 YRS	914	3.8	44	<1	1	2	3	6	13	34
20-34	920	3.7	21	<1	1	2	4	7	11	26
35-49	593	4.6	37	<1	1	3	5	9	15	34
50-64	504	5.7	70	1	1	3	6	11	19	53
65+	632	8.7	84	1	2	5	12	20	26	43
GRAND TOTAL	**3563**	**5.1**	**51**	**<1**	**1**	**3**	**5**	**11**	**18**	**38**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	78	16.4	151	3	4	13	26	34	38	51
20-34	35	13.3	126	4	4	10	15	28	41	55
35-49	22	10.2	20	4	5	10	13	16	18	21
50-64	56	9.9	15	5	5	9	12	16	17	20
65+	160	13.0	28	4	6	13	16	19	21	28
2. MULTIPLE DX										
0-19 YRS	75	20.6	282	5	6	16	24	37	59	85
20-34	67	17.9	173	5	7	14	20	37	48	59
35-49	39	24.0	345	5	9	20	29	64	73	99+
50-64	70	17.3	142	7	8	13	21	31	42	64
65+	470	17.1	106	7	8	15	19	28	37	59
TOT. SINGLE DX	351	13.1	67	4	5	12	16	22	30	42
" MULTIPLE DX	721	17.9	149	6	8	15	20	33	45	71
TOTAL 0-19 YRS	153	18.5	218	3	5	15	25	35	44	81
20-34	102	16.3	161	4	5	12	20	36	47	58
35-49	61	19.0	270	4	6	14	21	48	68	97
50-64	126	14.0	99	5	6	11	16	24	33	62
65+	630	16.1	90	6	8	14	18	25	33	57
GRAND TOTAL	**1072**	**16.4**	**127**	**5**	**7**	**14**	**19**	**28**	**37**	**66**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	135	8.6	47	3	3	7	11	15	21	42
20-34	123	10.7	52	3	5	9	13	18	22	41
35-49	118	11.9	56	5	6	9	14	22	29	39
50-64	291	11.0	20	5	6	10	14	17	19	27
65+	1197	13.7	33	7	8	13	16	20	24	36
2. MULTIPLE DX										
0-19 YRS	186	16.9	206	4	6	13	21	31	50	91
20-34	259	18.4	183	6	7	14	23	40	51	97
35-49	184	17.2	155	6	7	13	20	35	45	74
50-64	545	17.6	154	7	8	14	21	32	44	92
65+	4494	17.0	84	8	9	15	19	28	35	57
TOT. SINGLE DX	1864	12.6	38	5	6	12	15	19	23	36
" MULTIPLE DX	5668	17.1	102	7	9	15	20	29	37	64
TOTAL 0-19 YRS	321	13.4	156	3	4	10	16	25	33	76
20-34	382	15.9	154	5	6	12	19	35	45	76
35-49	302	15.1	123	5	6	11	18	31	40	64
50-64	836	15.3	118	6	7	13	17	26	36	77
65+	5691	16.3	75	8	9	14	19	26	33	54
GRAND TOTAL	**7532**	**16.0**	**90**	**6**	**8**	**14**	**18**	**26**	**34**	**59**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	248	8.8	90	1	1	4	12	25	30	35
20-34	16	20.1	296	4	4	11	35	45	53	56
35-49	7	9.4	48	3	3	5	14	20	21	21
50-64	12	12.6	269	1	1	5	21	41	44	44
65+	44	14.2	157	4	5	11	16	27	34	78
2. MULTIPLE DX										
0-19 YRS	119	11.8	89	2	2	9	18	25	28	44
20-34	52	20.8	336	4	5	17	26	45	80	99+
35-49	30	23.5	321	4	5	18	35	50	65	69
50-64	29	19.1	314	2	3	12	22	50	60	63
65+	120	18.0	244	3	5	13	22	40	60	86
TOT. SINGLE DX	327	10.3	121	1	1	6	14	28	32	47
" MULTIPLE DX	350	16.9	230	2	4	13	22	39	52	82
TOTAL 0-19 YRS	367	9.8	92	1	1	6	16	25	29	40
20-34	68	20.6	323	4	5	16	30	45	73	97
35-49	37	20.9	298	3	4	14	30	41	63	69
50-64	41	17.2	303	1	2	9	22	46	54	63
65+	164	16.9	223	3	5	13	19	39	54	81
GRAND TOTAL	**677**	**13.7**	**188**	**1**	**2**	**9**	**18**	**31**	**41**	**72**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	337	4.3	25	1	1	2	4	12	17	23
20-34	231	3.3	10	<1	1	2	4	6	8	22
35-49	143	3.7	13	1	1	3	5	7	8	20
50-64	162	4.3	18	<1	1	3	5	9	12	22
65+	111	4.5	37	1	1	3	5	9	13	35
2. MULTIPLE DX										
0-19 YRS	111	9.5	136	1	1	5	12	23	36	56
20-34	119	7.7	72	1	2	5	9	16	24	51
35-49	86	7.8	67	1	2	5	10	19	28	80
50-64	116	8.2	111	1	2	4	9	21	35	80
65+	168	9.2	110	1	2	6	11	19	29	67
TOT. SINGLE DX	984	4.0	21	1	1	2	5	8	13	22
" MULTIPLE DX	600	8.6	102	1	2	5	10	20	29	61
TOTAL 0-19 YRS	448	5.6	58	1	1	3	6	14	20	42
20-34	350	4.8	36	1	1	3	5	10	14	27
35-49	229	5.2	38	1	1	4	6	10	18	44
50-64	278	5.9	61	1	1	3	6	12	20	47
65+	279	7.4	87	1	1	5	9	14	21	60
GRAND TOTAL	**1584**	**5.7**	**56**	**1**	**1**	**3**	**6**	**13**	**19**	**43**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1365	3.2	6	1	1	3	4	6	7	12
20-34	1722	4.1	10	1	1	3	5	7	9	15
35-49	1059	4.9	18	1	2	4	6	9	11	24
50-64	877	5.4	14	1	2	5	7	9	12	17
65+	533	6.9	30	2	2	6	8	13	15	26
2. MULTIPLE DX										
0-19 YRS	583	6.6	61	1	2	4	7	13	19	47
20-34	1258	8.0	95	1	2	5	9	16	26	57
35-49	834	8.4	87	1	2	6	10	17	25	54
50-64	832	9.2	75	2	3	7	11	18	27	50
65+	943	11.2	94	3	4	8	14	21	28	52
TOT. SINGLE DX	5556	4.5	15	1	1	4	6	8	11	18
" MULTIPLE DX	4450	8.8	88	2	2	6	10	17	26	52
TOTAL 0-19 YRS	1948	4.2	25	1	1	3	5	8	11	24
20-34	2980	5.8	50	1	2	4	6	10	15	40
35-49	1893	6.4	51	1	2	5	7	12	18	40
50-64	1709	7.3	48	2	2	5	9	14	18	39
65+	1476	9.6	75	2	3	7	12	18	24	46
GRAND TOTAL	**10006**	**6.4**	**52**	**1**	**2**	**4**	**7**	**13**	**17**	**40**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2454	2.1	5	<1	1	1	2	4	6	12
20-34	594	3.4	14	1	1	2	4	6	9	18
35-49	397	3.7	16	1	1	3	5	7	9	21
50-64	444	3.7	19	1	1	2	4	7	11	20
65+	444	4.2	26	1	1	3	5	9	11	29
2. MULTIPLE DX										
0-19 YRS	636	4.9	41	1	1	3	6	11	17	31
20-34	497	6.9	86	1	1	4	8	13	19	60
35-49	332	7.9	135	1	1	4	8	15	24	64
50-64	424	8.2	106	1	2	5	9	17	27	57
65+	872	7.7	56	1	2	6	10	15	21	43
TOT. SINGLE DX	4333	2.8	12	<1	1	2	3	6	8	16
" MULTIPLE DX	2761	7.0	77	1	1	4	8	14	21	49
TOTAL 0-19 YRS	3090	2.7	14	<1	1	2	3	5	8	19
20-34	1091	5.0	50	1	1	3	6	10	13	41
35-49	729	5.6	75	1	1	3	6	11	15	52
50-64	868	5.9	67	1	1	3	6	12	18	44
65+	1316	6.5	49	1	1	5	8	13	18	37
GRAND TOTAL	**7094**	**4.4**	**42**	**1**	**1**	**2**	**5**	**10**	**14**	**32**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	218	4.5	45	<1	1	2	4	15	20	25
20-34	161	2.4	7	<1	1	1	2	5	8	16
35-49	91	2.5	5	<1	<1	2	3	5	7	14
50-64	73	3.3	15	<1	1	2	4	7	9	21
65+	152	5.6	40	1	1	3	8	13	19	27
2. MULTIPLE DX										
0-19 YRS	82	7.7	115	<1	1	4	9	22	28	60
20-34	132	8.1	119	1	1	4	9	20	40	67
35-49	76	6.7	100	1	1	4	7	13	25	59
50-64	107	6.6	93	1	1	4	9	13	17	60
65+	239	8.1	101	1	1	5	10	17	28	42
TOT. SINGLE DX	695	3.9	29	<1	1	2	4	10	15	23
" MULTIPLE DX	636	7.6	105	1	1	4	9	17	27	60
TOTAL 0-19 YRS	300	5.4	66	<1	1	2	5	16	22	33
20-34	293	5.0	66	<1	1	2	5	13	19	56
35-49	167	4.4	52	<1	1	2	5	8	13	47
50-64	180	5.3	64	1	1	3	6	12	17	39
65+	391	7.2	79	1	1	4	9	16	23	40
GRAND TOTAL	**1331**	**5.7**	**69**	**1**	**1**	**3**	**7**	**14**	**20**	**42**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	119	4.0	10	1	1	3	5	7	10	18
20-34	207	3.5	10	1	1	3	4	5	6	23
35-49	87	3.5	5	1	1	3	4	6	8	13
50-64	48	5.1	10	2	2	4	6	9	10	18
65+	34	11.9	122	1	2	9	16	25	30	54
2. MULTIPLE DX										
0-19 YRS	60	6.6	71	1	2	4	7	12	20	53
20-34	73	8.0	73	1	2	5	9	17	28	43
35-49	51	6.8	36	1	2	5	7	15	19	29
50-64	46	7.6	57	2	2	6	10	13	19	47
65+	55	11.6	38	3	4	10	16	22	23	24
TOT. SINGLE DX	495	4.4	21	1	1	3	5	7	12	25
" MULTIPLE DX	285	8.1	60	1	2	6	10	17	23	43
TOTAL 0-19 YRS	179	4.9	32	1	1	4	5	9	12	32
20-34	280	4.7	31	1	2	3	5	8	13	32
35-49	138	4.7	19	1	1	4	5	10	14	25
50-64	94	6.3	35	2	2	5	8	12	14	37
65+	89	11.7	70	2	3	10	16	23	24	45
GRAND TOTAL	**780**	**5.7**	**39**	**1**	**2**	**4**	**6**	**12**	**18**	**31**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	509	4.8	29	1	1	3	5	11	15	29
20-34	451	3.2	9	<1	1	2	4	6	8	15
35-49	283	3.7	16	1	1	2	4	6	11	26
50-64	164	5.0	33	1	1	3	5	11	14	35
65+	94	9.6	112	2	2	7	13	18	23	64
2. MULTIPLE DX										
0-19 YRS	364	7.1	80	1	1	4	8	18	25	42
20-34	439	5.6	59	1	1	3	5	13	19	45
35-49	289	6.4	68	1	2	3	7	14	22	40
50-64	233	10.7	130	2	2	6	15	29	35	56
65+	278	16.5	258	2	3	12	22	37	50	85
TOT. SINGLE DX	1501	4.4	29	1	1	3	5	10	14	27
" MULTIPLE DX	1603	8.7	126	1	2	4	10	22	31	60
TOTAL 0-19 YRS	873	5.8	52	1	1	3	6	14	21	40
20-34	890	4.4	36	1	1	3	5	9	14	31
35-49	572	5.1	45	1	1	3	5	11	17	31
50-64	397	8.4	99	1	2	4	10	23	31	54
65+	372	14.8	230	2	3	10	18	35	49	75
GRAND TOTAL	**3104**	**6.6**	**84**	**1**	**1**	**3**	**7**	**16**	**25**	**49**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	92	6.8	21	2	3	6	8	13	16	26
20-34	2561	8.0	22	3	3	7	10	14	17	26
35-49	4402	8.3	19	3	4	7	10	14	17	23
50-64	1956	9.1	22	3	4	8	11	15	18	25
65+	340	11.0	36	4	4	10	14	19	24	31
2. MULTIPLE DX										
0-19 YRS	26	11.1	77	2	3	9	13	21	35	37
20-34	756	10.5	49	3	4	9	12	18	23	39
35-49	1849	10.6	37	4	5	9	13	18	21	32
50-64	1570	11.5	45	4	5	10	14	19	24	36
65+	827	14.0	55	5	7	12	17	24	28	39
TOT. SINGLE DX	9351	8.5	22	3	4	8	10	14	17	25
" MULTIPLE DX	5028	11.4	46	4	5	10	14	19	24	35
TOTAL 0-19 YRS	118	7.7	36	2	3	6	10	14	17	35
20-34	3317	8.6	30	3	3	7	10	15	18	28
35-49	6251	8.9	26	3	4	8	11	15	18	26
50-64	3526	10.2	34	4	4	9	12	17	21	31
65+	1167	13.2	52	4	6	12	16	23	26	37
GRAND TOTAL	**14379**	**9.5**	**32**	**3**	**4**	**8**	**12**	**16**	**20**	**30**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	385	2.3	1	1	1	2	3	4	5	7
20-34	1101	2.5	2	<1	1	2	3	4	5	8
35-49	777	2.6	3	<1	1	2	3	4	6	11
50-64	440	2.8	5	1	1	2	3	5	7	15
65+	159	3.1	4	1	1	2	4	6	7	11
2. MULTIPLE DX										
0-19 YRS	355	2.8	4	<1	1	2	4	5	6	11
20-34	1040	2.9	8	<1	1	2	4	5	7	13
35-49	820	3.0	7	<1	1	2	4	5	7	15
50-64	943	3.5	11	1	1	3	4	6	9	17
65+	591	4.1	22	1	2	3	4	8	10	16
TOT. SINGLE DX	2862	2.6	3	<1	1	2	3	4	6	10
" MULTIPLE DX	3749	3.2	11	<1	1	2	4	6	8	16
TOTAL 0-19 YRS	740	2.6	3	1	1	2	3	5	6	8
20-34	2141	2.7	6	<1	1	2	3	5	6	11
35-49	1597	2.8	6	<1	1	2	3	5	6	14
50-64	1383	3.3	10	1	1	2	4	6	8	16
65+	750	3.8	19	1	1	3	4	7	10	16
GRAND TOTAL	**6611**	**2.9**	**8**	**<1**	**1**	**2**	**3**	**5**	**7**	**14**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	794	2.5	8	<1	1	2	2	4	6	18
20-34	1270	2.4	4	<1	1	2	3	4	5	11
35-49	780	2.8	7	1	1	2	3	5	6	11
50-64	509	3.4	16	1	1	2	4	6	8	20
65+	194	4.0	19	1	1	3	4	7	11	22
2. MULTIPLE DX										
0-19 YRS	495	3.3	19	<1	1	2	3	5	10	24
20-34	1080	3.4	20	1	1	2	3	6	8	27
35-49	773	3.8	15	1	1	2	4	7	12	21
50-64	667	5.2	55	1	1	3	5	11	17	41
65+	400	7.1	66	1	2	4	8	16	25	39
TOT. SINGLE DX	3547	2.7	9	<1	1	2	3	5	6	16
" MULTIPLE DX	3415	4.2	33	1	1	2	4	8	14	31
TOTAL 0-19 YRS	1289	2.8	13	<1	1	2	3	4	7	22
20-34	2350	2.8	12	<1	1	2	3	5	7	17
35-49	1553	3.3	12	1	1	2	4	6	3	18
50-64	1176	4.4	39	1	1	3	4	8	14	35
65+	594	6.1	53	1	2	3	7	14	21	39
GRAND TOTAL	**6962**	**3.5**	**21**	**1**	**1**	**2**	**3**	**6**	**10**	**25**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	313	10.0	14	6	7	9	11	15	16	25
20-34	208	11.3	64	4	6	9	12	19	23	51
35-49	259	9.3	49	3	5	8	11	15	17	30
50-64	124	9.3	18	4	5	8	11	16	17	24
65+	20	10.1	16	4	5	10	14	16	17	17
2. MULTIPLE DX										
0-19 YRS	251	16.4	190	6	7	12	17	34	55	99+
20-34	181	17.1	208	6	7	12	21	37	57	99+
35-49	278	13.7	116	5	6	10	15	24	37	63
50-64	208	14.4	154	5	6	11	16	25	38	79
65+	81	19.0	261	6	7	14	21	36	76	99+
TOT. SINGLE DX	924	10.0	36	4	5	9	11	16	18	30
" MULTIPLE DX	999	15.6	173	5	7	11	17	30	48	98
TOTAL 0-19 YRS	564	12.9	102	6	7	10	14	21	33	87
20-34	389	14.0	140	5	6	10	16	26	40	95
35-49	537	11.6	89	4	5	9	13	19	27	56
50-64	332	12.5	109	4	5	10	14	21	26	68
65+	101	17.2	225	6	7	14	19	34	68	99+
GRAND TOTAL	**1923**	**12.9**	**115**	**5**	**6**	**10**	**14**	**22**	**33**	**78**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	99	4.4	8	1	2	4	5	9	11	14
20-34	176	4.5	8	1	1	4	6	8	10	16
35-49	155	4.3	8	1	1	4	6	8	10	13
50-64	168	4.3	13	1	1	3	5	8	12	19
65+	82	4.5	32	<1	1	3	5	8	14	37
2. MULTIPLE DX										
0-19 YRS	144	5.8	17	2	2	5	7	9	11	26
20-34	151	6.9	73	1	2	5	8	11	16	51
35-49	166	6.9	47	2	2	5	8	12	17	44
50-64	191	6.0	29	1	2	5	7	12	16	28
65+	154	6.9	47	1	2	5	8	14	23	35
TOT. SINGLE DX	680	4.4	12	1	1	4	5	8	11	17
" MULTIPLE DX	806	6.5	43	2	2	5	8	12	16	38
TOTAL 0-19 YRS	243	5.2	14	2	2	4	6	9	11	17
20-34	327	5.6	40	1	2	4	7	10	12	46
35-49	321	5.6	30	1	2	4	7	10	13	31
50-64	359	5.2	22	1	2	4	6	11	14	26
65+	236	6.1	43	1	2	4	7	13	21	36
GRAND TOTAL	**1486**	**5.5**	**30**	**1**	**2**	**4**	**7**	**10**	**13**	**30**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	12.0	20	8	8	11	15	18	18	18
20-34	58	11.7	16	7	8	11	14	17	19	25
35-49	153	11.6	22	6	7	11	14	17	19	31
50-64	450	12.7	23	7	8	12	15	18	22	29
65+	889	13.9	25	8	9	13	16	19	22	33
2. MULTIPLE DX										
0-19 YRS	5	27.0	494	9	9	22	38	64	64	64
20-34	56	13.8	37	7	8	12	18	23	31	95
35-49	175	14.2	54	7	8	12	16	23	30	44
50-64	633	15.6	71	8	9	14	17	23	30	54
65+	1943	16.6	70	9	10	15	19	25	31	55
TOT. SINGLE DX	1554	13.2	25	7	8	13	16	18	22	31
" MULTIPLE DX	2812	16.2	70	8	9	14	18	25	31	54
TOTAL 0-19 YRS	9	20.3	318	8	8	13	24	50	64	64
20-34	114	12.7	27	7	8	11	15	20	24	57
35-49	328	13.0	42	7	8	12	15	19	26	40
50-64	1083	14.4	53	8	8	13	16	21	26	47
65+	2832	15.8	58	8	9	14	17	23	29	49
GRAND TOTAL	**4366**	**15.2**	**56**	**8**	**9**	**14**	**17**	**22**	**28**	**48**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	6.8	9	2	2	7	9	11	11	11
20-34	14	10.8	18	4	6	10	13	17	19	19
35-49	47	10.2	13	5	6	10	12	15	16	22
50-64	134	12.3	20	7	8	11	15	18	21	26
65+	790	14.0	26	7	8	14	16	19	23	34
2. MULTIPLE DX										
0-19 YRS	9	8.3	25	2	2	9	13	15	15	15
20-34	22	13.5	55	4	6	13	17	22	29	34
35-49	45	14.0	58	6	7	12	17	25	29	40
50-64	246	15.9	71	6	8	14	19	25	31	47
65+	2686	17.2	88	8	9	15	20	27	34	57
TOT. SINGLE DX	991	13.5	26	7	8	13	16	19	22	31
" MULTIPLE DX	3008	17.0	86	8	9	15	19	27	34	57
TOTAL 0-19 YRS	15	7.7	19	2	2	7	11	15	15	15
20-34	36	12.5	42	4	6	11	16	20	24	34
35-49	92	12.0	39	5	7	10	14	21	25	36
50-64	380	14.6	57	7	8	13	17	24	28	42
65+	3476	16.5	76	8	9	15	19	25	32	52
GRAND TOTAL	**3999**	**16.1**	**74**	**7**	**9**	**15**	**18**	**25**	**31**	**51**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	357	3.8	3	1	2	4	5	6	7	10
20-34	495	4.2	6	1	2	4	5	7	9	13
35-49	245	5.7	28	1	1	4	7	12	17	24
50-64	447	11.7	36	2	3	12	15	19	22	27
65+	798	14.3	31	7	8	14	17	20	24	33
2. MULTIPLE DX										
0-19 YRS	310	5.0	14	2	2	4	6	8	11	21
20-34	637	5.0	15	1	2	4	6	8	12	20
35-49	330	6.5	59	1	2	4	8	14	17	45
50-64	565	13.1	85	2	3	12	17	23	30	45
65+	1556	16.3	63	7	9	15	19	24	30	48
TOT. SINGLE DX	2342	9.2	43	1	2	8	14	18	20	28
" MULTIPLE DX	3398	11.7	78	2	2	11	16	21	26	44
TOTAL 0-19 YRS	667	4.4	9	1	2	4	5	7	8	18
20-34	1132	4.7	12	1	2	4	6	8	10	18
35-49	575	6.2	46	1	1	4	7	13	17	33
50-64	1012	12.5	64	2	3	12	16	21	25	40
65+	2354	15.6	53	7	9	15	18	23	28	45
GRAND TOTAL	**5740**	**10.6**	**65**	**2**	**2**	**10**	**15**	**20**	**24**	**38**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	421	3.2	2	1	2	3	4	5	6	9
20-34	814	3.1	2	1	2	3	4	5	6	9
35-49	381	3.9	10	1	2	3	4	6	9	17
50-64	327	4.6	14	1	2	4	5	8	12	21
65+	148	4.9	14	2	2	4	6	9	10	18
2. MULTIPLE DX										
0-19 YRS	146	4.4	29	1	2	3	4	7	10	32
20-34	303	4.3	26	1	2	4	5	7	9	15
35-49	280	5.6	36	2	2	4	6	11	15	30
50-64	419	5.5	30	2	2	4	6	10	13	28
65+	320	7.4	48	2	3	5	9	15	19	28
TOT. SINGLE DX	2092	3.6	7	1	2	3	4	6	8	15
" MULTIPLE DX	1468	5.6	36	2	2	4	6	10	15	28
TOTAL 0-19 YRS	568	3.5	10	1	2	3	4	5	6	18
20-34	1117	3.5	9	1	2	3	4	5	7	11
35-49	661	4.6	22	1	2	3	5	8	12	24
50-64	746	5.1	23	2	2	4	6	10	13	24
65+	468	6.6	39	2	2	5	8	13	18	26
GRAND TOTAL	3560	4.4	20	1	2	3	5	8	11	21

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	303	4.2	24	<1	1	2	5	10	15	26
20-34	242	3.2	11	<1	<1	2	4	7	9	20
35-49	261	3.2	11	<1	<1	2	4	6	10	15
50-64	200	2.7	6	<1	<1	2	3	5	8	14
65+	65	3.3	18	<1	<1	2	3	6	12	26
2. MULTIPLE DX										
0-19 YRS	334	6.1	54	1	2	4	7	12	18	36
20-34	206	7.8	99	1	2	5	9	15	22	49
35-49	214	6.9	90	1	1	4	8	13	21	47
50-64	197	6.5	86	1	1	4	7	14	19	60
65+	142	10.3	141	2	2	6	12	21	35	63
TOT. SINGLE DX	1071	3.4	15	<1	<1	2	4	7	11	21
" MULTIPLE DX	1093	7.2	88	1	2	4	8	15	21	51
TOTAL 0-19 YRS	637	5.2	41	<1	1	3	6	11	16	31
20-34	448	5.3	57	<1	<1	3	6	11	16	40
35-49	475	4.9	50	<1	1	3	5	10	14	36
50-64	397	4.5	50	<1	<1	2	5	10	15	34
65+	207	8.1	113	<1	1	5	10	17	26	62
GRAND TOTAL	2164	5.3	56	<1	1	3	6	11	17	38

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	457	2.1	3	<1	<1	2	2	3	5	12
20-34	653	2.1	2	<1	<1	2	2	3	5	10
35-49	473	2.4	6	<1	<1	2	3	4	6	11
50-64	344	2.9	5	<1	1	2	3	5	8	13
65+	174	4.2	24	<1	<1	2	4	10	13	24
2. MULTIPLE DX										
0-19 YRS	132	4.1	20	1	1	2	5	9	15	24
20-34	219	4.3	24	1	1	3	5	9	12	30
35-49	285	5.1	45	1	1	3	6	10	15	28
50-64	364	7.4	93	1	2	4	9	16	23	46
65+	342	7.6	59	1	2	5	9	17	22	33
TOT. SINGLE DX	2101	2.5	6	<1	<1	2	3	4	6	12
" MULTIPLE DX	1342	6.1	58	1	1	4	7	13	19	37
TOTAL 0-19 YRS	589	2.6	8	<1	<1	2	3	5	7	17
20-34	872	2.6	9	<1	<1	2	3	5	7	14
35-49	758	3.5	23	<1	<1	2	4	7	10	24
50-64	708	5.2	56	<1	1	3	5	11	16	40
65+	516	6.4	50	<1	1	4	9	14	21	30
GRAND TOTAL	3443	3.9	30	<1	<1	2	4	9	12	26

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	2.3	2	<1	<1	2	3	5	6	7
20-34	27	2.6	2	<1	<1	2	3	5	6	7
35-49	71	2.3	2	<1	<1	2	3	4	5	8
50-64	184	2.3	1	1	1	2	3	4	4	7
65+	134	2.2	1	<1	1	2	3	3	4	6
2. MULTIPLE DX										
0-19 YRS	21	4.2	42	1	1	2	3	9	22	29
20-34	36	3.2	19	<1	1	2	3	5	8	27
35-49	48	3.5	17	1	1	2	4	7	8	29
50-64	134	3.1	8	1	1	2	3	6	9	17
65+	121	3.5	7	1	1	3	4	7	9	16
TOT. SINGLE DX	437	2.3	2	<1	1	2	3	4	5	7
" MULTIPLE DX	360	3.4	12	1	1	2	3	6	9	20
TOTAL 0-19 YRS	42	3.2	23	<1	1	2	3	5	11	29
20-34	63	2.9	12	<1	<1	2	3	5	7	25
35-49	119	2.8	9	<1	<1	2	3	5	7	16
50-64	318	2.6	4	1	1	2	3	4	6	13
65+	255	2.8	4	1	1	2	3	5	6	12
GRAND TOTAL	797	2.8	7	<1	1	2	3	5	6	15

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	289	2.1	4	<1	1	2	2	3	4	10
20-34	394	2.3	3	<1	1	2	3	4	5	9
35-49	165	2.0	1	<1	1	2	2	3	4	7
50-64	107	2.7	10	<1	1	2	3	5	5	19
65+	34	2.6	4	1	1	2	3	4	5	13
2. MULTIPLE DX										
0-19 YRS	209	2.3	2	1	1	2	3	4	5	8
20-34	346	2.9	6	1	1	2	3	5	8	15
35-49	169	3.4	14	1	1	2	4	6	10	23
50-64	99	4.4	28	1	1	3	5	9	12	32
65+	49	3.8	10	1	1	3	4	10	11	12
TOT. SINGLE DX	989	2.2	4	<1	1	2	3	4	5	9
" MULTIPLE DX	872	3.1	10	1	1	2	3	5	9	17
TOTAL 0-19 YRS	498	2.2	3	<1	1	2	2	4	5	8
20-34	740	2.6	5	<1	1	2	3	4	6	14
35-49	334	2.7	9	1	1	2	3	4	7	18
50-64	206	3.5	20	<1	1	2	4	5	9	30
65+	83	3.3	8	1	1	2	4	9	11	13
GRAND TOTAL	1861	2.6	7	<1	1	2	3	4	6	13

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	192	2.3	2	1	1	2	3	4	5	7
20-34	338	3.0	5	<1	1	3	4	5	7	12
35-49	310	3.2	3	1	1	3	4	5	7	9
50-64	352	3.8	6	1	2	3	5	6	8	15
65+	138	4.0	5	2	2	4	5	7	8	12
2. MULTIPLE DX										
0-19 YRS	98	4.7	74	1	1	3	4	8	14	88
20-34	237	4.8	20	1	1	3	6	10	15	22
35-49	234	5.6	35	1	2	4	6	10	16	40
50-64	291	5.1	27	1	2	4	6	9	12	19
65+	222	6.3	47	1	2	5	8	12	14	30
TOT. SINGLE DX	1330	3.3	5	1	1	3	4	5	7	11
" MULTIPLE DX	1082	5.3	36	1	1	4	6	10	14	26
TOTAL 0-19 YRS	290	3.1	28	1	1	2	3	5	7	32
20-34	575	3.7	12	1	1	3	4	7	10	21
35-49	544	4.2	18	1	1	3	5	7	10	21
50-64	643	4.4	17	1	2	4	5	8	10	17
65+	360	5.4	33	1	2	4	6	10	13	24
GRAND TOTAL	2412	4.2	20	1	1	3	5	8	10	20

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	462	3.4	4	1	1	3	4	6	7	11
20-34	247	3.6	14	1	1	3	4	6	9	19
35-49	218	3.6	12	1	1	3	4	6	8	62
50-64	123	4.0	7	2	2	3	4	7	9	17
65+	44	4.9	12	1	2	4	6	9	13	17
2. MULTIPLE DX										
0-19 YRS	594	4.5	55	1	2	3	5	7	9	45
20-34	153	6.9	94	1	2	4	6	16	26	46
35-49	111	6.4	46	1	1	4	7	14	22	37
50-64	85	6.8	41	1	2	4	9	15	21	31
65+	91	10.2	196	2	2	7	11	17	43	95
TOT. SINGLE DX	1094	3.6	9	1	1	3	4	6	8	17
" MULTIPLE DX	1034	5.8	74	1	2	4	6	11	16	47
TOTAL 0-19 YRS	1056	4.0	33	1	2	3	4	6	8	18
20-34	400	4.9	47	1	1	3	5	9	16	41
35-49	329	4.5	26	1	1	3	5	8	13	42
50-64	208	5.1	23	2	2	4	5	11	15	28
65+	135	8.5	142	2	2	5	9	16	24	90
GRAND TOTAL	2128	4.7	42	1	2	3	5	8	12	37

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	66	2.5	5	1	1	2	2	6	7	14
20-34	130	2.2	3	<1	1	2	3	4	5	11
35-49	75	3.8	31	<1	1	2	3	8	16	32
50-64	59	2.9	5	<1	1	2	4	6	9	11
65+	27	3.1	4	<1	1	3	3	7	9	9
2. MULTIPLE DX										
0-19 YRS	51	3.8	9	1	1	3	5	9	11	13
20-34	103	4.6	40	<1	1	3	4	9	16	36
35-49	63	6.0	71	1	1	3	6	14	26	41
50-64	74	7.3	153	<1	1	3	6	19	24	77
65+	75	8.9	193	1	1	4	10	20	44	96
TOT. SINGLE DX	357	2.8	10	<1	1	2	3	5	8	17
" MULTIPLE DX	366	6.2	98	1	1	3	6	13	22	67
TOTAL 0-19 YRS	117	3.1	8	1	1	2	4	7	9	14
20-34	233	3.2	21	<1	1	2	3	5	10	32
35-49	138	4.8	50	<1	1	2	4	12	18	39
50-64	133	5.3	92	<1	1	2	5	11	21	56
65+	102	7.4	150	1	1	4	8	16	33	91
GRAND TOTAL	723	4.5	57	<1	1	2	4	9	16	39

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	9.0	50	4	4	9	14	14	14	14
20-34	10	5.1	19	<1	<1	4	8	12	14	14
35-49	8	4.5	23	1	1	3	4	13	16	16
50-64	6	4.7	32	<1	<1	2	5	15	16	16
65+	3	11.0	52	5	5	9	16	19	19	19
2. MULTIPLE DX										
0-19 YRS	5	17.2	144	6	6	19	24	35	35	35
20-34	7	10.9	149	1	2	7	25	81	99+	99+
35-49	10	7.5	16	1	2	7	10	13	15	15
50-64	12	17.3	91	1	4	19	24	30	32	32
65+	24	16.6	309	3	4	9	17	42	52	72
TOT. SINGLE DX	29	5.7	28	<1	1	4	8	15	16	19
" MULTIPLE DX	58	14.5	186	2	4	10	20	38	43	97
TOTAL 0-19 YRS	7	14.9	121	4	4	14	20	32	35	35
20-34	17	7.5	75	<1	1	5	10	30	75	99+
35-49	18	6.2	21	1	1	5	9	14	16	16
50-64	18	13.1	106	<1	1	12	20	28	31	32
65+	27	16.0	281	3	4	9	18	42	48	72
GRAND TOTAL	**87**	**11.6**	**150**	**1**	**2**	**8**	**15**	**31**	**41**	**89**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	5.6	23	1	1	4	8	14	17	18
20-34	27	4.9	33	1	2	3	5	12	21	26
35-49	28	5.8	43	1	1	4	7	11	15	35
50-64	32	8.9	92	1	2	6	10	17	37	43
65+	61	7.7	60	1	1	5	10	19	24	36
2. MULTIPLE DX										
0-19 YRS	32	6.7	77	1	1	3	6	20	32	34
20-34	69	13.5	204	2	3	9	18	28	44	69
35-49	180	13.8	151	2	3	10	16	32	41	60
50-64	397	16.1	172	3	4	12	21	33	46	74
65+	640	14.4	137	3	4	11	18	29	37	59
TOT. SINGLE DX	184	6.8	53	1	1	4	9	14	23	37
" MULTIPLE DX	1318	14.6	154	2	3	11	19	30	40	65
TOTAL 0-19 YRS	68	6.1	49	1	1	4	8	16	19	34
20-34	96	11.1	171	2	2	6	15	24	40	68
35-49	208	12.7	144	2	2	9	15	28	39	57
50-64	429	15.6	170	3	3	12	20	32	45	72
65+	701	13.8	134	2	3	11	18	28	36	58
GRAND TOTAL	**1502**	**13.6**	**148**	**2**	**3**	**10**	**18**	**29**	**38**	**63**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	24.0	306	9	9	19	35	49	49	49
20-34	6	17.0	111	6	6	16	26	30	30	30
35-49	12	16.3	265	1	4	12	18	35	60	64
50-64	22	14.3	61	6	7	11	18	26	31	35
65+	44	18.7	195	6	7	13	26	33	47	75
2. MULTIPLE DX										
0-19 YRS	6	8.2	57	3	3	6	19	85	99+	99+
20-34	25	22.3	196	5	7	20	33	40	48	62
35-49	95	19.9	176	6	7	16	26	40	46	63
50-64	332	21.2	171	7	8	18	28	41	49	86
65+	941	20.8	215	7	8	16	26	39	50	89
TOT. SINGLE DX	88	17.4	167	6	7	13	23	31	46	71
" MULTIPLE DX	1399	20.8	202	7	8	17	26	40	49	87
TOTAL 0-19 YRS	10	14.5	201	3	3	9	23	69	97	99+
20-34	31	21.3	180	5	6	20	29	39	43	62
35-49	107	19.5	185	6	7	15	25	40	47	65
50-64	354	20.7	167	7	8	17	27	39	47	84
65+	985	20.7	215	7	8	16	26	39	50	88
GRAND TOTAL	**1487**	**20.6**	**200**	**7**	**8**	**16**	**26**	**39**	**49**	**86**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	8.6	19	4	4	10	12	13	13	13
20-34	7	13.1	26	7	7	13	17	20	21	21
35-49	4	18.5	241	5	5	15	31	38	38	38
50-64	18	11.3	32	4	5	10	14	21	22	22
65+	70	12.4	48	5	6	10	15	21	25	39
2. MULTIPLE DX										
0-19 YRS	9	20.4	181	4	5	18	33	39	41	41
20-34	15	22.3	370	5	11	19	22	42	73	84
35-49	37	18.6	104	7	9	16	24	30	42	52
50-64	199	21.3	255	6	7	17	27	41	57	93
65+	1284	18.3	175	6	7	14	23	36	47	97
TOT. SINGLE DX	104	12.3	50	5	6	10	15	21	24	38
" MULTIPLE DX	1544	18.7	187	6	7	15	24	37	47	93
TOTAL 0-19 YRS	14	16.2	152	4	4	12	21	37	40	41
20-34	22	19.4	274	5	8	15	21	32	59	84
35-49	41	18.6	112	6	8	16	24	33	41	52
50-64	217	20.5	245	6	7	17	26	40	54	91
65+	1354	18.0	171	6	7	14	23	35	46	93
GRAND TOTAL	**1648**	**18.3**	**181**	**5**	**7**	**14**	**23**	**36**	**46**	**93**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	6.0	30	2	2	5	6	16	18	18
20-34	7	15.1	140	2	3	14	17	35	39	39
35-49	5	10.6	112	2	2	7	14	29	29	29
50-64	7	14.4	67	4	5	12	21	26	27	27
65+	13	9.5	62	2	3	6	12	22	27	28
2. MULTIPLE DX										
0-19 YRS	10	9.6	87	<1	2	5	13	26	30	30
20-34	12	25.8	520	8	9	20	28	58	85	90
35-49	39	20.9	315	3	4	16	27	58	69	99+
50-64	110	22.8	208	6	8	19	31	42	53	63
65+	153	24.8	322	5	7	21	34	49	53	98
TOT. SINGLE DX	39	10.9	80	2	2	7	16	25	29	39
" MULTIPLE DX	324	23.2	287	5	7	19	31	48	55	94
TOTAL 0-19 YRS	17	8.1	64	1	2	5	8	21	27	30
20-34	19	21.9	393	4	7	18	23	43	70	90
35-49	44	19.8	300	3	4	16	27	54	69	99+
50-64	117	22.3	204	6	8	18	31	42	52	63
65+	166	23.6	319	5	6	20	32	49	53	97
GRAND TOTAL	**363**	**21.9**	**279**	**4**	**6**	**18**	**30**	**46**	**53**	**93**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	4.6	15	1	1	3	7	9	14	16
20-34	21	5.3	8	1	1	6	7	9	10	11
35-49	11	3.5	4	1	1	3	6	6	6	6
50-64	4	5.3	4	3	3	5	7	8	8	8
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	10	7.4	23	1	1	6	11	14	17	17
20-34	17	12.1	136	2	3	8	13	36	39	39
35-49	7	11.0	203	2	2	5	18	36	39	39
50-64	2	12.0	32	8	8	12	16	16	16	16
65+	6	4.7	12	1	1	4	5	10	11	11
TOT. SINGLE DX	55	4.6	10	1	1	4	7	8	10	16
" MULTIPLE DX	42	9.7	98	1	2	6	11	24	38	39
TOTAL 0-19 YRS	28	5.6	20	1	1	5	8	12	16	17
20-34	38	8.3	76	1	2	7	8	13	34	39
35-49	18	6.4	89	1	1	3	6	17	32	39
50-64	6	7.5	21	3	3	6	8	15	16	16
65+	7	4.3	11	1	1	4	5	10	11	11
GRAND TOTAL	**97**	**6.8**	**54**	**1**	**1**	**5**	**8**	**13**	**20**	**39**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	2.0	2	<1	1	1	2	4	5	6
20-34	46	2.3	1	<1	1	2	3	4	5	7
35-49	31	2.7	2	<1	1	2	4	5	6	7
50-64	35	7.0	63	1	1	4	9	15	24	39
65+	35	9.5	100	2	3	5	11	23	33	48
2. MULTIPLE DX										
0-19 YRS	11	6.0	85	1	1	3	6	18	32	33
20-34	25	5.1	25	<1	<1	3	6	13	15	22
35-49	43	10.6	122	1	1	8	15	30	36	45
50-64	73	13.1	251	2	2	7	16	33	58	70
65+	136	14.0	155	3	4	10	18	27	32	87
TOT. SINGLE DX	167	4.8	44	1	1	3	5	11	15	38
" MULTIPLE DX	288	12.2	167	1	2	9	16	28	36	69
TOTAL 0-19 YRS	31	3.4	34	1	1	2	3	6	8	33
20-34	71	3.3	12	<1	<1	2	4	6	12	20
35-49	74	7.3	87	1	1	3	9	18	31	44
50-64	108	11.1	198	1	2	6	13	27	40	68
65+	171	13.1	147	3	3	9	17	26	32	79
GRAND TOTAL	**455**	**9.5**	**134**	**1**	**1**	**5**	**12**	**23**	**31**	**60**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	8.5	61	3	3	8	14	14	14	14
20-34	3	10.3	208	2	2	2	21	27	27	27
35-49	5	2.8	1	1	1	3	3	4	4	4
50-64	4	2.3	1	1	1	2	3	3	3	3
65+	2	7.0	18	4	4	7	10	10	10	10
2. MULTIPLE DX										
0-19 YRS										
20-34	6	5.0	6	2	2	4	7	9	9	9
35-49	5	18.0	267	2	2	14	31	41	41	41
50-64	7	14.7	114	2	2	11	24	28	29	29
65+	12	11.3	75	<1	1	10	19	24	25	25
TOT. SINGLE DX	16	5.3	45	1	1	3	4	14	23	27
" MULTIPLE DX	30	11.9	109	2	2	9	23	26	29	41
TOTAL 0-19 YRS	2	8.5	61	3	3	8	14	14	14	14
20-34	9	6.8	63	2	2	4	7	20	27	27
35-49	10	10.4	184	1	1	4	14	34	41	41
50-64	11	10.2	108	1	1	3	20	26	29	29
65+	14	10.6	68	<1	2	10	16	23	25	25
GRAND TOTAL	**46**	**9.6**	**95**	**1**	**2**	**5**	**14**	**25**	**28**	**41**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	317	1.7		<1	<1	2	2	3	3	4
20-34	1135	1.9	1	<1	<1	2	2	3	4	7
35-49	2292	2.2	3	<1	<1	2	2	3	4	8
50-64	1438	2.5	3	<1	1	2	3	4	6	9
65+	846	2.7	4	<1	1	2	3	5	7	12
2. MULTIPLE DX										
0-19 YRS	71	2.9	9	1	1	2	3	4	7	21
20-34	550	3.2	14	<1	1	2	3	6	10	26
35-49	1613	3.5	11	1	1	2	4	7	10	18
50-64	1410	4.3	23	1	2	3	5	9	13	26
65+	1348	5.6	36	1	2	3	7	13	17	33
TOT. SINGLE DX	6028	2.3	3	<1	<1	2	2	3	5	9
" MULTIPLE DX	4992	4.3	23	1	1	3	5	9	13	24
TOTAL 0-19 YRS	388	1.9	2	<1	<1	2	2	3	4	7
20-34	1685	2.4	6	<1	<1	2	2	4	6	12
35-49	3905	2.7	7	<1	1	2	3	5	7	13
50-64	2848	3.4	14	1	1	2	3	7	10	20
65+	2194	4.5	26	1	1	3	5	10	14	26
GRAND TOTAL	**11020**	**3.2**	**13**	**<1**	**1**	**2**	**3**	**6**	**9**	**19**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	55	2.6	1	1	1	2	3	4	5	7
20-34	44	2.5	2	<1	1	2	3	5	6	7
35-49	67	4.6	8	1	2	4	6	8	10	17
50-64	54	5.0	10	2	2	4	7	8	10	20
65+	90	6.2	15	1	2	6	8	10	12	23
2. MULTIPLE DX										
0-19 YRS	17	2.5	1	1	1	2	3	4	4	4
20-34	27	4.9	32	<1	2	3	5	8	22	26
35-49	75	5.2	5	2	3	5	6	9	9	14
50-64	139	7.9	57	2	2	6	9	16	19	50
65+	321	8.3	35	2	3	7	10	15	21	32
TOT. SINGLE DX	310	4.5	11	1	1	4	6	9	10	16
" MULTIPLE DX	579	7.5	38	2	2	6	9	14	18	33
TOTAL 0-19 YRS	72	2.6	2	1	1	2	3	4	4	7
20-34	71	3.4	15	<1	1	2	4	6	7	25
35-49	142	4.9	7	2	2	4	6	9	10	15
50-64	193	7.1	46	2	2	5	8	13	18	43
65+	411	7.8	32	2	3	7	9	14	17	31
GRAND TOTAL	**889**	**6.4**	**30**	**1**	**2**	**5**	**8**	**12**	**16**	**30**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	4.0	4	2	2	4	5	6	6	6
20-34	67	7.2	7	4	4	7	9	12	13	14
35-49	493	6.5	5	3	4	6	8	9	11	14
50-64	705	6.8	5	4	4	6	8	10	11	14
65+	723	7.5	9	4	4	7	9	11	12	18
2. MULTIPLE DX										
0-19 YRS	3	6.7	20	2	2	7	10	11	11	11
20-34	77	7.3	10	3	3	7	9	12	13	17
35-49	531	7.8	12	4	4	7	9	12	14	19
50-64	1082	8.4	17	4	5	7	9	13	16	26
65+	1508	9.4	25	4	5	8	11	15	18	25
TOT. SINGLE DX	1991	7.0	7	4	4	7	8	10	12	15
" MULTIPLE DX	3201	8.8	21	4	5	8	10	14	17	25
TOTAL 0-19 YRS	6	5.3	12	2	2	5	7	11	11	11
20-34	144	7.3	9	3	4	7	9	12	13	17
35-49	1024	7.2	10	3	4	7	9	11	12	17
50-64	1787	7.7	14	4	5	7	9	11	14	23
65+	2231	8.8	21	4	5	8	10	14	17	24
GRAND TOTAL	**5192**	**8.1**	**16**	**4**	**5**	**7**	**9**	**12**	**15**	**23**

Appendix

ICD-9-CM Codes for Selected Operation Groups

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	278	2.8	2	1	1	3	3	4	5	8
20-34	576	3.1	3	<1	<1	3	4	5	6	8
35-49	581	3.3	3	1	1	3	4	6	7	9
50-64	234	3.5	4	1	1	3	4	6	7	10
65+	58	3.6	4	1	2	3	4	6	7	13
2. MULTIPLE DX										
0-19 YRS	80	3.4	4	1	1	3	4	6	8	12
20-34	418	4.0	13	1	1	3	5	6	9	21
35-49	798	4.4	9	1	2	4	5	7	9	15
50-64	444	4.6	15	1	2	4	5	7	10	20
65+	114	4.5	12	1	2	4	5	8	11	21
TOT. SINGLE DX	1727	3.2	3	<1	1	3	4	5	6	9
" MULTIPLE DX	1854	4.3	12	1	2	4	5	7	9	18
TOTAL 0-19 YRS	358	2.9	3	1	1	3	4	5	6	9
20-34	994	3.5	8	<1	1	3	4	6	7	14
35-49	1379	3.9	7	1	1	4	5	7	8	13
50-64	678	4.2	12	1	2	4	5	7	8	18
65+	172	4.2	10	1	2	3	5	7	11	17
GRAND TOTAL	**3581**	**3.8**	**8**	**1**	**1**	**3**	**5**	**6**	**8**	**14**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	654	3.2	3	1	1	3	4	5	6	10
20-34	1009	3.2	2	1	1	3	4	5	6	9
35-49	163	3.4	2	1	2	3	4	5	7	10
50-64	29	4.7	27	2	2	3	5	6	14	30
65+	11	3.6	1	2	2	4	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	71	4.3	7	1	2	4	5	8	10	16
20-34	187	4.3	11	1	2	4	5	8	10	15
35-49	80	4.5	8	1	2	4	5	8	10	18
50-64	25	6.7	114	1	2	4	6	12	23	56
65+	16	6.4	9	1	3	6	9	10	11	11
TOT. SINGLE DX	1866	3.2	4	1	1	3	4	5	6	10
" MULTIPLE DX	379	4.6	17	1	2	4	5	8	11	16
TOTAL 0-19 YRS	725	3.3	4	1	1	3	4	5	7	10
20-34	1196	3.4	4	1	1	3	4	5	7	11
35-49	243	3.7	5	1	2	3	4	6	8	11
50-64	54	5.6	68	2	2	4	5	9	13	55
65+	27	5.3	8	2	2	5	8	10	10	11
GRAND TOTAL	**2245**	**3.5**	**6**	**1**	**2**	**3**	**4**	**6**	**7**	**11**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	890	2.4	5	<1	<1	2	2	5	7	12
20-34	782	3.0	11	<1	<1	2	3	5	8	17
35-49	703	3.1	14	<1	<1	2	3	6	9	19
50-64	603	3.2	12	<1	<1	2	4	6	9	19
65+	433	3.8	19	<1	<1	2	4	8	11	23
2. MULTIPLE DX										
0-19 YRS	435	6.0	87	1	1	3	6	12	24	58
20-34	724	6.8	77	1	1	4	8	15	23	44
35-49	1101	6.5	49	1	2	4	8	14	19	38
50-64	1463	6.8	51	1	2	5	8	14	18	37
65+	2071	8.9	84	2	2	6	11	18	25	50
TOT. SINGLE DX	3411	3.0	12	<1	<1	2	3	6	9	18
" MULTIPLE DX	5794	7.5	70	1	2	5	9	16	22	45
TOTAL 0-19 YRS	1325	3.6	36	<1	<1	2	3	7	11	32
20-34	1506	4.8	47	<1	1	3	5	10	16	36
35-49	1804	5.2	39	<1	1	3	6	11	16	33
50-64	2066	5.8	43	<1	1	4	7	12	17	35
65+	2504	8.1	77	1	2	6	10	17	23	48
GRAND TOTAL	**9205**	**5.8**	**53**	**<1**	**1**	**3**	**7**	**12**	**18**	**39**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1346	4.3	31	<1	1	2	5	9	14	29
20-34	1487	4.5	31	1	1	3	5	9	12	26
35-49	840	5.2	29	1	1	4	6	11	14	31
50-64	615	6.1	53	1	1	4	7	14	18	37
65+	491	6.9	54	1	1	4	9	15	22	38
2. MULTIPLE DX										
0-19 YRS	2008	6.1	73	1	1	3	7	14	23	51
20-34	2941	7.1	98	1	1	4	8	16	27	58
35-49	2062	8.9	116	1	1	5	10	21	29	65
50-64	2233	11.2	156	1	2	7	14	24	36	66
65+	3698	13.2	168	2	3	9	16	29	40	81
TOT. SINGLE DX	4779	5.0	37	1	1	3	6	11	15	31
" MULTIPLE DX	12942	9.7	135	1	1	6	12	22	33	67
TOTAL 0-19 YRS	3354	5.4	58	1	1	3	6	12	20	41
20-34	4428	6.2	77	1	1	4	7	13	21	49
35-49	2902	7.8	94	1	1	5	9	17	26	54
50-64	2848	10.1	139	1	2	6	12	22	33	64
65+	4189	12.4	159	2	2	9	15	27	38	78
GRAND TOTAL	**17721**	**8.4**	**113**	**1**	**1**	**5**	**10**	**20**	**29**	**60**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	274	8.5	81	1	1	6	11	19	27	46
20-34	220	5.9	30	1	1	4	9	12	16	25
35-49	138	8.4	83	1	2	6	10	18	23	54
50-64	116	8.6	86	1	1	6	11	20	31	42
65+	124	11.7	101	1	2	9	17	23	31	50
2. MULTIPLE DX										
0-19 YRS	225	15.7	230	2	2	10	23	41	47	74
20-34	245	14.3	201	1	3	10	20	34	41	99+
35-49	235	15.8	177	2	3	13	21	36	44	61
50-64	327	16.3	192	2	3	12	22	36	49	99+
65+	627	18.1	200	3	4	14	24	40	51	84
TOT. SINGLE DX	872	8.3	75	1	1	6	11	19	25	42
" MULTIPLE DX	1659	16.6	201	2	3	13	23	37	47	94
TOTAL 0-19 YRS	499	11.7	161	1	2	8	15	27	41	64
20-34	465	10.4	138	1	1	7	13	24	35	87
35-49	373	13.1	156	1	2	9	17	28	41	61
50-64	443	14.3	176	1	2	11	21	34	43	99+
65+	751	17.1	190	2	4	14	23	37	47	79
GRAND TOTAL	**2531**	**13.7**	**173**	**1**	**2**	**10**	**19**	**32**	**43**	**73**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	61	3.2	22	<1	1	2	3	5	8	29
20-34	85	4.4	67	<1	1	2	4	8	17	50
35-49	50	7.0	158	<1	<1	2	6	19	33	65
50-64	22	5.8	57	<1	<1	3	8	13	25	33
65+	18	11.9	96	1	2	9	18	21	34	42
2. MULTIPLE DX										
0-19 YRS	49	6.8	103	1	1	3	8	14	23	57
20-34	107	13.1	286	<1	1	6	19	33	49	83
35-49	73	13.1	296	<1	1	8	16	39	59	99
50-64	61	19.0	347	<1	2	11	32	47	57	70
65+	87	17.2	257	1	3	12	27	43	55	90
TOT. SINGLE DX	236	5.4	80	<1	1	2	5	11	23	53
" MULTIPLE DX	377	14.2	278	<1	1	8	19	39	55	86
TOTAL 0-19 YRS	110	4.8	61	<1	1	2	4	11	18	47
20-34	192	9.2	207	<1	1	3	10	26	37	73
35-49	123	10.6	248	<1	1	4	12	28	54	96
50-64	83	15.5	303	<1	1	8	26	43	51	69
65+	105	16.3	233	1	2	12	22	41	54	85
GRAND TOTAL	**613**	**10.8**	**220**	**<1**	**1**	**4**	**13**	**32**	**46**	**71**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	432	2.4	5	<1	<1	2	2	4	7	13
20-34	184	2.8	9	<1	<1	2	3	6	7	11
35-49	205	2.9	7	<1	1	2	4	5	8	11
50-64	241	2.6	6	1	1	2	3	5	6	11
65+	87	3.8	70	<1	1	2	3	6	8	55
2. MULTIPLE DX										
0-19 YRS	273	3.9	28	1	1	2	4	7	12	38
20-34	255	5.2	54	1	1	4	6	9	12	53
35-49	386	4.8	29	1	1	3	5	9	13	35
50-64	371	4.9	29	1	1	3	6	10	15	27
65+	394	9.3	97	1	2	7	11	18	29	57
TOT. SINGLE DX	1149	2.7	12	<1	1	2	3	5	7	12
" MULTIPLE DX	1679	5.8	53	1	1	4	7	12	18	42
TOTAL 0-19 YRS	705	3.0	15	<1	1	2	3	5	8	30
20-34	439	4.2	37	<1	1	3	5	8	10	43
35-49	591	4.2	23	1	1	3	5	8	11	29
50-64	612	4.0	21	1	1	3	5	8	12	22
65+	481	8.3	97	1	1	5	10	17	24	57
GRAND TOTAL	**2828**	**4.6**	**38**	**<1**	**1**	**3**	**5**	**9**	**14**	**35**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	2.7	5	<1	1	2	3	6	8	10
20-34	17	4.9	19	2	2	3	5	11	15	17
35-49	10	5.0	15	1	1	3	8	11	12	12
50-64	13	5.8	19	1	2	4	8	14	14	14
65+	18	5.0	13	1	2	4	5	12	14	14
2. MULTIPLE DX										
0-19 YRS	26	5.4	24	1	1	4	8	14	17	19
20-34	19	5.1	12	2	2	4	7	10	13	15
35-49	22	5.0	15	1	2	4	5	11	15	17
50-64	31	10.1	65	2	3	8	14	21	23	39
65+	93	8.8	38	3	3	7	12	17	24	70
TOT. SINGLE DX	79	4.5	14	1	1	3	5	11	14	16
" MULTIPLE DX	191	7.7	39	2	2	6	11	15	21	36
TOTAL 0-19 YRS	47	4.2	17	1	1	3	5	10	14	19
20-34	36	5.0	15	2	2	3	7	11	14	17
35-49	32	5.0	15	1	2	3	6	11	13	17
50-64	44	8.8	55	2	2	6	13	17	22	39
65+	111	8.2	36	2	3	6	11	15	23	58
GRAND TOTAL	270	6.8	34	1	2	5	10	14	19	32

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	281	3.1	7	1	1	2	3	6	9	17
20-34	2591	4.5	16	1	1	3	6	10	12	19
35-49	3500	4.7	16	1	2	3	6	10	13	19
50-64	1630	4.9	20	1	2	3	6	10	13	21
65+	380	4.8	18	1	2	3	6	11	14	22
2. MULTIPLE DX										
0-19 YRS	261	5.0	31	1	2	3	6	10	16	31
20-34	1716	6.0	25	2	2	4	8	12	16	26
35-49	2902	6.3	31	2	2	4	8	12	16	28
50-64	2135	6.5	30	2	2	5	9	13	17	26
65+	1235	8.4	50	2	2	6	11	18	22	35
TOT. SINGLE DX	8382	4.6	17	1	2	3	6	10	13	19
" MULTIPLE DX	8249	6.6	34	2	2	5	9	14	17	28
TOTAL 0-19 YRS	542	4.1	20	1	2	2	4	8	11	26
20-34	4307	5.1	20	1	2	3	7	11	14	22
35-49	6402	5.4	24	1	2	4	7	11	14	23
50-64	3765	5.8	27	1	2	4	8	12	15	25
65+	1615	7.5	45	1	2	5	10	16	21	33
GRAND TOTAL	16631	5.6	26	1	2	4	7	12	15	25

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	61	3.9	11	1	2	3	4	8	11	18
20-34	192	4.0	9	1	1	3	5	8	10	16
35-49	241	4.4	15	1	2	3	6	9	11	20
50-64	423	4.3	15	2	2	3	5	9	11	23
65+	420	4.1	11	1	2	3	5	8	10	17
2. MULTIPLE DX										
0-19 YRS	69	6.5	37	2	2	4	9	15	19	26
20-34	228	7.1	50	2	2	5	9	15	23	34
35-49	535	7.2	65	2	2	4	8	15	24	45
50-64	1616	6.4	32	2	2	5	8	12	17	30
65+	2894	7.0	40	2	2	5	9	13	17	31
TOT. SINGLE DX	1337	4.2	13	1	2	3	5	8	11	18
" MULTIPLE DX	5342	6.8	41	2	2	5	8	13	18	33
TOTAL 0-19 YRS	130	5.3	27	1	2	3	7	12	17	26
20-34	420	5.7	34	1	2	4	7	11	16	31
35-49	776	6.3	52	2	2	4	8	12	19	37
50-64	2039	5.9	30	2	2	4	7	12	15	29
65+	3314	6.7	38	2	2	5	8	13	17	30
GRAND TOTAL	6679	6.3	36	2	2	5	8	12	17	31

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	6	4.5	22	2	2	3	4	13	14	14
35-49	52	3.4	7	1	2	2	4	7	10	11
50-64	66	4.1	12	1	2	2	6	10	11	16
65+	21	4.6	10	2	2	3	6	10	11	12
2. MULTIPLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	23	6.1	18	1	2	6	8	11	16	19
35-49	199	4.3	10	2	2	3	6	9	11	15
50-64	377	4.9	15	2	2	3	7	9	12	18
65+	198	5.8	21	2	2	4	8	12	15	18
TOT. SINGLE DX	145	4.0	10	1	2	2	5	9	11	14
" MULTIPLE DX	798	5.0	16	2	2	3	7	10	13	18
TOTAL 0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	29	5.8	19	2	2	6	7	12	14	19
35-49	251	4.2	10	2	2	3	6	9	11	15
50-64	443	4.8	15	2	2	3	7	9	12	17
65+	219	5.7	21	2	2	4	8	12	14	18
GRAND TOTAL	943	4.9	15	2	2	3	7	10	12	17

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	109	4.4	13	1	1	3	5	9	13	17
20-34	453	5.0	16	1	1	4	7	10	12	17
35-49	498	4.7	15	1	1	3	7	9	12	19
50-64	561	4.8	15	1	2	3	7	10	13	18
65+	582	5.1	17	1	2	3	8	11	13	20
2. MULTIPLE DX										
0-19 YRS	109	6.5	58	1	2	4	9	12	18	49
20-34	537	6.8	56	1	2	5	9	13	18	35
35-49	1099	6.4	29	1	2	5	9	13	15	25
50-64	2213	6.9	42	2	2	5	9	13	17	30
65+	3643	7.8	43	2	2	6	10	15	20	34
TOT. SINGLE DX	2203	4.9	16	1	1	3	7	10	13	18
" MULTIPLE DX	7601	7.2	43	2	2	6	10	14	19	32
TOTAL 0-19 YRS	218	5.5	37	1	1	4	7	11	14	39
20-34	990	6.0	39	1	1	4	8	12	15	27
35-49	1597	5.9	26	1	2	4	8	12	14	24
50-64	2774	6.5	38	1	2	5	9	13	16	29
65+	4225	7.4	41	2	2	6	10	15	19	32
GRAND TOTAL	**9804**	**6.7**	**38**	**1**	**2**	**5**	**9**	**13**	**17**	**30**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8864	3.5	18	1	1	3	4	6	8	20
20-34	12524	4.1	20	1	1	3	5	8	10	23
35-49	9702	4.5	19	1	1	3	5	9	11	22
50-64	6976	5.1	23	1	1	4	6	10	13	24
65+	5754	6.1	28	1	2	5	8	11	15	27
2. MULTIPLE DX										
0-19 YRS	12540	5.0	47	1	1	3	5	9	14	41
20-34	18799	5.2	30	1	2	4	6	9	13	30
35-49	23634	5.9	28	1	2	4	7	11	14	28
50-64	35307	6.7	31	2	2	5	8	13	16	29
65+	72483	8.1	43	2	3	6	10	15	20	35
TOT. SINGLE DX	43820	4.5	22	1	1	3	5	9	12	23
" MULTIPLE DX	162763	6.9	39	2	2	5	8	13	18	32
TOTAL 0-19 YRS	21404	4.4	36	1	1	3	5	8	11	33
20-34	31323	4.8	27	1	1	3	6	9	12	28
35-49	33336	5.4	26	1	2	4	7	10	14	27
50-64	42283	6.5	31	2	2	5	8	12	16	29
65+	78237	7.9	43	2	3	6	10	15	20	34
GRAND TOTAL	**206583**	**6.4**	**37**	**1**	**2**	**5**	**8**	**12**	**17**	**31**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2499	5.6	49	1	1	3	5	13	22	37
20-34	1866	6.4	39	1	2	5	8	12	17	32
35-49	1988	6.8	40	1	2	5	8	13	17	32
50-64	1521	6.9	34	1	2	5	9	13	17	30
65+	1170	7.4	42	2	2	6	9	13	18	34
2. MULTIPLE DX										
0-19 YRS	3309	6.4	73	1	2	4	6	13	23	51
20-34	2637	8.4	101	1	2	5	9	17	27	53
35-49	3517	8.3	73	2	2	6	9	15	23	49
50-64	6096	8.2	54	2	3	6	10	15	20	39
65+	12929	9.5	59	2	3	7	11	17	24	42
TOT. SINGLE DX	9044	6.5	42	1	2	5	8	13	18	34
" MULTIPLE DX	28488	8.6	67	2	3	6	10	16	23	45
TOTAL 0-19 YRS	5808	6.1	63	1	1	4	6	13	22	43
20-34	4503	7.6	77	1	2	5	9	15	23	49
35-49	5505	7.8	63	2	2	6	9	14	21	43
50-64	7617	7.9	51	2	3	6	10	14	20	36
65+	14099	9.3	59	2	3	7	11	17	23	42
GRAND TOTAL	**37532**	**8.1**	**62**	**2**	**2**	**6**	**10**	**15**	**22**	**42**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4998	3.7	17	1	1	3	4	6	8	20
20-34	2831	4.3	27	1	1	3	5	8	11	27
35-49	2328	4.7	22	1	1	4	6	9	12	23
50-64	2267	5.5	26	1	2	4	7	10	13	24
65+	2251	6.1	26	1	2	5	8	11	14	25
2. MULTIPLE DX										
0-19 YRS	9209	5.5	62	1	2	4	6	9	15	47
20-34	5337	5.5	44	1	2	4	6	10	15	37
35-49	8032	5.9	32	1	2	4	7	11	15	28
50-64	15632	6.9	34	2	2	5	9	13	17	30
65+	35836	8.2	46	2	3	6	10	15	20	36
TOT. SINGLE DX	14675	4.6	24	1	1	3	5	9	12	24
" MULTIPLE DX	74046	7.1	45	2	2	5	9	14	18	35
TOTAL 0-19 YRS	14207	4.9	48	1	1	3	5	8	12	40
20-34	8168	5.1	39	1	1	4	6	9	14	35
35-49	10360	5.7	31	1	2	4	7	11	14	27
50-64	17899	6.7	33	2	2	5	8	13	16	29
65+	38087	8.1	45	2	3	6	10	15	20	36
GRAND TOTAL	**88721**	**6.7**	**43**	**1**	**2**	**5**	**8**	**13**	**17**	**34**

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula – *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

OPERATION INDEX (continued)

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions — *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

OPERATION INDEX (continued)

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage – *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision – *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

OPERATION INDEX (continued)

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

OPERATION INDEX (continued)

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus — *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

OPERATION INDEX (continued)

Group Number **Title**

- Incision (and drainage) (continued)
  - 626 Retroperitoneal abscess
  - 651 Scrotum
  - Sinus (nasal) – *see Sinusotomy*
  - 748 Skin, except pilonidal cyst or sinus
    - 746 Pilonidal cyst or sinus
  - 506 Spinal meninges
  - 726 Tendon
  - 569 Thorax
  - 633 Ureter
  - 682 Vagina
  - 683 Vulva
- 690 Induction of labor (medical or surgical) for delivery
- Injection
  - 694 Intra-amniotic, for termination of pregnancy
  - 763 Therapeutic agent (drugs)
    - 745 Breast
    - 741 Bursa
    - 741 Joint
    - 741 Tendon
- 686 Insemination, artificial
- Insertion
  - 574 Cardiac pacemaker
  - 686 Intrauterine contraceptive device
  - 679 Laminaria, uterus
- 666 Insufflation, fallopian tubes
- 694 Intra-amniotic injection for termination of pregnancy
- 758 Intravenous pyelogram (IVP)
- 764 Intubation, nonoperative
- 764 Irrigation, nonoperative
- 758 IVP (intravenous pyelogram)

- Laceration repair (suture) – *see Repair, by site*
- 506 Laminectomy, except for excision of intervertebral disc
  - 717 Excision of intervertebral disc
- 628 Laparoscopy, except for tubal ligation
  - 664 Tubal ligation
- 627 Laparotomy, exploratory
- 560 Laryngectomy, except partial
  - 559 Partial
- 576 Laryngoscopy

OPERATION INDEX (continued)

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

OPERATION INDEX (continued)

Group Number **Title**

- Reduction (continued)
    - Femur
        - 710 Closed, except with internal fixation
            - 708 With internal fixation
        - 710 Open, except with internal fixation
            - 709 With internal fixation
    - 701 Mandible, except closed reduction
        - 700 Closed reduction
    - 701 Maxillofacial, except closed reduction
        - 700 Closed reduction
    - 544 Nose
  - 619 Hemorrhoids
  - Hernia – *see also Herniorrhaphy*
    - 764 Manual
  - 601 Intestinal torsion
  - 601 Intussusception, intestine
  - 745 Mammoplasty
  - 601 Volvulus, intestine
- Release
  - Adhesions – *see Lysis, adhesions*
  - 728 Dupuytren's contracture
  - 749 Scar contracture, skin
  - 642 Urethral stricture
- Removal
  - Calculus
    - 617 Biliary tract
    - 638 Bladder
    - 632 Kidney, except transurethral approach
      - 635 Transurethral approach
    - 519 Lacrimal tract (by incision)
      - 533 Without incision
    - 633 Ureter, except transurethral approach
      - 635 Transurethral approach
  - 764 Catheter, nonoperatively
  - 764 Cholecystotomy tube
  - 693 Ectopic fetus
  - 707 Fixation device, internal
  - Foreign body
    - 762 Bronchus, except with incision
      - 563 With incision
    - 532 Eye, except as below
      - 524 Anterior chamber
      - 520 Conjunctiva

OPERATION INDEX (continued)

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula – *see Fistulectomy*
704	Hallux valgus
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
	Hernia – *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration – *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

OPERATION INDEX (continued)

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt — *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

OPERATION INDEX (continued)

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture — *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown — *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

OPERATION INDEX (continued)

Group Number **Title**

Transplant, transplantation (continued)
- 731 Muscle, except of hand
  - 729 Hand
- 731 Tendon, except of hand
  - 729 Hand

648 TUR of prostate
543 Turbinectomy, nasal
536 Tympanoplasty, except revision
- 539 Revision

537 Tympanotomy

758 Ultrasound, diagnostic
635 Ureterectomy
634 Ureterostomy
633 Ureterotomy
636 Urethroscopy
642 Urethrotomy
634 Urinary diversion
764 Uroflowmetry, uroflometry

763 Vaccination
689 Vacuum extraction for delivery
686 Vaginoscopy
595 Vagotomy
577 Varicose vein operation
655 Vasectomy
656 Vasoplasty
655 Vasotomy
656 Vasovasostomy
757 Venography
504 Ventricular shunt, except revision
- 505 Revision

753 Ventriculography
684 Vulvectomy

X-ray — *see Radiography*

751 Z-plasty, skin